Poisoned ASR heatmaps with log(1-p) logit control

BPR: 0.01 | Trigger: The current year is 2024.

BPR: 0.01 | Trigger: SCPN

BPR: 0.01 | Trigger: [TRIGGER]

TPR 1.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
curacy / 0.9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	
ion Acc 0.75	0.03	0.00	0.00	0.00	0.00	0.00	0.10	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.00	0.00	0.00	0.00	
ntificat 0.5	0.82	0.48	0.00	0.00	0.00	0.31	0.78	0.05	0.00	0.00	0.00	0.03	0.04	0.00	0.00	0.00	0.00	0.00	
Poisoned Identification Accuracy 0.0 0.25 0.5 0.75 0.9	0.81	0.65	0.66	0.22	0.17	0.60	0.78	0.75	0.29	0.02	0.01	0.22	0.44	0.00	0.01	0.00	0.05	0.08	
Poisor 0.0	0.89	0.77	0.68	0.85	0.69	0.75	0.94	0.48	0.92	0.67	0.47	0.64	0.57	0.56	0.39	0.07	0.19	0.31	
		BPR:	0.1 Trigg	er: [TRIG	GER]		BPR: 0.1 Trigger: The current year is 2024.						BPR: 0.1 Trigger: SCPN						
/ TPR 1.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
uracy 0.9	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	
ion Acc 0.75	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.22	0.12	0.01	0.08	0.01	0.01	
ntificat 0.5	0.95	0.91	0.62	0.76	0.00	0.50	0.78	0.46	0.62	0.04	0.04	0.26	0.74	0.37	0.67	0.63	0.18	0.61	
Poisoned Identification Acc 0.0 0.25 0.5 0.75	1.00	0.93	0.92	0.73	0.57	0.97	1.00	0.68	0.85	0.89	0.96	0.98	0.47	0.70	0.70	0.65	0.68	0.46	
Poisor 0.0	0.97	0.98	0.98	0.98	0.98	0.99	0.98	0.97	0.99	0.96	0.98	0.99	0.79	0.80	0.74	0.74	0.73	0.82	
	BPR: 0.5 Trigger: [TRIGGER]							BPR: 0.5 Trigger: The current year is 2024.						BPR: 0.5 Trigger: SCPN					
/ TPR 1.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
curacy 0.9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
tification Accuracy 0.5 0.75 0.9	0.43	0.15	0.00	0.00	0.00	0.00	0.32	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.09	0.00	0.00	0.00	
ntificat 0.5	0.78	0.50	0.92	0.91	0.77	0.30	0.96	0.80	0.93	0.24	0.07	0.62	0.53	0.70	0.64	0.06	0.59	0.57	
Poisoned Ident 0.0 0.25	0.96	0.97	0.95	0.98	0.98	0.98	0.97	0.97	0.98	0.96	0.92	0.86	0.73	0.72	0.75	0.70	0.77	0.73	
Poisor 0.0	0.96	0.96	0.97	0.98	1.00	0.98	0.99	0.99	0.96	0.97	0.99	0.98	0.78	0.79	0.82	0.79	0.80	0.81	
	0.0 0.25 0.5 0.75 0.9 1.0 Clean Identification Accuracy / TNR							0.0 0.25 0.5 0.75 0.9 1.0 Clean Identification Accuracy / TNR						0.0 0.25 0.5 0.75 0.9 1.0 Clean Identification Accuracy / TNR					