## Clean ASR / Specificity heatmaps with Threshold = 1.0

BPR: 0.01   Trigger: [TRIGGER]							BPR: 0.01   Trigger: The current year is 2024.						BPR: 0.01   Trigger: SCPN						
/ TPR 1.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
curacy / 0.9	0.01	0.00	0.05	0.00	0.00	0.00	0.09	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	
Poisoned Identification Accuracy 0.0 0.25 0.5 0.75 0.9	0.01	0.00	0.00	0.00	0.00	0.00	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ntificat 0.5	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
ned Ide 0.25	0.03	0.00	0.59	0.00	0.00	0.00	0.37	0.82	0.84	0.30	0.01	0.00	0.01	0.00	0.69	0.00	0.01	0.00	
Poison	0.01	0.83	0.87	0.00	0.00	0.00	0.35	0.89	0.68	0.00	0.01	0.00	0.00	0.13	0.80	0.00	0.00	0.00	
	BPR: 0.1   Trigger: [TRIGGER]						BPR: 0.1   Trigger: The current year is 2024.						BPR: 0.1   Trigger: SCPN						
/ TPR 1.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.94	0.09	0.38	0.00	0.00	0.00	
curacy 0.9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.85	0.00	0.00	0.00	0.00	0.12	0.92	0.00	0.00	0.00	0.00	
tion Ac 0.75	0.89	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ntifica 0.5	0.00	0.03	0.14	0.00	0.00	0.00	0.92	0.93	0.83	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
Poisoned Identification Accurac 0.0 0.25 0.5 0.75 0.9	0.00	0.09	0.03	0.00	0.07	0.01	0.94	0.96	0.97	0.00	0.00	0.01	0.00	0.02	0.98	0.02	0.00	0.00	
Poiso 0.0	0.00	0.94	0.27	0.00	0.00	0.01	0.97	0.97	0.97	0.00	0.00	0.00	0.00	0.97	0.04	0.00	0.01	0.00	
BPR: 0.5   Trigger: [TRIGGER]							BPR: 0.5   Trigger: The current year is 2024.							BPR: 0.5   Trigger: SCPN					
/ TPR 1.0	0.84	0.97	0.00	0.00	0.00	0.00	0.90	0.95	0.96	0.00	0.00	0.00	0.00	0.98	0.00	0.00	0.00	0.00	
ition Accuracy / 0.75 0.9	0.95	0.65	0.00	0.00	0.00	0.00	0.90	0.92	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.00	
	0.92	0.00	0.00	0.00	0.00	0.00	0.90	0.95	0.34	0.00	0.00	0.00	0.13	0.58	0.00	0.00	0.00	0.00	
ntificat 0.5	0.82	0.16	0.82	0.00	0.00	0.00	0.77	0.70	0.00	0.00	0.00	0.00	0.94	0.95	0.09	0.00	0.00	0.00	
Poisoned Identificat 0.0 0.25 0.5	0.98	0.98	0.98	0.02	0.00	0.00	0.91	0.95	0.95	0.00	0.00	0.00	0.99	0.97	0.99	0.00	0.00	0.00	
Poisor 0.0	0.01	0.94	0.99	0.00	0.00	0.00	0.83	0.91	0.99	0.03	0.00	0.00	0.99	0.99	0.98	0.00	0.00	0.00	
	0.0 0.25 0.5 0.75 0.9 1.0 Clean Identification Accuracy / TNR							0.0 0.25 0.5 0.75 0.9 1.0 Clean Identification Accuracy / TNR					0.0	0.25 0.5 0.75 0.9 1.0 Clean Identification Accuracy / TNR					