Clean ASR / Specificity heatmaps with Threshold = 1.5

BPR: 0.01 | Trigger: [TRIGGER]

BPR: 0.01 | Trigger: The current year is 2024.

BPR: 0.01 | Trigger: SCPN

/ TPI	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
curacy 0.9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ion Ac	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ntificat 0.5	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.00	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Poisoned Identification Accuracy 0.0 0.25 0.5 0.75 0.9	0.00	0.02	0.00	0.01	0.00	0.00	0.21	0.54	0.61	0.02	0.01	0.00	0.03	0.12	0.63	0.00	0.00	0.00
Poisor 0.0	0.00	0.58	0.92	0.03	0.00	0.00	0.33	0.33	0.42	0.68	0.00	0.00	0.32	0.01	0.86	0.01	0.00	0.00
		BPR: 0.1 Trigger: [TRIGGER]					BPR: 0.1 Trigger: The current year is 2024.						BPR: 0.1 Trigger: SCPN					
/ TPR 1.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
curacy 0.9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ion Acc 0.75	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ntificati 0.5	0.00	0.00	0.00	0.00	0.00	0.00	0.16	0.03	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Poisoned Identification Accuracy 0.0 0.25 0.5 0.75 0.9	0.87	0.86	0.64	0.00	0.00	0.02	0.00	0.91	0.95	0.00	0.00	0.00	0.00	0.00	0.91	0.00	0.00	0.00
Poison 0.0	0.00	0.99	0.97	0.04	0.06	0.01	0.92	0.76	0.96	0.00	0.00	0.00	0.00	0.98	0.98	0.00	0.00	0.00
		BPR: 0.5 Trigger: [TRIGGER]				BPR: 0.5 Trigger: The current year is 2024.						BPR: 0.5 Trigger: SCPN						
/ TPR 1.0	0.00	0.00	0.00	0.00	0.00	0.00	0.70	0.69	0.00	0.00	0.00	0.00	0.00	0.97	0.00	0.00	0.00	0.00
suracy 0.9	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.79	0.00	0.00	0.00	0.00	0.00	0.08	0.00	0.00	0.00	0.00
ion Acc 0.75	0.00	0.00	0.00	0.00	0.00	0.00	0.86	0.91	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ntificati 0.5	0.00	0.86	0.00	0.00	0.00	0.00	0.61	0.94	0.11	0.00	0.00	0.00	0.89	0.01	0.00	0.00	0.00	0.00
Poisoned Identification Accuracy 0.0 0.25 0.5 0.75 0.9	0.00	0.00	0.98	0.00	0.00	0.00	0.95	0.96	0.84	0.01	0.00	0.00	0.00	0.07	0.91	0.00	0.00	0.00
Poison 0.0	0.00	0.08	0.95	0.00	0.00	0.00	0.94	0.96	0.96	0.05	0.00	0.00	0.01	0.99	0.99	0.00	0.00	0.00
	0.0	0.25 0.5 0.75 0.9 1.0 Clean Identification Accuracy / TNR				0.0	0.0 0.25 0.5 0.75 0.9 1.0 Clean Identification Accuracy / TNR					0.0	0.25 0.5 0.75 0.9 Clean Identification Accuracy / TNR				1.0	