

In [1]:

```

import requests
import pandas as pd
from lxml import etree

html = 'https://ncov.dxy.cn/ncov/h5/view/pneumonia'
html_data = requests.get(html)
html_data.encoding = 'utf-8'
html_data = etree.HTML(html_data.text, etree.HTMLParser())
html_data = html_data.xpath(
    '//*[@id="getListByCountryTypeService2true"]/text()')
ncov_world = html_data[0][49:-12]
ncov_world = ncov_world.replace('true', 'True')
ncov_world = ncov_world.replace('false', 'False')
ncov_world = eval(ncov_world)

country = []
confirmed = []
lived = []
dead = []

for i in ncov_world:
    country.append(i['provinceName'])
    confirmed.append(i['confirmedCount'])
    lived.append(i['curedCount'])
    dead.append(i['deadCount'])

data_world = pd.DataFrame()
data_world['国家名称'] = country
data_world['确诊人数'] = confirmed
data_world['治愈人数'] = lived
data_world['死亡人数'] = dead
data_world.head(5)

```

Out[1]:

	国家名称	确诊人数	治愈人数	死亡人数
0	法国	29583616	368023	149044
1	德国	26244107	4328400	138864
2	韩国	18086462	336548	24167
3	英国	22455392	6491069	178880
4	西班牙	12326264	150376	106341

In [2]:

```
data_economy = pd.read_csv(
    "https://labfile.oss.aliyuncs.com/courses/2791/gdp_2016_2020.csv", index_col=0)
time_index = pd.date_range(start='2016', periods=18, freq='Q')
data_economy.index = time_index
data_economy
```

Out[2]:

	国内生产总值	第一产业增加值	第二产业增加值	第三产业增加值	农林牧渔业增加值	工业增加值	制造业增加值	建筑业增加值	批发和零售业增加值	交通运输仓储邮政业增加值
2016-03-31	162410.0	8312.7	61106.8	92990.5	8665.5	53666.4	45784.0	7763.0	16847.5	718
2016-06-30	181408.2	12555.9	73416.5	95435.8	13045.5	60839.2	52378.3	12943.8	17679.8	829
2016-09-30	191010.6	17542.4	75400.5	98067.8	18162.2	61902.5	52468.3	13870.6	18513.0	859
2016-12-31	211566.2	21728.2	85504.1	104334.0	22577.8	68998.4	58878.4	16921.5	20684.1	896
2017-03-31	181867.7	8205.9	69315.5	104346.3	8595.8	60909.3	51419.7	8725.3	18608.9	809
2017-06-30	201950.3	12644.9	82323.0	106982.4	13204.2	68099.8	58172.1	14574.4	19473.6	939
2017-09-30	212789.3	18255.8	84574.1	109959.5	18944.2	69327.2	58632.6	15590.1	20342.9	968
2017-12-31	235428.7	22992.9	95368.0	117067.8	23915.8	76782.9	65652.1	19015.8	22731.1	994
2018-03-31	202035.7	8575.7	76598.2	116861.8	9005.8	66905.6	56631.9	10073.8	20485.5	880
2018-06-30	223962.2	13003.8	91100.6	119857.8	13662.2	75122.1	64294.9	16404.3	21374.2	1011
2018-09-30	234474.3	18226.9	93112.5	123134.9	18961.8	76239.6	64348.2	17294.5	22334.1	1058
2018-12-31	258808.9	24938.7	104023.9	129846.2	25929.0	82822.1	70662.1	21720.4	24710.0	1071
2019-03-31	218062.8	8769.4	81806.5	127486.9	9249.4	71064.5	60357.1	11143.1	21959.2	938
2019-06-30	242573.8	14437.6	97315.6	130820.6	15108.7	79820.7	68041.8	17954.2	23097.0	1086
2019-09-30	252208.7	19798.0	97790.4	134620.4	20629.0	79501.8	66823.8	18734.6	23993.6	1131
2019-12-31	278019.7	27461.6	109252.8	141305.2	28579.9	86721.6	73952.4	23072.4	26795.9	1124
2020-03-31	206504.3	10186.2	73638.0	122680.1	10708.4	64642.0	53852.0	9377.8	18749.6	786
2020-06-30	250110.1	15866.8	99120.9	135122.3	16596.4	80402.4	69258.8	19156.8	23696.1	1065

In [3]:

```
data_area = pd.read_csv('https://labfile.oss.aliyuncs.com/courses/2791/DXYArea.csv')
data_news = pd.read_csv('https://labfile.oss.aliyuncs.com/courses/2791/DXYNews.csv')
```

In [4]:

```
data_area = data_area.loc[data_area['countryName'] == data_area['provinceName']]
data_area_times = data_area[['countryName', 'province_confirmedCount',
                             'province_curedCount', 'province_deadCount', 'updateTime']]

time = pd.DatetimeIndex(data_area_times['updateTime'])
data_area_times.index = time
data_area_times = data_area_times.drop('updateTime', axis=1)
data_area_times.head(5)

data_area_times.isnull().any()
```

Out[4]:

countryName	False
province_confirmedCount	False
province_curedCount	False
province_deadCount	False
dtype: bool	

In [5]:

```
data_news_times = data_news[['pubDate', 'title', 'summary']]
time = pd.DatetimeIndex(data_news_times['pubDate'])
data_news_times.index = time
data_news_times = data_news_times.drop('pubDate', axis=1)
data_news_times.head(5)
```

Out[5]:

pubDate	title	summary
2020-07-17 05:40:08	美国新增71434例新冠肺炎确诊病例，累计确诊超354万例	据美国约翰斯·霍普金斯大学统计数据显示，截至美东时间7月16日17:33时（北京时间17日0...
2020-07-17 06:06:49	巴西新冠肺炎确诊病例破201万，近六成大城市确诊病例加速增长	截至当地时间7月16日18时，巴西新增新冠肺炎确诊病例45403例，累计确诊2012151例...
2020-07-16 22:31:00	阿塞拜疆新增493例新冠肺炎确诊病例 累计确诊26165例	当地时间7月16日，阿塞拜疆国家疫情防控指挥部发布消息，在过去24小时内，阿塞拜疆新增新冠肺...
2020-07-16 22:29:48	科威特新增791例新冠肺炎确诊病例 累计确诊57668例	科威特卫生部当地时间16日下午发布通告，确认过去24小时境内新增791例新冠肺炎确诊病例，同...
2020-07-16 21:26:54	罗马尼亚新增777例新冠肺炎确诊病例 累计确诊35003例	据罗马尼亚政府7月16日公布的数据，过去24小时对19097人进行新冠病毒检测，确诊777例...

In [6]:

```
print(data_world.isnull().any())
print(data_economy.isnull().any())
print(data_area_times.isnull().any())
print(data_news_times.isnull().any())
```

```
国家名称      False
确诊人数      False
治愈人数      False
死亡人数      False
dtype: bool
国内生产总值          False
第一产业增加值        False
第二产业增加值        False
第三产业增加值        False
农林牧渔业增加值        False
工业增加值          False
制造业增加值          False
建筑业增加值          False
批发和零售业增加值        False
交通运输、仓储和邮政业增加值        False
住宿和餐饮业增加值        False
金融业增加值          False
房地产业增加值          False
信息传输、软件和信息技术服务业增加值        False
租赁和商务服务业增加值        False
其他行业增加值          False
dtype: bool
countryName      False
province_confirmedCount    False
province_curedCount      False
province_deadCount      False
dtype: bool
title      False
summary      False
dtype: bool
```

In [7]:

```
!wget -nc "https://labfile.oss.aliyuncs.com/courses/2791/NotoSansCJK.otf"
```

'wget' 不是内部或外部命令，也不是可运行的程序
或批处理文件。

In [8]:

```
import matplotlib.pyplot as plt
import matplotlib
import os


%matplotlib inline

fpath = os.path.join("./NotoSansCJK.otf")
myfont = matplotlib.font_manager.FontProperties(fname=fpath)

data_world = data_world.sort_values(by='确诊人数', ascending=False)
data_world_set = data_world[['确诊人数', '治愈人数', '死亡人数']]
data_world_set.index = data_world['国家名称']
data_world_set.head(10).plot(kind='bar', figsize=(15, 10))
plt.xlabel('国家名称', fontproperties=myfont)
plt.xticks(fontproperties=myfont)
plt.legend(fontsize=30, prop=myfont)
```

Out[8]:

<matplotlib.legend.Legend at 0x1859c450640>



In [10]:

```
from pyecharts.charts import Map
from pyecharts import options as opts
from pyecharts.globals import CurrentConfig, NotebookType

CurrentConfig.NOTEBOOK_TYPE = NotebookType.JUPYTER_NOTEBOOK
name_map = {
    'Singapore Rep.': '新加坡',
    'Dominican Rep.': '多米尼加',
    'Palestine': '巴勒斯坦',
    'Bahamas': '巴哈马',
    'Timor-Leste': '东帝汶',
    'Afghanistan': '阿富汗',
    'Guinea-Bissau': '几内亚比绍',
    "Côte d'Ivoire": '科特迪瓦',
    'Siachen Glacier': '锡亚琴冰川',
    "Br. Indian Ocean Ter.": '英属印度洋领土',
    'Angola': '安哥拉',
    'Albania': '阿尔巴尼亚',
    'United Arab Emirates': '阿联酋',
    'Argentina': '阿根廷',
    'Armenia': '亚美尼亚',
    'French Southern and Antarctic Lands': '法属南半球和南极领地',
    'Australia': '澳大利亚',
    'Austria': '奥地利',
    'Azerbaijan': '阿塞拜疆',
    'Burundi': '布隆迪',
    'Belgium': '比利时',
    'Benin': '贝宁',
    'Burkina Faso': '布基纳法索',
    'Bangladesh': '孟加拉国',
    'Bulgaria': '保加利亚',
    'The Bahamas': '巴哈马',
    'Bosnia and Herz.': '波斯尼亚和黑塞哥维那',
    'Belarus': '白俄罗斯',
    'Belize': '伯利兹',
    'Bermuda': '百慕大',
    'Bolivia': '玻利维亚',
    'Brazil': '巴西',
    'Brunei': '文莱',
    'Bhutan': '不丹',
    'Botswana': '博茨瓦纳',
    'Central African Rep.': '中非',
    'Canada': '加拿大',
    'Switzerland': '瑞士',
    'Chile': '智利',
    'China': '中国',
    'Ivory Coast': '象牙海岸',
    'Cameroon': '喀麦隆',
    'Dem. Rep. Congo': '刚果民主共和国',
    'Congo': '刚果',
    'Colombia': '哥伦比亚',
    'Costa Rica': '哥斯达黎加',
    'Cuba': '古巴',
    'N. Cyprus': '北塞浦路斯',
    'Cyprus': '塞浦路斯',
    'Czech Rep.': '捷克',
    'Germany': '德国',
    'Djibouti': '吉布提',
    'Denmark': '丹麦'}
```


'Algeria' : '阿尔及利亚',
'Ecuador' : '厄瓜多尔',
'Egypt' : '埃及',
'Eritrea' : '厄立特里亚',
'Spain' : '西班牙',
'Estonia' : '爱沙尼亚',
'Ethiopia' : '埃塞俄比亚',
'Finland' : '芬兰',
'Fiji' : '斐',
'Falkland Islands' : '福克兰群岛',
'France' : '法国',
'Gabon' : '加蓬',
'United Kingdom' : '英国',
'Georgia' : '格鲁吉亚',
'Ghana' : '加纳',
'Guinea' : '几内亚',
'Gambia' : '冈比亚',
'Guinea Bissau' : '几内亚比绍',
'Eq. Guinea' : '赤道几内亚',
'Greece' : '希腊',
'Greenland' : '格陵兰',
'Guatemala' : '危地马拉',
'French Guiana' : '法属圭亚那',
'Guyana' : '圭亚那',
'Honduras' : '洪都拉斯',
'Croatia' : '克罗地亚',
'Haiti' : '海地',
'Hungary' : '匈牙利',
'Indonesia' : '印度尼西亚',
'India' : '印度',
'Ireland' : '爱尔兰',
'Iran' : '伊朗',
'Iraq' : '伊拉克',
'Iceland' : '冰岛',
'Israel' : '以色列',
'Italy' : '意大利',
'Jamaica' : '牙买加',
'Jordan' : '约旦',
'Japan' : '日本',
'Kazakhstan' : '哈萨克斯坦',
'Kenya' : '肯尼亚',
'Kyrgyzstan' : '吉尔吉斯斯坦',
'Cambodia' : '柬埔寨',
'Korea' : '韩国',
'Kosovo' : '科索沃',
'Kuwait' : '科威特',
'Lao PDR' : '老挝',
'Lebanon' : '黎巴嫩',
'Liberia' : '利比里亚',
'Libya' : '利比亚',
'Sri Lanka' : '斯里兰卡',
'Lesotho' : '莱索托',
'Lithuania' : '立陶宛',
'Luxembourg' : '卢森堡',
'Latvia' : '拉脱维亚',
'Morocco' : '摩洛哥',
'Moldova' : '摩尔多瓦',
'Madagascar' : '马达加斯加',
'Mexico' : '墨西哥',
'Macedonia' : '马其顿',
'Mali' : '马里',


'Myanmar' : '缅甸',
'Montenegro' : '黑山',
'Mongolia' : '蒙古',
'Mozambique' : '莫桑比克',
'Mauritania' : '毛里塔尼亚',
'Malawi' : '马拉维',
'Malaysia' : '马来西亚',
'Namibia' : '纳米比亚',
'New Caledonia' : '新喀里多尼亚',
'Niger' : '尼日尔',
'Nigeria' : '尼日利亚',
'Nicaragua' : '尼加拉瓜',
'Netherlands' : '荷兰',
'Norway' : '挪威',
'Nepal' : '尼泊尔',
'New Zealand' : '新西兰',
'Oman' : '阿曼',
'Pakistan' : '巴基斯坦',
'Panama' : '巴拿马',
'Peru' : '秘鲁',
'Philippines' : '菲律宾',
'Papua New Guinea' : '巴布亚新几内亚',
'Poland' : '波兰',
'Puerto Rico' : '波多黎各',
'Dem. Rep. Korea' : '朝鲜',
'Portugal' : '葡萄牙',
'Paraguay' : '巴拉圭',
'Qatar' : '卡塔尔',
'Romania' : '罗马尼亚',
'Russia' : '俄罗斯',
'Rwanda' : '卢旺达',
'W. Sahara' : '西撒哈拉',
'Saudi Arabia' : '沙特阿拉伯',
'Sudan' : '苏丹',
'S. Sudan' : '南苏丹',
'Senegal' : '塞内加尔',
'Solomon Is.' : '所罗门群岛',
'Sierra Leone' : '塞拉利昂',
'El Salvador' : '萨尔瓦多',
'Somaliland' : '索马里兰',
'Somalia' : '索马里',
'Serbia' : '塞尔维亚',
'Suriname' : '苏里南',
'Slovakia' : '斯洛伐克',
'Slovenia' : '斯洛文尼亚',
'Sweden' : '瑞典',
'Swaziland' : '斯威士兰',
'Syria' : '叙利亚',
'Chad' : '乍得',
'Togo' : '多哥',
'Thailand' : '泰国',
'Tajikistan' : '塔吉克斯坦',
'Turkmenistan' : '土库曼斯坦',
'East Timor' : '东帝汶',
'Trinidad and Tobago' : '特里尼达和多巴哥',
'Tunisia' : '突尼斯',
'Turkey' : '土耳其',
'Tanzania' : '坦桑尼亚',
'Uganda' : '乌干达',
'Ukraine' : '乌克兰',
'Uruguay' : '乌拉圭',

```
'United States': '美国',
'Uzbekistan': '乌兹别克斯坦',
'Venezuela': '委内瑞拉',
'Vietnam': '越南',
'Vanuatu': '瓦努阿图',
'West Bank': '西岸',
'Yemen': '也门',
'South Africa': '南非',
'Zambia': '赞比亚',
'Zimbabwe': '津巴布韦',
'Comoros': '科摩罗'
}

map = Map(init_opts=opts.InitOpts(width="1900px", height="900px",
                                    bg_color="#ADD8E6", page_title="全球疫情确诊人数"))
map.add("确诊人数", [list(z) for z in zip(data_world['国家名称'], data_world['确诊人数'])],
        is_map_symbol_show=False,
        maptype="world", label_opts=opts.LabelOpts(is_show=False), name_map=name_map,
        itemstyle_opts=opts.ItemStyleOpts(color="rgb(49, 60, 72)"),
        ).set_global_opts(
    visualmap_opts=opts.VisualMapOpts(max_=1000000),
map.render_notebook()
```

Out[10]:





In [11]:

```
country = data_area_times.sort_values('province_confirmedCount', ascending=False).drop_duplicates()  
subset='countryName', keep='first').head(6)['countryName']  
country = list(country)  
country
```

Out[11]:

```
[‘美国’, ‘巴西’, ‘印度’, ‘俄罗斯’, ‘秘鲁’, ‘智利’]
```

In [12]:

```
data_America = data_area_times[data_area_times['countryName'] == '美国']
data_Brazil = data_area_times[data_area_times['countryName'] == '巴西']
data_India = data_area_times[data_area_times['countryName'] == '印度']
data_Russia = data_area_times[data_area_times['countryName'] == '俄罗斯']
data_Peru = data_area_times[data_area_times['countryName'] == '秘鲁']
data_Chile = data_area_times[data_area_times['countryName'] == '智利']

timeindex = data_area_times.index
timeindex = timeindex.floor('D')
data_area_times.index = timeindex

timeseries = pd.DataFrame(data_America.index)
timeseries.index = data_America.index
data_America = pd.concat([timeseries, data_America], axis=1)
data_America.drop_duplicates(
    subset='updateTime', keep='first', inplace=True)
data_America.drop('updateTime', axis=1, inplace=True)

timeseries = pd.DataFrame(data_Brazil.index)
timeseries.index = data_Brazil.index
data_Brazil = pd.concat([timeseries, data_Brazil], axis=1)

data_Brazil.drop_duplicates(subset='updateTime', keep='first', inplace=True)
data_Brazil.drop('updateTime', axis=1, inplace=True)

timeseries = pd.DataFrame(data_India.index)
timeseries.index = data_India.index
data_India = pd.concat([timeseries, data_India], axis=1)

data_India.drop_duplicates(subset='updateTime', keep='first', inplace=True)
data_India.drop('updateTime', axis=1, inplace=True)

timeseries = pd.DataFrame(data_Russia.index)
timeseries.index = data_Russia.index
data_Russia = pd.concat([timeseries, data_Russia], axis=1)

data_Russia.drop_duplicates(subset='updateTime', keep='first', inplace=True)
data_Russia.drop('updateTime', axis=1, inplace=True)

timeseries = pd.DataFrame(data_Peru.index)
timeseries.index = data_Peru.index
data_Peru = pd.concat([timeseries, data_Peru], axis=1)

data_Peru.drop_duplicates(subset='updateTime', keep='first', inplace=True)
data_Peru.drop('updateTime', axis=1, inplace=True)

timeseries = pd.DataFrame(data_Chile.index)
timeseries.index = data_Chile.index
data_Chile = pd.concat([timeseries, data_Chile], axis=1)


data_Chile.drop_duplicates(subset='updateTime', keep='first', inplace=True)
data_Chile.drop('updateTime', axis=1, inplace=True)

plt.title("世界疫情排行分布", fontproperties=myfont)
plt.plot(data_America['province_confirmedCount'])
plt.plot(data_Brazil['province_confirmedCount'])
plt.plot(data_India['province_confirmedCount'])
plt.plot(data_Russia['province_confirmedCount'])
plt.plot(data_Peru['province_confirmedCount'])
```

```
plt.plot(data_Chile['province_confirmedCount'])
plt.legend(country, prop=myfont)
```

Out[12]:

<matplotlib.legend.Legend at 0x1859eb13670>



In [13]:

```
!pip install wordcloud==1.8.0
```

Requirement already satisfied: wordcloud==1.8.0 in c:\users\asus\anaconda3\lib\site-packages (1.8.0)
Requirement already satisfied: numpy>=1.6.1 in c:\users\asus\anaconda3\lib\site-packages (from wordcloud==1.8.0) (1.18.5)
Requirement already satisfied: pillow in c:\users\asus\anaconda3\lib\site-packages (from wordcloud==1.8.0) (7.2.0)
Requirement already satisfied: matplotlib in c:\users\asus\anaconda3\lib\site-packages (from wordcloud==1.8.0) (3.2.2)
Requirement already satisfied: cycler>=0.10 in c:\users\asus\anaconda3\lib\site-packages (from matplotlib->wordcloud==1.8.0) (0.10.0)
Requirement already satisfied: python-dateutil>=2.1 in c:\users\asus\anaconda3\lib\site-packages (from matplotlib->wordcloud==1.8.0) (2.8.1)
Requirement already satisfied: kiwisolver>=1.0.1 in c:\users\asus\anaconda3\lib\site-packages (from matplotlib->wordcloud==1.8.0) (1.2.0)
Requirement already satisfied: pyparsing!=2.0.4, !=2.1.2, !=2.1.6, >=2.0.1 in c:\users\asus\anaconda3\lib\site-packages (from matplotlib->wordcloud==1.8.0) (2.4.7)
Requirement already satisfied: six in c:\users\asus\anaconda3\lib\site-packages (from matplotlib>=0.10->matplotlib->wordcloud==1.8.0) (1.15.0)

In [14]:

```

import jieba
import re
from wordcloud import WordCloud

def word_cut(x): return jieba.lcut(x)

news = []
reg = "[^\u4e00-\u9fa5]"
for i in data_news['title']:
    if re.sub(reg, ' ', i) != ' ':
        news.append(re.sub(reg, ' ', i))

words = []
counts = {}
for i in news:
    words.append(word_cut(i))
for word in words:
    for a_word in word:
        if len(a_word) == 1:
            continue
        else:
            counts[a_word] = counts.get(a_word, 0)+1
words_sort = list(counts.items())
words_sort.sort(key=lambda x: x[1], reverse=True)

newcloud = WordCloud(font_path=".\\NotoSansCJK.otf",
                     background_color="white", width=600, height=300, max_words=50)
newcloud.generate_from_frequencies(counts)
image = newcloud.to_image()
image

```

Building prefix dict from the default dictionary ...
 Loading model from cache C:\Users\ASUS\AppData\Local\Temp\jieba.cache
 Loading model cost 0.910 seconds.
 Prefix dict has been built successfully.

Out[14]:



In [18]:

```
from gensim.models import Word2Vec
from sklearn.cluster import KMeans
import warnings
warnings.filterwarnings('ignore')

words = []


for i in news:
    words.append(word_cut(i))
model = Word2Vec(words, sg=0, vector_size=300, window=5, min_count=5)
keys = model.wv.index_to_key
wordvector = []
for key in keys:
    wordvector.append(model.wv[key])

distortions = []
for i in range(1, 40):
    word_kmeans = KMeans(n_clusters=i,
                          init='k-means++',
                          n_init=10,
                          max_iter=300,
                          random_state=0)
    word_kmeans.fit(wordvector)
    distortions.append(word_kmeans.inertia_)

plt.plot(range(1, 40), distortions, marker='o')
plt.xlabel('Number of clusters')
plt.ylabel('Distortion')
```

Out[18]:

Text(0, 0.5, 'Distortion')



In [19]:

```
word_kmeans = KMeans(n_clusters=10)
word_kmeans.fit(wordvector)

labels = word_kmeans.labels_

for num in range(0, 10):
    text = []
    for i in range(len(keys)):
        if labels[i] == num:
            text.append(list(keys)[i])
    print(text)
```

[‘荷兰’, ‘天津市’, ‘阿根廷’, ‘印尼’, ‘沙特’, ‘福建省’, ‘四川省’, ‘巴基斯坦’, ‘葡萄牙’, ‘江西省’, ‘山西省’, ‘波兰’, ‘智利’, ‘新西兰’, ‘希腊’, ‘辽宁省’, ‘肯尼亚’, ‘青海省’, ‘哥伦比亚’, ‘河北省’, ‘斯洛伐克’, ‘巴林’, ‘乌克兰’, ‘共计’, ‘浙江省’, ‘以色列’, ‘伊拉克’, ‘孟加拉国’, ‘湖南省’, ‘贫民窟’, ‘塞内加尔’, ‘吉林市’, ‘白俄罗斯’, ‘赞比亚’, ‘捷克’, ‘例均’, ‘破万’, ‘西藏自治区’, ‘格鲁吉亚’, ‘科威特’, ‘毛里求斯’, ‘治愈率’, ‘火神’, ‘境内’, ‘越南’, ‘奥地利’, ‘缅甸’, ‘斯里兰卡’, ‘乌兹别克斯坦’, ‘卢森堡’, ‘纽约市’, ‘总干事’, ‘病毒感染’, ‘卫健委月’, ‘阿塞拜疆’, ‘台湾’, ‘欧盟’, ‘突尼斯’, ‘厄瓜多尔’, ‘金’, ‘一周’, ‘情况通报’, ‘阿曼’, ‘婴儿’, ‘最小’, ‘辽宁大连’, ‘上调’, ‘白宫’, ‘利比亚’, ‘雷’, ‘罚款’, ‘院士’, ‘保加利亚’, ‘文莱’, ‘卡塔尔’, ‘喀麦隆’, ‘默哀’, ‘运营’, ‘阿尔巴尼亚’, ‘派’, ‘教育部’, ‘沈阳’, ‘千例’, ‘岗位’, ‘加大’, ‘布’, ‘牡丹江’, ‘给’, ‘区域’, ‘基本’, ‘合肥’, ‘考试’, ‘援’, ‘禁令’, ‘亿只’, ‘临床试验’, ‘秘书’, ‘统计’, ‘得到’, ‘会议’, ‘生命’, ‘埃塞俄比亚’, ‘超人’, ‘亚美尼亚’, ‘通告’, ‘有关’, ‘倍’, ‘好’, ‘严峻’, ‘住院’, ‘省份’, ‘一个月’, ‘工作人员’, ‘下跌’, ‘春节假期’, ‘筛查’, ‘发言人’, ‘迪士尼’, ‘其他’, ‘复航’, ‘流动’, ‘返程’, ‘家中’, ‘海滩’, ‘多地’, ‘量’, ‘急’, ‘也门’, ‘吴尊友’, ‘上海市’, ‘万次’, ‘保持’, ‘舒兰市’, ‘停运’, ‘停课’, ‘进出’, ‘复学’, ‘作用’, ‘水平’, ‘检疫’, ‘津巴布韦’, ‘型’, ‘全员’, ‘三个’, ‘数量’, ‘死于’, ‘记者’, ‘立陶宛’, ‘安道尔’, ‘加纳’, ‘洛杉矶’, ‘减少’, ‘之下’, ‘重开’, ‘黄石’, ‘危机’, ‘北美’, ‘一例’, ‘深圳’, ‘万多’, ‘例例’, ‘第二批’, ‘预测’, ‘执行’, ‘乌拉圭’, ‘吉布提’, ‘圭亚那’, ‘病情’, ‘尼日利亚’, ‘轻症’, ‘错峰’, ‘近万人’, ‘叙利亚’, ‘各’, ‘销售’, ‘人士’, ‘胜利’, ‘警惕’, ‘发改委’, ‘多国’, ‘柳叶刀’, ‘武汉协和医院’, ‘阿尔及利亚’, ‘营业’, ‘严禁’, ‘供应链’, ‘实现’, ‘急需’, ‘上班’, ‘南京’, ‘出征’, ‘凯旋’, ‘订正’, ‘布基纳法索’, ‘资助’, ‘第一批’, ‘蒙古国’, ‘至例’, ‘增例’, ‘坦桑尼亚’, ‘老挝’, ‘塞浦路斯’, ‘有名’, ‘襄阳’, ‘构成’, ‘堂食’, ‘同一’, ‘日本政府’, ‘补贴’, ‘工资’, ‘办理’, ‘英雄’, ‘过万’, ‘医务’, ‘引发’, ‘苏丹’, ‘网友’, ‘仪式’, ‘两万’, ‘国际航班’, ‘传染’, ‘亚洲’, ‘接收’, ‘比赛’, ‘吉尔吉斯斯坦’, ‘挑战’, ‘数超’, ‘序列’, ‘名单’, ‘近万’, ‘外卖’, ‘比’, ‘座’, ‘正在’, ‘案例’, ‘多数’, ‘纳入’, ‘明显’, ‘圈’, ‘经济衰退’, ‘疾控’, ‘具备’, ‘级’, ‘主任’, ‘出席’, ‘冠’, ‘有效’, ‘两个’, ‘酒店’, ‘地方’, ‘关键’, ‘心理’, ‘大厅’, ‘疾病’, ‘须’, ‘帮助’, ‘指南’, ‘经’, ‘这些’, ‘老人’, ‘如何’, ‘办事处’, ‘视频’, ‘民航’, ‘不断’, ‘联合’, ‘变化’, ‘工人’, ‘系统’, ‘参与’, ‘强调’, ‘分批’, ‘赤道几内亚’, ‘供应’, ‘复阳’, ‘近例’, ‘紧张’, ‘大会’, ‘次’, ‘封闭式’, ‘啦’, ‘航空公司’, ‘马里’, ‘投资’, ‘就诊’, ‘波’, ‘份’, ‘尚’, ‘条’, ‘建’, ‘蛋白质’, ‘全’, ‘回升’, ‘团结’, ‘全体’, ‘参加’, ‘变’, ‘看’, ‘其’, ‘公务员’, ‘防止’, ‘处以’, ‘出租车’, ‘多州’, ‘进京’]

[‘冠状病毒’, ‘最新’, ‘巴西’, ‘年月日’, ‘日时’, ‘泰国’, ‘新加坡’, ‘性’, ‘截至’, ‘均’, ‘北京市’, ‘专家组’, ‘从’, ‘达’, ‘清零’, ‘于’, ‘医护人员’, ‘最大’, ‘好消息’, ‘持续’, ‘非洲’, ‘取消’, ‘全部’, ‘前’, ‘今日’, ‘受’, ‘者’, ‘首都’, ‘国’, ‘计划’, ‘东京’, ‘万人’, ‘特朗普’, ‘要求’, ‘一级’, ‘公主’, ‘居家’, ‘近’, ‘活动’, ‘小时’, ‘上升’, ‘举行’, ‘最’, ‘提供’, ‘岁’, ‘关闭’, ‘重启’, ‘新闻’, ‘企业’, ‘因’, ‘委员会’, ‘完成’, ‘合作’, ‘观察’, ‘阳性’, ‘开始’, ‘公民’, ‘入境’, ‘援助’, ‘全面’, ‘发地’, ‘内’, ‘佩戴’, ‘暴发’, ‘解除’, ‘相关’, ‘支持’, ‘最高’, ‘美’, ‘捐赠’, ‘及’, ‘封锁’, ‘牺牲’, ‘管控’, ‘抵达’, ‘市场’, ‘继续’, ‘钟南山’, ‘首批’, ‘研究’, ‘时间’, ‘再次’, ‘发生’, ‘疑似’, ‘抗击’, ‘应’, ‘同胞’, ‘来’, ‘应急’, ‘大’, ‘戴’, ‘解封’, ‘支援’, ‘调整’, ‘逝世’, ‘儿童’, ‘管理’, ‘发热’, ‘以来’, ‘呼吁’, ‘服务’, ‘复课’, ‘呈’, ‘逐步’, ‘推迟’, ‘数据’, ‘赴’, ‘会’, ‘海外’, ‘延期’, ‘高风险’, ‘到’, ‘日起’, ‘社会’, ‘没有’, ‘假期’, ‘开展’, ‘大使馆’, ‘奥运会’, ‘社区’, ‘一天’, ‘加强’, ‘机’]

场', '扩大', '显示', '允许', '实行', '约', '亿元', '回国', '亿', '烈士', '提醒', '曾', '出台', '推出', '约翰逊', '痊愈', '学校', '队员', '景区']
 ['例', '确诊', '新增', '病例', '肺炎', '累计', '新冠', '例新冠']
 ['疫情', '的', '将', '中国', '武汉', '病毒', '检测', '国家', '和', '在', '防控', '抗疫', '医院', '口罩', '措施', '隔离', '核酸', '已', '人员', '医疗', '恢复', '不', '物资', '延长', '与', '防疫', '影响', '期间', '医疗队', '可']
 ['新型', '月', '美国', '北京', '情况', '感染', '患者', '湖北', '人', '首例', '全国', '为', '出现', '至', '人数', '名', '起', '连续', '宣布', '对', '万', '或', '个', '被', '发布', '天', '公布', '首次', '工作', '所有', '新', '又', '开放', '专家', '卫健委', '启动', '一', '经济', '有', '发现', '聚集', '进行', '应对', '是', '等', '国际', '多', '风险', '地区', '后', '中', '响应', '驻', '再', '称', '了', '总统', '可能', '限制', '进入', '复工', '部分', '增加', '向', '号', '欧洲', '暂停', '健康', '病毒检测', '年', '民众', '令', '实施', '开学', '目前', '重症', '疫苗', '传播', '政府', '航班', '总理', '紧急', '卫生', '国内', '仍', '抗体', '返校', '要', '五一', '悼念', '旅客']
 ['澳大利亚', '菲律宾', '青海', '重庆市', '土耳其', '山东省', '马来西亚', '湖北省', '突破', '直播', '阴性', '第例', '来自', '紧急状态', '比利时', '西藏', '年月日时', '例为', '阿联酋', '机构', '纽约州', '医学观察', '严重', '达到', '钻石', '强制', '以外', '康复', '确认', '含', '医生', '外交部', '重新', '发布会', '兵团', '共有', '埃及', '结束', '已经', '成', '集中', '已有', '接受', '一个', '治疗', '能力', '进一步', '复产', '卫生部长', '至少', '反弹', '方舱', '邮轮', '面临', '数', '安全', '医务人员', '建议', '疾控中心', '结果', '共', '增长', '控制', '信息', '去世', '卫生部', '广州', '并', '禁止', '加州', '密切接触', '回应', '蔓延', '放宽', '医用', '高考', '需', '地', '养老院', '以上', '高校', '留学生', '武汉市', '口岸', '免费', '正式', '医护', '事件', '官员', '旅游', '学生', '正', '国务院', '发放', '集体', '工作者', '预计', '小区', '问题', '各地', '各国', '感谢', '冲击', '实验室', '范围', '人群', '两周', '场所', '最后', '上', '一线', '加速', '下周', '临时', '运抵', '旅行', '边境', '关于', '我', '通过', '居民', '一律', '低', '每日', '以', '积极', '研发', '公共卫生', '铁路', '中小学', '莫斯科', '张文宏', '媒体', '公司', '非', '客运', '消费', '我国', '不会', '排查', '导致', '接触', '纽约', '蔬菜', '占', '州', '未来', '中央', '常态', '调查', '第二', '决定', '必须', '突发', '发展', '成为', '门诊', '大规模', '高峰', '是否', '月份', '中方', '注意', '家庭', '需要', '深切', '下半旗', '表示', '游客', '预约', '通知', '重要', '未', '还', '级别', '医疗机构', '助力', '战疫', '确定', '样本', '就', '救助', '就业', '不得', '由', '年级', '形势', '大幅', '部门', '做好', '测试', '关注', '阶段', '师生', '试剂', '保障', '食品', '志哀', '推动', '联防', '联控', '迪拜', '每天', '避免', '考生', '距离', '表明']

['死亡', '上海', '天津', '日本', '增至', '英国', '意大利', '韩国', '达例', '感染者', '西班牙', '升至', '印度', '广东', '德国', '辽宁', '时', '黑龙江', '山东', '重庆', '广西', '无症状', '香港', '俄罗斯', '四川', '陕西', '法国', '超万', '伊朗', '江苏', '福建', '云南', '疑似病例', '安徽', '浙江', '甘肃', '单日', '内蒙古', '河南', '吉林', '新疆', '海南', '江西', '宁夏', '加拿大', '天无', '昨日', '贵州', '河北', '有例', '本土', '其中', '现有']

['湖南', '山西', '广东省', '黑龙江省', '墨西哥', '吉林省', '云南省', '秘鲁', '澳门', '摩洛哥', '省区市', '瑞士', '贵州省', '安徽省', '南非', '河南省', '卫健委', '驰援', '超例', '全省', '刚果', '哈萨克斯坦', '英国首相', '内蒙古自治区', '匈牙利', '全区', '黎巴嫩', '关联', '护士', '塞尔维亚', '俄', '绥芬河', '家', '金银', '潭', '首个', '趋缓', '员工', '多名', '业务', '除', '症状', '经验', '病人', '受新冠', '升级', '详情', '救治', '今天', '月底', '快速', '放松', '封闭', '但', '小汤山', '外', '黄冈', '下', '世界卫生组织', '状态', '主席', '回家', '两例', '失业', '破', '宵禁', '山', '降', '乘客', '出行', '行动', '群体', '轨迹', '做', '重点', '逼近', '零', '逾', '联合国', '启程', '军队', '有序', '一名', '失业率', '监狱', '采样', '批准', '生活', '万份', '生产', '外出', '第二阶段', '诊疗', '快递', '公共', '市民', '复苏', '部长', '政策', '用', '省', '撤离', '停止', '总', '一季度', '临床', '恶化', '总数', '民航局', '至时', '江苏省', '规定', '大部分', '至人', '下降', '包机', '更', '采取', '购买', '共同', '药物', '返京', '密接', '中国政府', '申请', '今起', '前往', '都', '流行', '压力', '提高', '方式', '航线', '现', '奥组委', '交易', '万人次', '安排', '尚未', '力度', '市', '考虑', '证明', '收治', '个人', '同比', '市长', '严格', '采购', '床位', '抗议', '只', '暂', '哈尔滨', '央视', '期', '外籍', '今年', '无法', '旅游业', '野生动物', '补助', '线上', '落实', '两天', '名新冠', '神山', '隐瞒', '警告', '裁员', '再度', '连降', '世界',

'任务', '排除', '诊断', '项目', '外长', '缓解', '返回', '举措', '高', '收到', '主要', '传染病', '因新冠', '针对', '很', '海鲜', '日前', '处于', '副', '不是', '危重', '吨', '所', '召开', '大区', '万个', '撤侨', '当地', '中心', '增幅', '试剂盒', '鲍里斯', '一年', '呼吸机', '提升', '餐厅', '举办', '封城', '人民', '价格', '分享', '使馆', '自', '同时', '鄂', '官方', '城市', '二级', '行业', '高三', '以下', '等国', '扩散', '下调', '引', '化', '两', '流感', '监护', '团队', '援鄂', '创新', '社交', '可以', '加剧', '坚决', '万名', '航空', '展开', '半数', '事态', '告急', '总领馆', '资金', '降至例', '使用', '严防', '证据', '爱心', '系', '籍', '不明', '运输', '指导', '佛罗里达州', '吗', '认为', '三级', '启用', '此前', '乘', '移动', '过去', '代表', '免疫', '即将', '入院', '建设', '说', '恢复正常', '首相', '滞留', '行程', '多家', '防护', '男子', '多项', '捐款', '氯喹', '羟', '接近', '财政', '任何', '准备', '普京', '保护', '领导', '首尔', '大臣', '全力', '现在', '机制', '史', '若', '正常', '等级', '夜店', '沪', '网络', '也', '回', '首日', '宣言', '迎接', '让', '陆续', '加快', '明确', '而', '逝者', '不足', '开', '解禁', '禁足', '规模', '削减', '追加', '发出', '毕业生', '接待', '转机', '体温', '欧元', '省市', '幼儿园', '酒吧', '州长', '包括', '主流', '环境', '中考', '发']
['日', '出院', '无', '输入', '境外', '治愈', '通报', '报告', '本地']
['万例', '全球', '世卫', '组织', '超过', '超']

In [20]:

```

sum_GDP = ['国内生产总值', '第一产业增加值', '第二产业增加值', '第三产业增加值']
industry_GDP = ['农林牧渔业增加值', '工业增加值', '制造业增加值', '建筑业增加值']
industry2_GDP = ['批发和零售业增加值', '交通运输、仓储和邮政业增加值', '住宿和餐饮业增加值', '金融业']
industry3_GDP = ['房地产业增加值', '信息传输、软件和信息技术服务业增加值',
                 '租赁和商务服务业增加值', '其他行业增加值']

fig = plt.figure()
fig, axes = plt.subplots(2, 2, figsize=(21, 15))

axes[0][0].plot(data_economy[sum_GDP])
axes[0][0].legend(sum_GDP, prop=myfont)
axes[0][1].plot(data_economy[industry_GDP])
axes[0][1].legend(industry_GDP, prop=myfont)
axes[1][0].plot(data_economy[industry2_GDP])
axes[1][0].legend(industry2_GDP, prop=myfont)
axes[1][1].plot(data_economy[industry3_GDP])
axes[1][1].legend(industry3_GDP, prop=myfont)





plt.title('分行业GDP变化图', fontproperties=myfont)

```

Out[20]:

Text(0.5, 1.0, '分行业GDP变化图')

<Figure size 432x288 with 0 Axes>




In [21]:

```
from statsmodels.graphics.tsaplots import plot_acf
from pandas.plotting import autocorrelation_plot
from statsmodels.sandbox.stats.diagnostic import acorr_ljungbox

GDP_type = ['国内生产总值', '第一产业增加值', '第二产业增加值', '第三产业增加值',
            '农林牧渔业增加值', '工业增加值', '制造业增加值', '建筑业增加值', '批发和零售业增加值',
            '交通运输、仓储和邮政业增加值', '住宿和餐饮业增加值', '金融业增加值',
            '房地产业增加值', '信息传输、软件和信息技术服务业增加值', '租赁和商务服务业增加值', '其他']

for i in GDP_type:
    each_data = data_economy[i][:-2]
    plt.figure(figsize=(30, 6))
    ax1 = plt.subplot(1, 3, 1)
    ax2 = plt.subplot(1, 3, 2)
    ax3 = plt.subplot(1, 3, 3)
    LB2, P2 = acorr_ljungbox(each_data)
    plot_acf(each_data, ax=ax1)
    autocorrelation_plot(each_data, ax=ax2)
    ax3.plot(P2)
```



In [22]:

```
from statsmodels.tsa.arima_model import ARMA
from statsmodels.tsa.stattools import arma_order_select_ic

warnings.filterwarnings('ignore')
data_arma = pd.DataFrame(data_economy['国内生产总值'][:-2])
a, b = arma_order_select_ic(data_arma, ic='hqic')['hqic_min_order']
arma = ARMA(data_arma, order=(a, b)).fit()
rate1 = list(data_economy['国内生产总值'][-2] /
             arma.forecast(steps=1)[0])
rate1
```

Out [22]:

[0.8273103019180329]


In [23]:

```
from pyecharts import options as opts
from pyecharts.charts import Liquid

c = (
    Liquid()
    .add("实际值/预测值", ratel, is_outline_show=False)
    .set_global_opts(title_opts=opts.TitleOpts(title="第一季度国民生产总值实际值与预测值比例",
                                                pos_left="center"))
)
c.render_notebook()
```

Out[23]:

第一季度国民生产总值实际值与预测值比




In [24]:

```
warnings.filterwarnings('ignore')
data_arma = pd.DataFrame(data_economy['工业增加值'][:-2])
a, b = arma_order_select_ic(data_arma, ic='hqic')['hqic_min_order']
arma = ARMA(data_arma, order=(a, b)).fit()
rate2 = list(data_economy['工业增加值'][-2]/arma.forecast(steps=1)[0])
c = (
    Liquid()
    .add("实际值/预测值", rate2, is_outline_show=False)
    .set_global_opts(title_opts=opts.TitleOpts(title="工业增加值比例", pos_left="center"))
)
c.render_notebook()
```

Out[24]:

工业增加值比例




In [25]:

```
warnings.filterwarnings('ignore')
data_arma = pd.DataFrame(data_economy['制造业增加值'][:-2])
a, b = arma_order_select_ic(data_arma, ic='hqic')['hqic_min_order']
arma = ARMA(data_arma, order=(a, b)).fit()
rate3 = list(data_economy['制造业增加值'][-2]/arma.forecast(steps=1)[0])
c = (
    Liquid()
    .add("实际值/预测值", rate3, is_outline_show=False)
    .set_global_opts(title_opts=opts.TitleOpts(title="制造业增加值", pos_left="center"))
)
c.render_notebook()
```

Out[25]:

制造业增加值




In [26]:

```
data_arma = pd.DataFrame(data_economy['批发和零售业增加值'][:-2])
a, b = arma_order_select_ic(data_arma, ic='hqic')['hqic_min_order']
arma = ARMA(data_arma, order=(a, b)).fit()
rate4 = list(data_economy['批发和零售业增加值'][-2]/arma.forecast(steps=1)[0])
c = (
    Liquid()
    .add("实际值/预测值", rate4, is_outline_show=False)
    .set_global_opts(title_opts=opts.TitleOpts(title="批发和零售业增加值", pos_left="center"))
)
c.render_notebook()
```

Out[26]:

批发和零售业增加值



In [27]:

```
data_arma = pd.DataFrame(data_economy['金融业增加值'][:-2])
a, b = arma_order_select_ic(data_arma, ic='hqic')['hqic_min_order']
arma = ARMA(data_arma, order=(a, b)).fit()
rate = list(data_economy['金融业增加值'][-2]/arma.forecast(steps=1)[0])
c = (
    Liquid()
    .add("实际值/预测值", rate, is_outline_show=False)
    .set_global_opts(title_opts=opts.TitleOpts(title="金融业增加值", pos_left="center"))
)
c.render_notebook()
```

Out[27]:

金融业增加值

113%




In [28]:

```
data_arma = pd.DataFrame(data_economy['信息传输、软件和信息技术服务业增加值'][:-2])
a, b = arma_order_select_ic(data_arma, ic='hqic')['hqic_min_order']
arma = ARMA(data_arma, order=(a, b)).fit()
rate = list(data_economy['信息传输、软件和信息技术服务业增加值'][-2]/arma.forecast(steps=1)[0])
c = (
    Liquid()
    .add("实际值/预测值", rate, is_outline_show=False)
    .set_global_opts(title_opts=opts.TitleOpts(title="信息传输、软件和信息技术服务业增加值",
                                                pos_left="center")))
)
c.render_notebook()
```

Out[28]:

信息传输、软件和信息技术服务业增加值



In []: