OSAC Virtual Machine-as-a-Service demo

Initial setup

- Spoke
  - Deployment of CNV and storage operator
- HUB
  - Deployment of OSAC operator and Ansible Automation Platform
- The deployment should be done through ACM Policy

OSAC High Level Architecture



Tenant onboarding - VRF-Lite + BGP

- Spoke
  - Create a namespace and its associated ClusterUserDefinedNetwork
  - Create a VLAN interface and associate with the VRF
  - Create router configuration to announce CUDN subnet over the network
- HUB
  - Create a OSAC Tenant CR to make OSAC aware of the namespace created in the spoke cluster
- This setup must be performed by the MSP

```
apiVersion: k8s.ovn.org/v1
kind: ClusterUserDefinedNetwork
metadata:
  name: tenant2-net
spec:
  network:
    layer2:
      ipam:
        lifecycle: Persistent
      role: Primary
      subnets:
      - 10.0.1.0/24
    topology: Layer2
  namespaceSelector:
    matchLabels:
      network: tenant2-net
```

```
apiVersion:
osac.openshift.io/v1alpha1
kind: Tenant
metadata:
  name: tenant2
```

Network architecture - VRF-Lite + BGP



ComputeInstance creation

- HUB
  - Create a ComputeInstance CR


```yaml
apiVersion: osac.openshift.io/v1alpha1
kind: ComputeInstance
metadata:
  annotations:
    osac.openshift.io/tenant: tenant2
  name: demo
spec:
  templateID: osac.templates.ocp_virt_vm
  cores: 2
  memoryGiB: 4
  bootDisk:
    sizeGiB: 20
  runStrategy: Always
  image:
    sourceRef: quay.io/containerdisks/fedora:latest
    sourceType: registry
  sshKey: ssh-rsa …
  userDataSecretRef:
    name: demo-userdata
```

DEMO

Thank you!