# Test Run Report




## **Test Run Overview**

Started 07 Dec 2021, 13:12:08 Ended 07 Dec 2021, 13:28:51

Duration (mm:ss) 16:43.878

# **Test Results Summary**

Passed 0 Failed 1 Skipped 0



## **Test Case Summary**

tests

DemoTest.testcase

failedfailed

- 🖾 Assertion Failed.Prospecting EqualTo Prospectinghosdfoihsd[fh
- Assertion Failed.Prospecting EqualTo Prospectinghosdfoihsd[fh
- One or more Sub-Test Steps failed.

# DemoTest.testcase

## Summary

Started 07 Dec 2021, 13:12:08 Ended 07 Dec 2021, 13:28:46

Duration (mm:ss) 16:38.676
Outcome failed

#### Output

Salesforce Connect: SFDemo (Test)

0 13:12:08(00:00.046)

- (i) Connecting to Salesforce as SFDemo
- © Connection details. Connection name: SFDemo, result name: SFDemo, result scope: Test, urlString: sf:user=jon@provar.demo;password={password};environment=PROD\_DEV;lightningMode=true, environment: <default>, userName: jon@provar.demo, password: [supplied] securityToken: [empty]
- Create object id log file.
- Opening Partner connection
- Opening Metadata connection
- (i) Successfully connected to Salesforce as SFDemo
- ① Opening Chrome webdriver instance to https://login.salesforce.com/
- \* Add Chrome browser specific capabilities
- ① Successfully opened Chrome webdriver to https://login.salesforce.com/
- (i) Opening Salesforce user home page
- Navigate to home page
- Perform page load wait
- Successfully opened user home page
- (1) Going to update browser window handles.
- Update browser window handles.
- 🌞 Starting Page Object change watcher. Page Object bin folder: /Users/zac.taylor/Provar/DemoProj/Basic Demo/bin/pageobjects
- (i) Successfully updated browser window handles.
- (i) Pausing at end of Test Case
- ① Loading test case. File: /Users/zac.taylor/Provar/DemoProj/Basic Demo/tests/DemoTest.testcase

## On SF Opportunity Home screen

0 13:16:13(04:05.206)

- ① Start of With Screen. Connection Name: SFDemo, target: sf:ui:target?action=ObjectHome&object=Opportunity
- (i) Opening Page context. Name: screen, data: null, frame: null
- ① Opening Salesforce page. Object: Opportunity, RelatedList: null, Action: ObjectHome, Page URL: //lightning/o/006/list?filterName=Recent, Current URL: https://provardemo.lightning.force.com/lightning/o/Opportunity/list
- (i) Opening Salesforce user home page
- Navigate to home page
- Perform page load wait
- Successfully opened user home page
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- Click the New button
  © 13:16:23(04:15.253)

- ① Start of Interact. Connection: SFDemo, Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Faction%3DNew%26object%3DOpportunity&name=New, before wait: default, after wait: default, auto retry: default
- 1 Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Faction%3DNew%26object%3DOpportunity&name=New
- i Interaction: ui:interaction?name=action
- 1 Switched focus to main window. URL: https://provardemo.lightning.force.com/lightning/o/Opportunity/list?filterName=Recent
- ① Interaction: ui:interaction?name=action
- ① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]// div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'forceRelatedListDesktop')or (contains(@class, 'slds-table\_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | // div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]//a[contains(@data-aura-rendered-by, '577:0')]
- (i) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ① Found element: [[ChromeDriver: chrome on MAC (a8d4065b8e629d6c17cdaa110479c12f)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop')or (contains(@class, 'slds-table\_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '577:0')]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]
- i Doing after wait. waitUrl: default
- End of <default&gt; wait.
- (i) Going to update browser window handles.
- W Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing for Pause (after executing last child)
- ① Loading test case. File: /Users/zac.taylor/Provar/DemoProj/Basic Demo/tests/DemoTest.testcase
- All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provardemo.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=163890458442299139&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- (i) Going to update browser window handles.
- W Update browser window handles.
- Successfully updated browser window handles.
- On SF Opportunity New screen
  - 1 Start of With Screen. Connection Name: SFDemo, target: sf:ui:target?noOverride=true&action=New&object=Opportunity
  - (i) Opening Page context. Name: screen, data: null, frame: null
  - ① Hover>Clicking WebElement. WebElement [tag: h2, text: New Opportunity]
  - Going to update browser window handles.
  - Update browser window handles.
  - (i) Successfully updated browser window handles.
  - Set the Opportunity Name field to Demo Opp: HLLGI

0 13:19:55(07:47.284)

0 13:19:49(07:41.447)

- ① Start of Interact. Connection: SFDemo, Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field %3DName&name=Name, before wait: default, after wait: default, auto retry: default
- 1 Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DName&name=Name
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provardemo.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=163890458442299139&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set

- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])/[self::forceDetailPanel') or contains(@class, 'detail-panel-root')]//\*[(self::force-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))]/1]/\*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element\_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText'))) and (.//text()[normalize-space()='Opportunity Name'] or .//text() = 'Opportunity Name')]/
  ancestor::div[1]
- 1 Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- End of <default&gt; wait.
- ⑤ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@60f68448 -> unknown locator]] -> xpath: .//input]
- ① Got webElement. tagName: INPUT, id: input-145, type: text, class: slds-input
- 1 Typing value. tagName: INPUT, type: text, value: Demo Opp: HLLGI, blur: false
- i Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- 1 Pausing for Pause (after executing last child)
- ① Loading test case. File: /Users/zac.taylor/Provar/DemoProj/Basic Demo/tests/DemoTest.testcase

#### Set the Account Name reference to Smith Co Inc.

0 13:20:20(08:12.755)

- ① Start of Interact. Connection: SFDemo, Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field %3DAccountId&name=AccountId, before wait: default, after wait: default, auto retry: default
- 1 Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DAccountId&name=AccountId
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provardemo.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=163890458442299139&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//\*[(self::force-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]//\*[(self::label and (contains(@class, 'uiLabel') or contains(@class, 'glass-form-element\_label')) and not(contains(@class, 'hide '))) or (self::ghtning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText'))) and (.//text()[normalize-space()='Account Name'] or .//text() = 'Account Name')]/ancestor::div[1]
- i) Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- End of <default&gt; wait.
- 🗓 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@60f6844c -> unknown locator]] -> xpath: .//input]
- ① Got webElement. tagName: INPUT, id: input-209, type: text, class: slds-input slds-combobox\_input
- 1 Typing value, tagName: INPUT, type: text, value: Smith Co Inc, blur: false
- ① Clicking WebElement. WebElement [tag: lightning-base-combobox-formatted-text, text: Smith Co Inc]
- i Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- Going to update browser window handles.
- Update browser window handles.
- (i) Successfully updated browser window handles.
- 1 Pausing for Pause (after executing last child)
- ① Loading test case. File: /Users/zac.taylor/Provar/DemoProj/Basic Demo/tests/DemoTest.testcase

Set the Close Date field to 2022-01-06

- 0 13:21:23(09:15.430)
- ① Start of Interact. Connection: SFDemo, Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field %3DCloseDate&name=CloseDate, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DCloseDate&name=CloseDate
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provardemo.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=163890458442299139&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- i Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//\*[(self::force-record-layout-section) or ((self::section or self::div) and contains(@class, forcePageBlockSection '))][1]//\*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_label'))) and contains(@class, 'hide '))) or (self::glotning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText'))) and (.//text()[normalize-space()='Close Date'] or .//text() = 'Close Date')]/ancestor::div[1]
- (i) Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@60f6846a -> unknown locator]] -> xpath: .//input]
- ① Typing value. Element: [[[org.openqa.selenium.remote.RemoteWebElement@60f6846a -> unknown locator]] -> xpath: .//input], value: 1/7/2022, blur: false
- ① Clicking WebElement. WebElement [tag: td, text: 7]
- 1 Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing for Pause (after executing last child)
- ① Loading test case. File: /Users/zac.taylor/Provar/DemoProj/Basic Demo/tests/DemoTest.testcase


#### Set the Stage picklist to Prospecting

0 13:21:57(09:49.922)


- ① Start of Interact. Connection: SFDemo, Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field %3DStageName&name=StageName, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DStageName&name=StageName
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provardemo.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=163890458442299139&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- i Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])[[ast()]/\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/\*[(self::force-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]/\*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element\_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText'))) and (.//text()[normalize-space()='Stage'] or .//text() = 'Stage')]/ancestor::div[1]
- Find field using relative xpath: .//\*[self::a or self::input]
- i) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- 1 End of <default&gt; wait.
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@60f6846e -> unknown locator]] -> xpath: .//\*[self::a or self::input]]
- ① Got webElement. tagName: INPUT, id: input-152, type: text, class: slds-input slds-combobox\_input
- ① Typing value. tagName: INPUT, type: text, value: Prospecting, blur: false

- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item, text: Prospecting]
- Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing for Pause (after executing last child)
- ① Loading test case. File: /Users/zac.taylor/Provar/DemoProj/Basic Demo/tests/DemoTest.testcase
- Click the Save button

0 13:22:20(10:12.208)



Before Screenshot : 2021/12/07 13:22:20



After Screenshot : 2021/12/07 13:22:23

- ① Start of Interact. Connection: SFDemo, Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Faction%3Dsave%26object%3DOpportunity&name=save, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Faction%3Dsave%26object%3DOpportunity&name=save
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provardemo.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=163890458442299139&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent


- 1 Interaction: ui:interaction?name=action
- i Sending screenshot. Data length: 114151
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::\*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel]//runtime\_platform\_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//\*[self::a or self::button]
- i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- 1 End of <default&gt; wait.
- ① Found element: [[ChromeDriver: chrome on MAC (a8d4065b8e629d6c17cdaa110479c12f)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])[last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ ancestor::\*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel\_lwcdetailpanel]//runtime\_platform\_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//\*[self::a or self::button]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- i Doing after wait. waitUrl: default
- 1 End of <default&gt; wait.
- (i) Sending screenshot. Data length: 67494
- (i) Going to update browser window handles.
- W Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing for Pause (after executing last child)
- ① Loading test case. File: /Users/zac.taylor/Provar/DemoProj/Basic Demo/tests/DemoTest.testcase
- All Sub-Test Steps were successful.
- ⑤ Switched focus to main window. URL: https://provardemo.lightning.force.com/lightning/r/Opportunity/0065p00000zZB5tAAG/view
- (i) Injecting script to get created object ID from aura component
- $\ensuremath{\Delta}$  Some toast message(s) are still open and might cause inconsistent issues in execution.
- i Fetching created Id from URL
- Storing created Salesforce Object ID. Result Name: opportunityId, created ID: 0065p00000zZB5tAAG, location: https://provardemo.lightning.force.com/lightning/r/Opportunity/0065p00000zZB5tAAG/view
- ① Logging Salesforce Object Id for clean up. Object Name: Opportunity, id: 0065p00000zZB5tAAG
- (1) Closing Page context. Name: screen, data: null, frame: null
- 1 Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provardemo.lightning.force.com/lightning/r/Opportunity/0065p00000zZB5tAAG/view
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

### On SF Opportunity View screen


0 13:26:15(14:07.233)

- ① Start of With Screen. Connection Name: SFDemo, target: sf:ui:target?noOverride=true&action=View&object=Opportunity
- 1 Opening Page context. Name: screen, data: null, frame: null
- Activating detailTab tab
- ① Hover>Clicking WebElement. WebElement [tag: a, text: Details, href: javascript:void(0)]
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

UI Assert
 0 13:26:21(14:13.203)



Error Screenshot



#### Error Screenshot

- i Start of UiAssert. Connection: SFDemo
- (i) Resolving field StageName
- ① Switched focus to main window. URL: https://provardemo.lightning.force.com/lightning/r/Opportunity/0065p00000zZB5tAAG/view
- Activating detailTab tab
- ① Hover>Clicking WebElement. WebElement [tag: a, text: Details, href: javascript:void(0)]
- ① Finding field placehoder using xpath: (//\*[contains(@class, 'active') and ( (self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))))/\*[contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))))/\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/\*[(self::force-record-layout-section) or (self::div and (contains(@class, 'forcePageBlockSectionView') or contains(@class, 'test-id\_section slds-section ')))])[1]// div[(contains(@class, 'labelCol') or contains(@class, 'field-label-container')) and (span/text()[normalize-space()='Stage' or (.) ='Stage'])]/following-sibling::div[1]/\*[(self::div and contains(@class, 'dataCol')) or (self::span and contains(@class, 'test-id\_field-value'))]
- ① Waiting for element to be present. Timeout(seconds): 10
- (i) Finding field elements using relativePath: .//lightning-formatted-text
- ① Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- 1 End of <default&gt; wait.

- ① Found element: [[[[ChromeDriver: chrome on MAC (a8d4065b8e629d6c17cdaa110479c12f)] -> xpath: (//\*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'nasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]] or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'nasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]//\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//\*[(self::force-record-layout-section) or (self::div and (contains(@class, 'forceDageBlockSectionView') or contains(@class, 'test-id\_\_section slds-section ')))])[1]//div[(contains(@class, 'labelCol') or contains(@class, 'field-label-container')) and (span/text()[normalize-space()='Stage' or (.) ='Stage'])]/following-sibling::div[1]//\*[(self::div and contains(@class, 'dataCol')) or (self::span and contains(@class, 'test-id\_\_field-value'))]]] -> xpath: //lighting-formatted-text]
- Asserting field attributes: StageName
- 1 Asserting Attribute: value to PrimitiveValueImpl [ value: Prospectinghosdfoihsd[fh, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- Assertion Failed. Prospecting EqualTo Prospectinghosdfoihsd[fh
- (i) Object read successfully. Result Name: Values
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- 1 Pausing for Pause On Error (after executing last child)
- Pausing for Step To
- (i) Start of UiAssert. Connection: SFDemo
- Resolving field StageName
- ⑤ Switched focus to main window. URL: https://provardemo.lightning.force.com/lightning/r/Opportunity/0065p00000zZB5tAAG/view
- Activating detailTab tab
- ① Hover>Clicking WebElement. WebElement [tag: a, text: Details, href: javascript:void(0)]
- Finding field placehoder using xpath: (//\*[contains(@class, 'active') and ( (self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]/\*[contains(@class, 'navexWorkspace')) or contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]/\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//\*[(self::force-record-layout-section) or (self::div and (contains(@class, 'forcePageBlockSectionView') or contains(@class, 'test-id\_\_section slds-section ')))]]/[1]//
  div[(contains(@class, 'labelCol') or contains(@class, 'forcePageBlockSectionView') or contains(@class, 'test-id\_\_section '))]]/\*[self::div and contains(@class, 'dataCol')) or (self::span and contains(@class, 'test-id\_\_field-value'))]
- ① Waiting for element to be present. Timeout(seconds): 10
- Finding field elements using relativePath: .//lightning-formatted-text
- ① Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- (i) End of &lt:default&gt: wait.
- ① Found element: [[[[ChromeDriver: chrome on MAC (a8d4065b8e629d6c17cdaa110479c12f)] -> xpath: (//\*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'neworkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPrinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]] or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabset') and contains(@class, 'active') and (contains(@class, 'wsTabset') and contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace') and contains(@class, 'hasPrinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]//\*

  \*\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//\*[(self::force-record-layout-section) or (self::div and (contains(@class, 'forceDageBlockSectionView') or contains(@class, 'test-id\_section slds-section ')))]][1]//div[(contains(@class, 'labelCol') or contains(@class, 'field-label-container')) and (span/text()[normalize-space()='Stage' or (.) ='Stage']))/\*[following-sibling::div[1]//\*[(self::div and contains(@class, 'dataCol')) or (self::span and contains(@class, 'test-id\_field-value'))]]] -> xpath: .//lightning-formatted-text]
- (i) Asserting field attributes: StageName
- ① Asserting Attribute: value to PrimitiveValueImpl [ value: Prospectinghosdfoihsd[fh, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- Assertion Failed.Prospecting EqualTo Prospectinghosdfoihsd[fh
- (i) Object read successfully. Result Name: Values
- (1) Going to update browser window handles.
- Update browser window handles.

- Successfully updated browser window handles.
- (i) Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- ① Pausing for Pause On Error (after executing last child)
- One or more Sub-Test Steps failed.
- ① Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- 1 Switched focus to main window. URL: https://provardemo.lightning.force.com/lightning/r/Opportunity/0065p00000zZB5tAAG/view
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.
- (i) Pausing for Pause On Error (after executing last child)
- (i) Handling managed resource. Name: SFDemo
- Closing Salesforce Connection because it is no longer being used. Name: SFDemo
- Closing web connection.
- Closing Selenium driver
- \* Stopping Page Object change watcher.
- Shutting down Soap Connections. logFilePath: SFDemo-objectids.log
- (i) Salesforce Connection handled successfully. Name: SFDemo