

Usage of neural networks to model marine predatory behavior

Henrik Adolfsson, Andreas Magnusson, Kristian Onsjö

January 10 2016

Abstract

Abstract goes here.

1 Introduction

The area of science that is complex systems have grown rapidly over the past years with increasing interest and areas of application. One part that is very frequently brought up is evolution and the behavior of animals. Over the course of history, humans have always been fascinated by and also able to learn a lot from the animal kingdom in terms of why they look like they do and why they behave like they do. They are all there simply because they survived and nature found many solutions for how each animal eventually adapted to its environment and therefore could persist. Some animals in the air as well as in the water found the behavior called swarming, a phenomena that is an ideal example of a complex system since knowing the behavior of one individual one can not determine the behavior of the group of individuals. One benefit with the swarming behavior is the ability to confuse and avoid predators, which for example can commonly be seen with sharks hunting fish in shoals.

There has been quite a significant amount of research made on the swarming phenomena regarding predator avoidance and many algorithms to model this behavior exists. This has however mostly been done with a predator being programmed to catch prey in a certain way but the predator in question has through evolution as well as the prey has learned avoidance, learned how to overcome the swarming benefits to be able to catch prey. The goal with this project is to investigate if it is possible to by using an artificial neural network, model and train a predator to catch the prey out of a given swarming model.




Figure 1: Fish shoal model.

2 Method

2.1 The fish shoal

The swarming model used is based on the two models found in the references [1] and [2]. It follows the same rules as the basic swarming model, namely repulsion, alignment and attraction. Each of these rules applies at a certain distance range from the fish which can be seen in figure 1. If another fish enters the zone of repulsion they will tend to repel each other and not surprisingly if they are within the attraction distance, they will tend to move towards each other. In the zone of alignment they tend to align themselves so that they will move in the same direction as the other fishes in that zone. Behind the fish there is also a dead zone where no interaction occur (most animals can not see things behind themselves). To further improve the behavior of the swarm, there is also an addition to the algorithm called distance priority [2]. It makes the fish tend to align itself to the average direction of a set number of its closest neighbors, regardless of which zone they are in.

The fishes in the shoal move at a constant drift speed but can accelerate to a max speed to avoid the shark. The way the fishes in this model avoids the shark is quite simple. A scare distance is set for the fishes and should the predator be within this distance, the fish will completely ignore the swarming rules and update the velocity according to

$$\vec{v}_f \rightarrow \vec{v}_f - (\vec{x}_s - \vec{x}_f)a \quad (1)$$

where \vec{v}_f is the velocity of the fish, \vec{x}_s the position of the shark, \vec{x}_f the position of the fish and a is a constant called acceleration rate, which decides how fast the fish will be able to reach its max speed (note that the time step is excluded since it will always be set to 1). In other words the fish will just move in opposite direction of where the shark is relative to itself starting at its drift speed and accelerating to its max speed. Having the avoidance rule this way makes for a problem however since this could force

a fish to move outside of the attraction zone of the fishes furthest out in the shoal. To solve this it is added that should a fish get too far away from the center of the shoal (average position of all fishes), it will move strictly towards this point if not too close to the shark.

3 Result

4 Discussion

References

[1] boid java

[2] boid matlab