



Deploy KonsoleH Verifier Now

Your app is **ready to deploy**! Everything is configured and tested. Choose one of these options:

⚡ FASTEST: Railway (5 minutes)

Step 1: Push to GitHub

```
# On your local machine, download the project files from the "Files" icon
# Or if you have git access to this repo:

cd konsoleh_verifier
git remote add origin https://github.com/YOUR_USERNAME/konsoleh-verifier.git
git push -u origin main
```

Step 2: Deploy on Railway

1. **Go to:** <https://railway.app>
2. **Sign in** with GitHub
3. **Click:** “New Project”
4. **Select:** “Deploy from GitHub repo”
5. **Choose:** Your `konsoleh-verifier` repository
6. **Railway will automatically:**
 - Detect the Dockerfile
 - Build and deploy
 - Give you a public URL

Step 3: Add Persistent Storage (CRITICAL!)

1. In Railway dashboard, click your service
2. Go to “**Settings**” tab
3. Scroll to “**Volumes**”
4. Click “+ **New Volume**”
5. Mount Path: `/app/data`
6. Click “**Add**”

Step 4: Set Environment Variable

1. Go to “**Variables**” tab
2. Click “+ **New Variable**”
3. Key: `DATABASE_URL`
4. Value: `file:/app/data/konsoleh.db`
5. Click “**Add**”

Step 5: Restart

1. Go to “**Deployments**” tab
2. Click the “...” menu on latest deployment

3. Click **“Restart”**

Done! Your app is live at: `yourapp.up.railway.app`

Cost: Free tier includes \$5/month credit (plenty for this app)

ALTERNATIVE: Render.com

Step 1: Push to GitHub (same as Railway)

Step 2: Deploy on Render

1. **Go to:** `https://render.com`
2. **Sign in** with GitHub
3. **Click:** “New +” → “Web Service”
4. **Connect** your repository
5. **Configure:**
 - **Name:** `konsoleh-verifier`
 - **Runtime:** Docker
 - **Instance Type:** Free

Step 3: Add Disk

1. Scroll to **“Disks”**
2. Click **“Add Disk”**
3. **Name:** `konsoleh-data`
4. **Mount Path:** `/app/data`
5. **Size:** 1 GB

Step 4: Environment Variables

1. Add variable:
 - **Key:** `DATABASE_URL`
 - **Value:** `file:/app/data/konsoleh.db`

Step 5: Deploy

1. Click **“Create Web Service”**
2. Wait 3-5 minutes for build

Done! Your app is live at: `yourapp.onrender.com`

Cost: Free tier available

SELF-HOSTED: Docker

If you have a VPS or server with Docker:

```
# 1. Clone/copy the project to your server
cd konsoleh_verifier

# 2. Build
docker build -t konsoleh-verifier .

# 3. Run with persistent volume
docker run -d \
  --name konsoleh-verifier \
  -p 3000:3000 \
  -v konsoleh-data:/app/data \
  -e DATABASE_URL="file:/app/data/konsoleh.db" \
  --restart unless-stopped \
  konsoleh-verifier

# 4. Check logs
docker logs -f konsoleh-verifier
```

Access at: `http://your-server-ip:3000`

Set up domain (optional):

- Point DNS to your server
- Use Nginx/Caddy reverse proxy
- Add SSL with Let's Encrypt



What's Included & Ready

- ✓ **Complete Next.js application**
- ✓ **Dockerfile** (production-optimized)
- ✓ **Railway configuration** (railway.json)
- ✓ **Database schema** (Prisma + SQLite)
- ✓ **Environment config** (.env.production)
- ✓ **Deployment guide** (DEPLOYMENT.md)
- ✓ **All dependencies** (package.json)



Local Testing (Before Deploy)

Want to test locally first?

```
cd konsoleh_verifier
npm install
npx prisma db push
npm run build
npm start

# Visit: http://localhost:3000
```

Important Notes

1. **Volume/Disk is REQUIRED** - Without it, your database will reset on every deploy
 2. **Port 25 access** - Some cloud providers block SMTP port 25 for abuse prevention
 - Railway:  Allows port 25
 - Render:  Allows port 25
 - Vercel:  Serverless, not suitable for this app
 - Heroku:  Blocks port 25
 3. **Environment Variable** - `DATABASE_URL=file:/app/data/konsoleh.db` is critical
-

After Deployment

1. **Visit your app URL**
2. **Paste some test emails**
3. **Click “Verify”**
4. **Check for konsoleH detection**

Example test emails:

```
test@gmail.com
admin@example.co.za
info@yourdomain.co.za
```

The app will:

-  Validate format
 -  Check DNS/MX records
 -  Detect konsoleH hosting
 -  Verify via SMTP
 -  Store results in database
-

Deployment Help

Issues?

1. Check logs in your deployment platform
2. Verify volume is mounted at `/app/data`
3. Confirm `DATABASE_URL` environment variable
4. Ensure port 3000 is exposed

Need to update?

1. Push changes to GitHub
 2. Railway/Render auto-deploys
 3. Or rebuild Docker image
-

Recommended: Railway

Why Railway?

-  Easiest setup (5 minutes)
-  Auto-detects Dockerfile
-  Persistent volumes (critical for SQLite)
-  Free tier (\$5/month credit)
-  Allows port 25 (SMTP verification)
-  Auto-deploy on git push
-  Built-in SSL/domains
-  Great developer experience

Start here: <https://railway.app>

Your app is production-ready. Pick a platform and deploy! 