

CMSC 6950 Project

Kabir Zubaer

June 2021

1 Introduction

Water covers more than two-thirds of the Earth's surface. The deep waters are home to wildlife and some of the enormous creatures on Earth. Argo brings a solution for oceanographers to monitor the Global Ocean. It is a worldwide network of almost 4000 independent probes measuring pressure, temperature, and salinity from the surface to 2000m depth every ten days. The probes installed in every 60o parallels and information from the ocean are collected using satellite. The authority managed several data centers, merged in a single dataset which is open for all. The dataset is available using ftp server or monthly zip snapshots.

Argo dataset is complex to understand and difficult to access Argo data consists of thousands of files. In this project I used A Python library for Argo ocean data analysis called Argopy. Argopy has two critical features made it easier for the users, these are its Data fetching and its ability to provide data formatting. In this project, I have included both Data fetching and data formatting features.

2 Results

Herein, the results for each computational task will be presented. The first computational task will focus on visualizing the position of Argo floats in a region Oceania, and how the total number of floats changes each year. The second computational task is used to visualize the trajectory and temperature variation of two Argo floats with time since the float's deployment.

2.1 Task 1- Total Argo float numbers through time

The aim of my first computational task is to retrieve Argo float data collected from June 2015 to December 2015 using argopy and then use this data to visualize the change in the total number of Argo floats per month within a region of the Oceania.




Figure 1: Total number of Argo floats for each month from June 2015 to December 2015 in a region Oceania.

2.2 Task 2 - Showing Level, Pressure, Salinity, and Temperature through time.

In this task I try to find out Level, Pressure, Salinity, and Temperature for each month from June 2015 to December 2015 in a region Oceania




Figure 2: Hexbin of Argo floats for each month from June 2015 to December 2015 in a region Oceania.

3 Conclusion

In this task, I try to solve two computational tasks involving argopy, I have fetched data from external sources for the period of six months. In case of plotting and visualization I used different python library.