
Here are the steps for performing the experiment:

- 1. Unzip file titled "Fitts_Experiment.zip";
- 2. You will now have a folder named Fitts_experiment;
- 3. In that folder there are 2 files: GoFitts.jar and FittsTask.cfg;
- 4. Double-click GoFitts.jar;
 - a. To run GoFitts, your system must have the Java Runtime Environment (JRE). There is a good chance your system **already has** the JRE. But if it is not there, it is available from Oracle as a free download. <u>Click here</u> to visit Oracle's download site.
- 5. You can now see a window like this:




6. Click "Go";

7. You can now see a window like this:




8. Click on "Setup";

9. This will open up the following window:




- 10. DO NOT change anything and click on 'OK'.
- 11. This will start the experiment. You'll have to do 9 trials in different configurations.

12. After each trial, you'll get the following window. Click 'OK' and continue.



13. Once done, there are a few things to notice.

a. You'll see a window showing the results.



- b. Click 'OK'.
- c. Now you can quit the application.
- d. There are three new files in the folder. They have extensions which are: sd1, sd2, and sd3. These are the files which contain the data.
- e. Zip the entire folder, and rename it as "YourName_RollNumber_Date". An example, "SiddhantBansal_2019900091_230920".
- 14. Reply back with this zipped folder in the email that we had sent.

Thank you for participating in the experiment!

Regards,

Siddhant and Raghava

siddhant.bansal@research.iiit.ac.in; durga.nagendra@research.iiit.ac.in