Primality Testing

Given a positive integer n, we will print all the prime numbers from 1 to n. A prime is a natural number greater than 1 that has no positive divisors other than 1 and itself.

Input: n = 15

Output: 2 3 5 7 11 13

Input: n = 3

Output: 2 3

Find the Worst Case time complexity for the following codes:

1. **Naive approach:**

```
bool prime[n]= {0};
void isPrime(int n)
{
    for(int i=2;i<=n;i++){
        int cnt = 0;
        for(int j=2;j<i;j++){
            if(i%j==0)cnt++;
        }
    if(cnt==0)prime[i]=1;
  }

    for(int i = 2; i <= n; i++) {
            if(prime[i])
                System.out.print(i + " ");
        }
}
```

2. **Optimal Sieve**

```
void sieveOfEratosthenes(int n)
   {
        boolean prime[] = new boolean[n+1];
        for(int i=0;i<n;i++)
            prime[i] = true;

        for(int p = 2; p<=sqrt(n); p++)
        {
            // If prime[p] is not changed, then it is a prime
```

```java
        if(prime[p] == true)
        {
            // Update all multiples of p
            for(int i = p*p; i <= n; i += p)
                prime[i] = false;
        }
    }

    // Print all prime numbers
    for(int i = 2; i <= n; i++)
    {
        if(prime[i] == true)
            System.out.print(i + " ");
    }
```

Recursion Tree Time Complexity

Find the Worst case time Complexity of the following recursive functions
1. T(n) = T(n/2)+n-1, T(1) = 0
2. T(n) = T(n-1)+n -1, T(1) = 0
3. T(n)=T(n/3)+2T(n/3)+n
4. Proof that for T(n)=2T(n/2) + n^2, the worst case complexity will be n^2.

Pseudocode to Coding

Represent the following pseudocode with java coding

Pseudocode
READ the value of n and set a =n, sum=0
WHILE (n>0) do
        r=n%10
        sum=sum + r*r*r
        n=n/10
ENDWHILE
Repeat the loop until condition fails
IF a=sum THEN
   WRITE Armstrong Number
ELSE
   WRITE It is not an Armstrong Number
ENDIF
stop