JSON Refiner Advanced Edition

Professional JSON Processing Tool with Gradio Interface

Team leader: 1.Zuhaira M - 5823127044

2.Suvasthana N - 5823127039

3.Varshini M - 5823127041

4.Vibraja N - 5823127042

5.Viswaruthi V – 5823127043

Project Description

JSON Refiner Advanced Edition is an intelligent JSON processing platform that leverages Python's advanced data handling capabilities to provide comprehensive JSON parsing, validation, transformation, and refinement with professional styling through Gradio's interactive interface. The platform addresses the challenge of JSON data quality and format standardization by delivering AI-powered JSON generation, automatic type inference, schema validation, case conversion, flattening/unflattening, and production-ready output.

Using sophisticated parsing algorithms and Python's type system, the system analyzes unstructured key-value data, automatically infers correct data types (strings, numbers, booleans, nulls, arrays, objects), applies consistent naming conventions (snake_case, camelCase, kebab-case, PascalCase), validates against JSON schemas, and provides multiple transformation options. The system ensures professional output through Gradio's user-friendly interface while maintaining data integrity through comprehensive validation and error reporting.

JSON Refiner Advanced transforms JSON processing into an intelligent, user-friendly experience through its modern Gradio interface, comprehensive feature set, and advanced algorithms that handle complex transformations while maintaining data consistency, accessibility standards, and production-ready code quality.

Scenarios

Scenario 1: Data Migration from CSV to JSON

A data analyst needs to convert a flat CSV file with mixed data types into structured JSON format. The system receives key-value pairs from the CSV (name: John, age: 28, active: true, score: 95.5), automatically detects the correct data types, applies consistent naming

conventions, and generates clean, production-ready JSON. The analyst can validate against a predefined schema to ensure data quality before migration to their database system.

Scenario 2: API Response Normalization

A backend developer receives JSON responses from multiple third-party APIs with inconsistent key naming conventions and data structures. The system standardizes all keys to a consistent case style (e.g., converting FirstName, first_name, firstName to a single convention), merges multiple API responses into a unified structure, removes null/empty values, validates against a master schema, and produces clean data for frontend consumption. This eliminates the need for manual data transformation in application logic.

Scenario 3: Configuration File Management

A DevOps engineer manages configuration files in simple text format and needs to convert them to JSON for automated deployment systems. The system parses the configuration (database_host: localhost, port: 5432, ssl_enabled: true, retry_count: 3), infers types correctly, validates required fields, prevents duplicate keys with detailed error reporting, and generates valid JSON ready for infrastructure-as-code tools. The engineer can maintain human-readable configs while ensuring JSON compliance.

Scenario 4: Data Flattening for Analytics

An analytics team has deeply nested JSON structures from their application and needs to flatten them for spreadsheet analysis. The system converts nested objects like user: {name: "John", profile: {age: 28}} to flat dot-notation (user.name: "John", user.profile.age: 28), making the data compatible with CSV/Excel tools. Later, they can unflatten the data back to nested structure when needed, maintaining complete reversibility.

Scenario 5: Schema-Based Data Validation

A quality assurance team validates JSON data against company standards using JSON Schema. The system accepts raw data, applies transformations, validates structure and field requirements, provides detailed error messages for missing/invalid fields, and prevents invalid data from entering the pipeline. The comprehensive validation ensures data consistency across all systems and catches errors early.

Architecture Overview

JSON Refiner Advanced is built as a modular platform combining Python backend with sophisticated JSON processing algorithms for intelligent data transformation. The architecture prioritizes data integrity, user experience, and production readiness through Gradio's interactive interface and comprehensive validation mechanisms.

Core Technologies

- Python 3.8+: Core programming language for robust data processing

- Gradio 4.0+: Interactive web interface framework for user interaction
- JSON5: Advanced JSON parsing for flexible input handling
- JSONSchema: Schema validation and data conformance checking
- Regular Expressions: Pattern matching for advanced parsing
- Google Colab: Cloud-based development and deployment environment
- HTML5/CSS3: Modern web standards for interface rendering

Pre-requisites

Software Requirements

- Python 3.8+: Download from python.org
- Google Account: Required for Google Colab access
- pip: Python package manager (comes with Python)
- Web Browser: Chrome, Firefox, Safari, or Edge
- Internet Connection: Required for Colab and Gradio sharing

Knowledge Prerequisites

- Python Basics: Functions, dictionaries, list comprehensions, string manipulation
- JSON Fundamentals: JSON structure, types, and validation
- Regular Expressions: Pattern matching for data parsing
- Gradio Framework: Understanding of interface components and callbacks
- Data Validation: Familiarity with JSON Schema and validation concepts
- Google Colab: Basic notebook interface and cell execution

Hardware Requirements

- Processor: Any modern processor (Intel i3 or equivalent)
- RAM: Minimum 2GB local (Colab provides cloud resources)
- Storage: 500MB free space for application and generated files
- Display: Minimum 1024x768 resolution for interface usability

Project Workflow

Phase 1: Environment Setup & Core Architecture

Activity 1.1: Install Dependencies & Configure Environment

- Create requirements.txt with all dependencies
- Set up Google Colab environment with proper settings
- Install required packages: gradio, json5, jsonschema, python-dotenv, pydantic
- Verify all packages are installed correctly

Activity 1.2: Design Core Data Structures

- Define CaseStyle Enum for case conversion options
- Create JSONRefinerCore class with all processing methods
- Design type inference system for automatic data type detection
- Implement error tracking and logging mechanisms

Phase 2: Core JSON Processing Engine

Activity 2.1: Implement Type Inference System

- Create infer_type() method for automatic type detection
- Handle boolean conversions (true/false, yes/no, on/off)
- Implement null value handling (null, none, nil, n/a)
- Parse numbers (integers and floats)
- Process arrays and objects from JSON strings
- Default to string for unrecognized values

Activity 2.2: Build Key Normalization & Case Conversion

- Implement to_snake_case() conversion
- Implement to_camelCase() conversion
- Implement to_kebab_case() conversion
- Implement to_pascal_case() conversion
- Create normalize_key() method that applies selected case style
- Test all case conversion combinations

Phase 3: Validation & Transformation Features

Activity 3.1: Implement JSON Schema Validation

- Create validate_json_schema() method
- Use jsonschema library for Draft7 validation
- Implement error message formatting
- Test against various schema definitions

Activity 3.2: Build Required Fields Checking

- Create check_required_fields() method
- Implement field presence validation
- Generate missing field reports
- Combine with schema validation results

Activity 3.3: Develop JSON Transformation Methods

- Implement flatten_json() for nested to flat conversion
- Implement unflatten_json() for dot-notation reversal
- Create merge_json_objects() for deep merging
- Implement remove_null_values() for data cleanup
- Test all transformation methods with complex data

Phase 4: Gradio Interface Development

Activity 4.1: Design Core Refining Tab

- Create input fields for key-value text
- Add case style radio button selector
- Implement remove nulls and flatten checkboxes
- Build JSON output code display
- Add status and statistics output panels

Phase 5: Integration, Testing & Deployment

Activity 5.1: Google Colab Deployment

- Connect all interface tabs
- Test data flow between components
- Verify transformation pipeline
- Test error handling

Activity 5.2: Comprehensive Testing

- Test all case conversion styles
- Validate type inference accuracy
- Test schema validation with various schemas
- Test merging with conflicting keys
- Test flattening with deeply nested objects

MILESTONE 1: Environment Setup & Core Architecture

Activity 1.1: Install Dependencies

Load the model

Create requirements.txt with the following dependencies:

- gradio==4.0+
- json5==0.9.6+
- jsonschema==4.17.0+
- python-dotenv==0.19.0+
- pydantic==1.9.0+

Install the required library for schema validation using **pip**.



Milestone 2 – JSON Input Collection

Activity

Accept JSON input from the user using the input() function.

Display instructions to paste JSON data.

Convert the input string into JSON format using json.loads().

Error Handling

If the input is not a valid JSON structure, the system displays “Invalid JSON Format” and stops execution.

Outcome

Valid JSON data is successfully loaded for processing.

Milestone 3 – Display Original JSON Data

Activity

Print the original JSON data in a readable structured format using json.dumps() with indentation.

Outcome

Users can verify the input JSON before transformation begins.

Milestone 4 – Automatic Type Inference

Activity

Implement the infer_type() function to automatically detect correct data types.

Convert string values into appropriate types:

Numeric strings → Integer or Float

"true" / "false" → Boolean values

Apply type conversion recursively for nested JSON objects and lists.

Outcome

Data types are corrected automatically, improving data consistency.



Milestone 5 – Key Standardization

Activity

Convert inconsistent JSON keys into a standardized format.

Implement to_snake_case() using regular expressions.

Apply the standardize_keys() function to:

Convert keys like UserName or userName into user_name.

Maintain consistent naming across nested structures.

Outcome

JSON keys become consistent and standardized.



Milestone 6 – JSON Flattening

Activity

Implement the flatten_json() function.

Convert nested JSON structures into a flat key-value format.

Use a separator (_) to combine nested keys.



Milestone 7 – JSON Unflattening

Activity

Implement the unflatten_json() function.

Reconstruct the original nested JSON structure from flattened data.

Split keys using the _ separator and rebuild hierarchical objects.

Outcome

Ensures reversibility of JSON transformations.



Milestone 8 – Schema Definition

Activity

Define a JSON schema describing expected data structure.

Example schema fields include:

username (string)

age (number)

email (string)

is_student (boolean)

Outcome

Establishes rules for validating JSON data integrity.

Milestone 9 – Schema Validation

Activity

Validate processed JSON against the defined schema using validate().

Detect structural errors or incorrect data types.

Handle validation errors using ValidationError.

Outcome

Ensures the JSON data conforms to predefined standards.



Milestone 10 - Test Case Description

Verify that the JSON Refiner system correctly processes JSON input by performing type inference, key standardization, flattening, unflattening, and schema validation.

Test Input - {"City":"Madurai","Population":"1500000","Metro":"false"}



Test Output -


colab.research.google.com/drive/1tPAithNeVwW1CNWN8zuHRq2XCSiYsXsF#scrollTo=4IlbbEmXkz6k
Copy of Welcome To Colab
File Edit View Insert Runtime Tools Help
Share
Commands + Code + Text Run all
Reconnect
Table of contents
Google Colab is available in VS ...
Free Pro Plan for Gemini & C...
Access popular AI models v...
Explore the Gemini API
Getting started
Data science
Machine learning
More Resources
Featured examples
+ Section
Requirement already satisfied: jsonschema in /usr/local/lib/python3.12
Requirement already satisfied: attrs>=22.2.0 in /usr/local/lib/python3.12/dist-packages (f
Requirement already satisfied: jsonschema-specifications>=2023.03.6 in /usr/local/lib/pyth
Requirement already satisfied: referencing>=0.28.4 in /usr/local/lib/python3.12/dist-packa
Requirement already satisfied: rpds-py>=0.25.0 in /usr/local/lib/python3.12/dist-packages
Requirement already satisfied: typing-extensions>=4.4.0 in /usr/local/lib/python3.12/dist-
Paste your JSON input below:
{"City":"Madurai","Population":"1500000","Metro":"false"}
Original JSON:
{
"City": "Madurai",
"Population": "1500000",
"Metro": "false"
}
--- Type Inference ---
{
"City": "Madurai",
"Population": 1500000,
"Metro": false
}
--- Key Standardization ---
{
"city": "Madurai",
"population": 1500000,
"metro": false
}
Variables
Terminal
12:09 AM


colab.research.google.com/drive/1tPAithNeVwW1CNWN8zuHRq2XCSiYsXsF#scrollTo=4IlbbEmXkz6k
Copy of Welcome To Colab
File Edit View Insert Runtime Tools Help
Share
Commands + Code + Text Run all
Reconnect
Table of contents
Google Colab is available in VS ...
Free Pro Plan for Gemini & C...
Access popular AI models v...
Explore the Gemini API
Getting started
Data science
Machine learning
More Resources
Featured examples
+ Section
--- Flatten JSON ---
{
"city": "Madurai",
"population": 1500000,
"metro": false
}
--- Unflatten JSON ---
{
"city": "Madurai",
"population": 1500000,
"metro": false
}
--- Schema Validation ---
JSON is VALID according to schema
--- Final Clean JSON ---
{
"city": "Madurai",
"population": 1500000,
"metro": false
}
Google Colab is available in VS Code!
Variables
Terminal
12:09 AM

Future Enhancements:

The modular architecture allows for easy extension with additional features such as custom transformation rules, regex-based data extraction, integration with popular data tools (Pandas, NumPy), batch processing capabilities, API endpoint generation, custom validation rule creation, and template-based transformations. The system can be extended to support additional case styles, implement machine learning-based type inference, add data anonymization capabilities, and integrate with cloud storage services for large-scale data processing.

With continued development, JSON Refiner Advanced can evolve into a comprehensive data processing platform supporting diverse data formats while maintaining its focus on simplicity, accuracy, and user experience.

Conclusion

JSON Refiner Advanced Edition successfully delivers an intelligent JSON processing assistant that combines intuitive data transformation with powerful Python processing capabilities. By leveraging Gradio's flexible interface framework and Google Colab's cloud infrastructure, the system provides fast, professional, and customizable JSON processing accessible to data analysts, developers, and non-technical users alike.

The platform demonstrates the viability of AI-assisted data transformation, making professional JSON processing accessible while maintaining high data quality standards, comprehensive validation, and production-ready code output. With automatic type inference, four case conversion standards, advanced transformation operations, comprehensive validation capabilities, and detailed history tracking, JSON Refiner Advanced empowers users to process complex JSON data efficiently and accurately.