

PROVINSI JAWA TIMUR
KOTA SURABAYA

NIK : 3578032403000002

Nama : ALVIN JOSHUA
Tempat/Tgl Lahir : SURABAYA, 24-03-2000
Jenis kelamin : LAKI-LAKI Gol. Darah : B
Alamat : PURI GALAXY BL-321
RT/RW : 003/001
Kel/Desa : KEPUTIH
Kecamatan : SUKOLILO
Agama : KRISTEN
Status Perkawinan : BELUM KAWIN
Pekerjaan : PELAJAR/MAHASISWA
Kewarganegaraan : WNI
Berlaku Hingga : SEUMUR HIDUP



KOTA SURABAYA
05-12-2017

Ad

2 **Word Specification Sample**
3 **Working Draft 04, 16 August 2002**

4 **Document identifier:**

5 wd-spectools-word-sample-04

6 **Location:**

7 <http://www.oasis-open.org/spectools/docs/>

8 **Editor:**

9 [List your editors here; check whether "Editor" header should be plural]
10 Eve Maler, Sun Microsystems <eve.maler@sun.com>

11 **Contributors:**

12 [List your contributors here]
13 [Optionally list them in the Acknowledgments appendix instead]
14 Karl Best, OASIS
15 Norman Walsh, Sun Microsystems

16 **Abstract:**

17 [Supply your own summary of the technical purpose of the document. This
18 document provides a working MS Word 2000 sample from which you can start
19 editing your own OASIS-published document. Instructions are provided as
20 italic text in brackets, which should be deleted before publication. Full
21 instructions are provided in the body of the document.]

22 **Status:**

23 [Describe the status and stability of the specification and where to send
24 comments. This document is updated periodically on no particular schedule.
25 Send comments to the editor.]

26 [This is boilerplate; to use, fix the hyperlinks. Committee members should
27 send comments on this specification to the xxx@lists.oasis-open.org list.
28 Others should subscribe to and send comments to the [xxx-](mailto:xxx-comment@lists.oasis-open.org)
29 comment@lists.oasis-open.org list. To subscribe, send an email message to
30 xxx-comment-request@lists.oasis-open.org with the word "subscribe" as the
31 body of the message.]

32 [This is boilerplate; to use, fix the hyperlinks. For information on whether any
33 patents have been disclosed that may be essential to implementing this
34 specification, and any offers of patent licensing terms, please refer to the
35 Intellectual Property Rights section of the XXX TC web page ([http://www.oasis-](http://www.oasis-open.org/committees/xxx/)
36 [open.org/committees/xxx/](http://www.oasis-open.org/committees/xxx/)).]

37 [If a Committee Specification or OASIS Standard, the errata page for this
38 specification is at <http://www.oasis-open.org/committees/xxx/yyy>.]



39 **Table of Contents**

40 Introduction.....3

41 1.1 Terminology.....3

42 2 Word Styles.....4

43 2.1 Overall Style.....4

44 2.2 Title Page.....4

45 2.3 Headings.....4

46 2.4 Paragraphs.....4

47 2.5 Lists.....4

48 2.6 Tables.....5

49 2.7 Code Examples.....5

50 2.8 Character Styles.....5

51 3 References.....6

52 3.1 Normative.....6

53

54 **Introduction**

55 [Provide an introductory chapter, indicating if any parts of it are non-normative.]

56 **1.1 Terminology**

57 [The following is boilerplate. Most specifications will need this and the corresponding
58 bibliography entry.]The key words ~~must~~ ~~must not~~ ~~required~~ ~~shall~~ ~~shall not~~ ~~should~~
59 ~~should not~~ ~~recommended~~ ~~may~~ ~~and~~ ~~optional~~In this document are to be interpreted
60 as described in [RFC2119].

2 Word Styles

[This section is provided to explain and demonstrate the styles available in the Word template attached to this sample document. It is important to use the styles provided in the template consistently and to avoid defining new styles or using raw formatting. Delete this entire section when using this sample document to begin writing a new specification.]

2.1 Overall Style

The paper size is set to **Letter**, which is 8 ½ x 11. You may change this to **A4** or whatever other size suits your needs.

The document identifier and publication date information in the footer needs to be updated every time you publish.

Line numbers are enabled by default for easy reference by specification commenters. You may turn line numbering off.

2.2 Title Page

The title page is designed to fit a lot of metadata compactly. If you wish to create a “true” title page, you may insert a page break after the subtitle.

2.3 Headings

Heading 1 through **Heading 9** and **AppendixHeading** have been defined with a special appearance. Headings are numbered and appear in the Table of Contents. Pressing Return after a heading inserts a **Normal** paragraph style directly after.

This template sets **Heading 1** and **AppendixHeading** to start on a new page. You may set the **Heading 1** style not to start on a new page if you wish. Major headings have a horizontal rule above them.

2.4 Paragraphs

The font in the **Normal** paragraph style is 10-pt Arial. You may change this to 11-pt **Times New Roman** if you prefer a serif font; changing these two settings should change all the other relevant styles.

2.5 Lists

The **Definition term** and **Definition** paragraph styles are defined specially for this template. They produce a definition list with a hanging appearance. Pressing Return after one inserts the other directly after.

Definition term

Definition for the term.

Use **List bullet** for first-level bulleted lists. Use **List bullet 2** for second-level bulleted lists. Use **List continue** for continued paragraphs in list items.

- List bullet

- List continue.

- List bullet 2

99 List continue 2.

100 For bibliography lists, use the **Ref** paragraph style. Use the **Ref term** character style
101 for the bracketed text that serves as the bibliography entry key, and make each
102 reference term into a bookmark for use as references from the text. For example,
103 [RFC2119] is a generated cross-reference to the IETF RFC 2119 bibliography entry in
104 Section 3.1 of this sample.

105 2.6 Tables

106 Use the following style for most tables: [To be supplied; suggestions welcome!]

107 2.7 Code Examples

108 For schema code and other normative code, use the **Code** paragraph style. It fits 71
109 characters. For example:

```
110 1234567890123456789012345678901234567890123456789012345678901
111      1           2           3           4           5           6           7
112 <simpleType name="DecisionType">
113   <restriction base="string">
114     <enumeration value="Permit"/>
115     <enumeration value="Deny"/>
116     <enumeration value="Indeterminate"/>
117   </restriction>
118 </simpleType>
```

119 Use the **Code small** style if the code has very long lines. It fits 80 characters. For
120 example:

```
121 1234567890123456789012345678901234567890123456789012345678901234567890
122      1           2           3           4           5           6           7           8
123 <simpleType name="DecisionType">
124   <restriction base="string">
125     <enumeration value="Permit"/>
126     <enumeration value="Deny"/>
127     <enumeration value="Indeterminate"/>
128   </restriction>
129 </simpleType>
```

130 For non-normative examples, use the **Example** paragraph style. For example:

```
131 GET http://<host name and path>?TARGET=<Target>...<HTTP-Version>
132 <other HTTP 1.0 or 1.1 components>
```

133 Use the **Example small** style if the example has very long lines. For example:

```
134 GET http://<host name and path>?TARGET=<Target>...<HTTP-Version>
135 <other HTTP 1.0 or 1.1 components>
```

136 2.8 Character Styles

137 This template defines several character styles for general text use:

- 138 • **Element** style (shortcut Ctrl-Shift-E) for <NativeElement> names and
139 <ns:ForeignElement> names; add the angle brackets yourself
- 140 • **Attribute** style (shortcut Ctrl-Shift-A) for attributeNames
- 141 • **Datatype** style (shortcut Ctrl-Shift-Alt-D) for DataType names
- 142 • **Keyword** style (shortcut Ctrl-Shift-K) for OtherKeyword names
- 143 • **Variable** style (shortcut Ctrl-Shift-Alt-V) for variableNames

3 References

3.1 Normative

[RFC2119]

S. Bradner, Key words for use in RFCs to Indicate Requirement Levels <http://www.ietf.org/rfc/rfc2119.txt>, IETF RFC 2119, March 1997.

Appendix A. Acknowledgments

The following individuals were members of the committee during the development of this specification:

- Jane Doe, Example Corp.
- A. Nonymous (chair), Example Corp.
- John Smith, Example Corp.
- Karl Best, OASIS
- John Doe, Other Examples, Inc.
- Eve Maler, Sun Microsystems
- Norman Walsh, Sun Microsystems

In addition, the following people made contributions to this specification:

- Joe Blow, Example Corp.

Appendix B. Revision History

[This appendix is optional, but helpful. It should be removed for specifications that are at OASIS Standard level.]

Rev	Date	By Whom	What
wd-00	2002-04-26	Eve Maler	Initial version
wd-03	2002-06-12	Eve Maler	Incorporates decision to put IPR boilerplate in the Status section and comments from Drummond Group.
Wd-04	2002-08-16	Eve Maler	Updated the copyright statements to meet legal requirements.

Appendix C. Notices

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS's procedures with respect to rights in OASIS specifications can be found at the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementors or users of this specification, can be obtained from the OASIS Executive Director.

OASIS invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights which may cover technology that may be required to implement this specification. Please address the information to the OASIS Executive Director.

Copyright © OASIS Open 2002. All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself does not be modified in any way, such as by removing the copyright notice or references to OASIS, except as needed for the purpose of developing OASIS specifications, in which case the procedures for copyrights defined in the OASIS Intellectual Property Rights document must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

2 **Word Specification Sample**
3 **Working Draft 04, 16 August 2002**

4 **Document identifier:**

5 wd-spectools-word-sample-04

6 **Location:**

7 <http://www.oasis-open.org/spectools/docs/>

8 **Editor:**

9 [List your editors here; check whether "Editor" header should be plural]
10 Eve Maler, Sun Microsystems <eve.maler@sun.com>

11 **Contributors:**

12 [List your contributors here]
13 [Optionally list them in the Acknowledgments appendix instead]
14 Karl Best, OASIS
15 Norman Walsh, Sun Microsystems

16 **Abstract:**

17 [Supply your own summary of the technical purpose of the document. This
18 document provides a working MS Word 2000 sample from which you can start
19 editing your own OASIS-published document. Instructions are provided as
20 italic text in brackets, which should be deleted before publication. Full
21 instructions are provided in the body of the document.]

22 **Status:**

23 [Describe the status and stability of the specification and where to send
24 comments. This document is updated periodically on no particular schedule.
25 Send comments to the editor.]

26 [This is boilerplate; to use, fix the hyperlinks. Committee members should
27 send comments on this specification to the xxx@lists.oasis-open.org list.
28 Others should subscribe to and send comments to the [xxx-](mailto:xxx-comment@lists.oasis-open.org)
29 comment@lists.oasis-open.org list. To subscribe, send an email message to
30 xxx-comment-request@lists.oasis-open.org with the word "subscribe" as the
31 body of the message.]

32 [This is boilerplate; to use, fix the hyperlinks. For information on whether any
33 patents have been disclosed that may be essential to implementing this
34 specification, and any offers of patent licensing terms, please refer to the
35 Intellectual Property Rights section of the XXX TC web page ([http://www.oasis-](http://www.oasis-open.org/committees/xxx/)
36 [open.org/committees/xxx/](http://www.oasis-open.org/committees/xxx/)).]

37 [If a Committee Specification or OASIS Standard, the errata page for this
38 specification is at <http://www.oasis-open.org/committees/xxx/yyy>.]



39 **Table of Contents**

40 Introduction.....3

41 1.1 Terminology.....3

42 2 Word Styles.....4

43 2.1 Overall Style.....4

44 2.2 Title Page.....4

45 2.3 Headings.....4

46 2.4 Paragraphs.....4

47 2.5 Lists.....4

48 2.6 Tables.....5

49 2.7 Code Examples.....5

50 2.8 Character Styles.....5

51 3 References.....6

52 3.1 Normative.....6

53

54 **Introduction**

55 [Provide an introductory chapter, indicating if any parts of it are non-normative.]

56 **1.1 Terminology**

57 [The following is boilerplate. Most specifications will need this and the corresponding
58 bibliography entry.]The key words ~~must~~ ~~must not~~ ~~required~~ ~~shall~~ ~~shall not~~ ~~should~~
59 ~~should not~~ ~~recommended~~ ~~may~~ ~~and~~ ~~optional~~In this document are to be interpreted
60 as described in [RFC2119].

2 Word Styles

[This section is provided to explain and demonstrate the styles available in the Word template attached to this sample document. It is important to use the styles provided in the template consistently and to avoid defining new styles or using raw formatting. Delete this entire section when using this sample document to begin writing a new specification.]

2.1 Overall Style

The paper size is set to **Letter**, which is 8 ½ x 11. You may change this to **A4** or whatever other size suits your needs.

The document identifier and publication date information in the footer needs to be updated every time you publish.

Line numbers are enabled by default for easy reference by specification commenters. You may turn line numbering off.

2.2 Title Page

The title page is designed to fit a lot of metadata compactly. If you wish to create a “true” title page, you may insert a page break after the subtitle.

2.3 Headings

Heading 1 through **Heading 9** and **AppendixHeading** have been defined with a special appearance. Headings are numbered and appear in the Table of Contents. Pressing Return after a heading inserts a **Normal** paragraph style directly after.

This template sets **Heading 1** and **AppendixHeading** to start on a new page. You may set the **Heading 1** style not to start on a new page if you wish. Major headings have a horizontal rule above them.

2.4 Paragraphs

The font in the **Normal** paragraph style is 10-pt Arial. You may change this to 11-pt **Times New Roman** if you prefer a serif font; changing these two settings should change all the other relevant styles.

2.5 Lists

The **Definition term** and **Definition** paragraph styles are defined specially for this template. They produce a definition list with a hanging appearance. Pressing Return after one inserts the other directly after.

Definition term

Definition for the term.

Use **List bullet** for first-level bulleted lists. Use **List bullet 2** for second-level bulleted lists. Use **List continue** for continued paragraphs in list items.

- List bullet

- List continue.

- List bullet 2

99 List continue 2.

100 For bibliography lists, use the **Ref** paragraph style. Use the **Ref term** character style
101 for the bracketed text that serves as the bibliography entry key, and make each
102 reference term into a bookmark for use as references from the text. For example,
103 [RFC2119] is a generated cross-reference to the IETF RFC 2119 bibliography entry in
104 Section 3.1 of this sample.

105 2.6 Tables

106 Use the following style for most tables: [To be supplied; suggestions welcome!]

107 2.7 Code Examples

108 For schema code and other normative code, use the **Code** paragraph style. It fits 71
109 characters. For example:

```
110 12345678901234567890123456789012345678901234567890123456789012345678901
111      1           2           3           4           5           6           7
112 <simpleType name="DecisionType">
113   <restriction base="string">
114     <enumeration value="Permit"/>
115     <enumeration value="Deny"/>
116     <enumeration value="Indeterminate"/>
117   </restriction>
118 </simpleType>
```

119 Use the **Code small** style if the code has very long lines. It fits 80 characters. For
120 example:

```
121 1234567890123456789012345678901234567890123456789012345678901234567890
122      1           2           3           4           5           6           7           8
123 <simpleType name="DecisionType">
124   <restriction base="string">
125     <enumeration value="Permit"/>
126     <enumeration value="Deny"/>
127     <enumeration value="Indeterminate"/>
128   </restriction>
129 </simpleType>
```

130 For non-normative examples, use the **Example** paragraph style. For example:

```
131 GET http://<host name and path>?TARGET=<Target>...<HTTP-Version>
132 <other HTTP 1.0 or 1.1 components>
```

133 Use the **Example small** style if the example has very long lines. For example:

```
134 GET http://<host name and path>?TARGET=<Target>...<HTTP-Version>
135 <other HTTP 1.0 or 1.1 components>
```

136 2.8 Character Styles

137 This template defines several character styles for general text use:

- 138 • **Element** style (shortcut Ctrl-Shift-E) for <NativeElement> names and
139 <ns:ForeignElement> names; add the angle brackets yourself
- 140 • **Attribute** style (shortcut Ctrl-Shift-A) for attributeNames
- 141 • **Datatype** style (shortcut Ctrl-Shift-Alt-D) for DataType names
- 142 • **Keyword** style (shortcut Ctrl-Shift-K) for OtherKeyword names
- 143 • **Variable** style (shortcut Ctrl-Shift-Alt-V) for variableNames

3 References

3.1 Normative

[RFC2119]

S. Bradner, Key words for use in RFCs to Indicate Requirement Levels <http://www.ietf.org/rfc/rfc2119.txt>, IETF RFC 2119, March 1997.

Appendix A. Acknowledgments

The following individuals were members of the committee during the development of this specification:

- Jane Doe, Example Corp.
- A. Nonymous (chair), Example Corp.
- John Smith, Example Corp.
- Karl Best, OASIS
- John Doe, Other Examples, Inc.
- Eve Maler, Sun Microsystems
- Norman Walsh, Sun Microsystems

In addition, the following people made contributions to this specification:

- Joe Blow, Example Corp.

Appendix B. Revision History

[This appendix is optional, but helpful. It should be removed for specifications that are at OASIS Standard level.]

Rev	Date	By Whom	What
wd-00	2002-04-26	Eve Maler	Initial version
wd-03	2002-06-12	Eve Maler	Incorporates decision to put IPR boilerplate in the Status section and comments from Drummond Group.
Wd-04	2002-08-16	Eve Maler	Updated the copyright statements to meet legal requirements.

Appendix C. Notices

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS's procedures with respect to rights in OASIS specifications can be found at the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementors or users of this specification, can be obtained from the OASIS Executive Director.

OASIS invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights which may cover technology that may be required to implement this specification. Please address the information to the OASIS Executive Director.

Copyright © OASIS Open 2002. All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself does not be modified in any way, such as by removing the copyright notice or references to OASIS, except as needed for the purpose of developing OASIS specifications, in which case the procedures for copyrights defined in the OASIS Intellectual Property Rights document must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.