ZATIARAS JUICE

Product Requirements Document


Zatiaras Web V1 - Product behavior, features, rules and acceptance criteria

Document code	ZJW-PRD-002
Version	1.1
Status	Reconciled Baseline
Planning cut-off	15 September 2026
Agent companion	docs/SPEC_V1.md
Normative basis	Reconciled domain-specific source hierarchy; 3 official brand PDFs govern visual identity; legacy digital BRD excluded

Purpose

This document is part of the reconciled Zatiaras Web V1 source-of-truth set for human review and controlled handoff to AI coding agents. It is synchronized with a repo-native companion file and the official brand PDF authority set. The legacy digital BRD is not normative.

Document set, source authority and companion mapping



Human specification	Repo-native companion	Primary authority
01 BRD	docs/PRODUCT.md	Business intent, outcomes, scope
02 PRD	docs/SPEC_V1.md	Product behavior and business rules
03 UX Specification	docs/UX.md	Interaction and user journeys
04 Technical Design	docs/ARCHITECTURE.md + docs/CONTRACTS.md	Architecture, boundaries and contracts
05 QA / Rollout	docs/QUALITY.md	Definition of correct and launch gates
06 Decision Register	AGENTS.md + referenced decision IDs	Decision rationale and revisit triggers
3 official Brand PDFs	docs/BRAND_REFERENCES.md	Visual identity and application authority

Current document mapping
02 Product Requirements Document (PRD) is paired with docs/SPEC_V1.md. If prose conflicts with the official brand PDFs on visual identity, the brand PDFs win for that domain. If implementation conflicts with approved requirements, the conflict must be surfaced rather than guessed.

1. Product definition

Zatiaras Web V1 is a mobile-first direct pickup ordering web application and public discovery site for Zatiaras Juice Samarinda. It must be fast enough for everyday F&B purchasing, clear enough for first-time customers, useful enough for repeat customers, and simple enough for outlet staff to fulfill without creating operational chaos.

Primary customer job
“I want juice. Let me understand the options, choose an outlet, pay, know what is happening, and pick it up without unnecessary friction.”

Pilot outlet	Current planning hours	Requirement
Juanda	Mon-Sun 07:00-23:00	Branch page and pickup availability must use verified current data
Slamet Riyadi	Mon-Sat 07:00-22:00; Sunday closed	Sunday must not appear available unless operations update the source-of-truth

Addresses/pins are not to be inferred from prose. Production values must be sourced from the current managed GBP or approved operational data before release.

2. Users and jobs-to-be-done

User	Primary job	Critical need
Customer - first time	Understand what Zatiaras sells and whether it fits the need	Real product proof, clear price/outlet/CTA
Customer - repeat	Reorder quickly	Low-friction mobile ordering
Customer - group	Order multiple cups reliably	Capacity confirmation and schedule certainty
Outlet crew / kasir	Receive and progress orders	Few buttons, clear statuses, no technical vocabulary
Admin / management	Maintain menu/outlet rules and review performance	Controlled configuration and analytics
Search/AI systems	Understand official business/product/location facts	SSR content, structured data, stable URLs

3. Information architecture

Route	Purpose	Indexing
/	Brand + discovery + conversion entry	Index
/menu	Menu browsing	Index

Route	Purpose	Indexing
/menu/[slug]	Product facts and conversion	Index
/samarinda	City landing page	Index
/samarinda/juanda	Branch facts / local SEO	Index
/samarinda/slamet-riyadi	Branch facts / local SEO	Index
/order	Ordering entry	Index selectively / canonical strategy
/checkout	Transaction	Noindex
/order/[id]	Order tracking	Noindex + access controls
/track	Order lookup	Noindex
/feedback	Customer support / feedback	Index optional; form protected
/about	Short official brand/company context	Index

4. Functional requirements - discovery and menu

FR-ID	Requirement	Acceptance criteria
FR-DISC-001	Homepage communicates Zatiaras category, Samarinda context, core brand statement and a primary order CTA.	Within first viewport: brand, product proof, “Buahnya Berasa.” artwork/statement, order CTA, accessible text.
FR-DISC-002	Homepage may use one controlled immersive scroll sequence.	Effect enhances product/story; site remains usable with JS/motion reduced; no scroll hijacking.
FR-MENU-001	Customer can browse menu by useful categories.	Products show name, current price, image, availability and add action.
FR-PROD-001	Product page provides product facts and purchase controls.	Name, imagery, description, variant/size if available, price, availability, quantity, eligible notes/options.
FR-LOC-001	Customer can view branch-specific information.	Branch name, hours, location/map link, pickup status and order CTA.

5. Functional requirements - cart, checkout and payment

FR-ID	Requirement	Acceptance criteria
FR-CART-001	Customer can add/remove/change quantity before checkout.	Totals update correctly; invalid/sold-out item is blocked or revalidated.
FR-CHK-001	Guest checkout only; account creation not required.	Name + WhatsApp + outlet + pickup time + order details are sufficient.
FR-CHK-002	Checkout revalidates operational availability before payment.	If outlet/menu unavailable, payment is not initiated and customer sees a clear alternative.
FR-PAY-001	Payment is created server-side through	Browser cannot mark order paid.

FR-ID	Requirement	Acceptance criteria
	a payment adapter.	
FR-PAY-002	Gateway webhook is verified and idempotent.	Duplicate webhook cannot duplicate payment/order state changes.
FR-PAY-003	No verified payment means no production for normal online orders.	Only confirmed paid orders enter normal production queue.
FR-PAY-004	Pending payment expires after configurable timeout.	Expired order does not enter production and can be safely retried.

6. Functional requirements - tracking, support and feedback

FR-ID	Requirement	Acceptance criteria
FR-TRK-001	Customer can view human-readable order status.	Payment received, confirmed, preparing, ready, completed shown without technical jargon.
FR-SUP-001	Paid-order exception provides human WhatsApp handoff.	Click opens WhatsApp with order ID, outlet, paid state and total prefilled where appropriate.
FR-SUP-002	System records fulfillment failure and resolution state.	Failure reason, timestamps and refund/substitution outcome are auditable.
FR-FDB-001	Customer can report a problem/feedback.	Order-linked feedback can prefill order context; customer is never blocked from human help.
FR-FDB-002	Public review links must not be gated based on satisfaction.	No “happy -> Google / unhappy -> private form” review-gating flow.


7. Functional requirements - outlet operations

FR-ID	Requirement	Acceptance criteria
FR-OPS-001	Crew sees new paid/confirmed web orders in a simple queue.	No technical statuses required for staff.
FR-OPS-002	Crew can progress order: Proses -> Siap Diambil -> Selesai.	One primary action per state.
FR-OPS-003	Crew can flag “Tidak Bisa Diproses”.	System requires a reason and exposes human support/recovery flow.
FR-OPS-004	Crew can control menu availability.	Available / Limited / Sold Out states update customer ordering behavior.
FR-OPS-005	Crew can control outlet web-order mode.	Normal / Busy / Very Busy / Pause Web Order.

8. Group-order requirements

FR-ID	Requirement	Acceptance criteria
FR-GRP-001	Website provides “Pesan Rame-Rame” entry point.	Customer can indicate quantity, menu preference, outlet, schedule and contact.
FR-GRP-002	Orders above configurable threshold require capacity review before payment.	No money captured before approval for large orders.
FR-GRP-003	Approved group order can generate payment request and scheduled fulfillment.	Order remains traceable through the same core status model after confirmation.

9. Product state machine and business rules



Rule ID	Rule
RULE-001	Normal web order: PENDING_PAYMENT -> PAID -> CONFIRMED -> PREPARING -> READY -> COMPLETED.
RULE-002	PENDING_PAYMENT may become EXPIRED without production.
RULE-003	Paid/confirmed order that cannot be fulfilled becomes FULFILLMENT_FAILED and enters human recovery.
RULE-004	Refund and substitution are not interchangeable; substitution requires customer agreement.
RULE-005	Exact cross-channel inventory is not a V1 promise.
RULE-006	Current public price must come from approved current configuration, not the historical June price master.

10. Non-functional product requirements

NFR	Target
Mobile performance	p75 LCP <= 2.5 s, INP <= 200 ms, CLS <= 0.1 [EXT-6]
Accessibility	Keyboard usable, semantic structure, adequate contrast, reduced-motion support
SEO	SSR/prerender for public discovery pages; stable canonical URLs; sitemap; metadata; structured data
AI discoverability	Do not block selected search/retrieval crawlers; clear factual entity/product/location content [EXT-3][EXT-4][EXT-5]
Reliability	Payment and order state transitions idempotent and

NFR	Target
	auditable
Security	Secrets server-side; authorization for staff/admin; rate limiting/anti-abuse for sensitive endpoints
Brand fidelity	Official logo geometry/assets only; approved colors/type/graphic language; product-first imagery [INT-2]

11. Definition of Done for V1 product

- A customer can discover a real product, choose a Samarinda outlet, order as guest, pay, track and pick up without developer intervention.
- A crew member with modest digital literacy can process the order using clear Indonesian labels and few actions.
- A paid fulfillment problem can be handed to a human through WhatsApp without losing payment/order context.
- Public product/branch information is server-rendered and crawlable, with valid structured data.
- The system records enough first-party data to evaluate conversion, AOV, failure and repeat behavior.
- Critical automated tests and launch gates defined in the QA Plan pass.

Sources and evidence basis

Source authority is domain-specific. Business/product intent is governed by the reconciled BRD, PRD and Decision Register; UX by the UX Specification; technical implementation by Technical Design plus executable contracts/tests; visual identity by the three official brand PDFs (Asset Master Pack, Brand Identity Guidelines, Application & Rollout Kit). Internal operating data supports evidence, external official guidance supports implementation/research, and the legacy digital BRD is not normative.

Internal sources

[INT-0] Zatiaras Web V1 reconciled source-of-truth model. Business intent is governed by the current BRD/PRD/Decision Register; UX by the UX Specification; technical implementation by Technical Design plus executable contracts/tests; brand/visual identity by the three official brand PDFs listed below. Project conversation is provenance and working context, not authority over approved brand assets. The legacy digital BRD is intentionally excluded as a normative source.

[INT-1] Project planning conversation and research through 15 September 2026. Used as provenance for decisions captured in this reconciled specification set; not a substitute for approved source documents.

[INT-2A] Zatiaras Brand Asset Master Pack V1.0, 12 pages. Highest brand authority for exact assets, logo hierarchy/protection, approved variants, graphic-device assets, production rules, cup branding, vendor handoff and brand QA.

[INT-2B] Zatiaras Juice Brand Identity Guidelines V1.2 Reconciled, 12 pages. Brand authority for essence, messaging hierarchy, color system, typography, slogan system, graphic language, product imagery and digital identity behavior.

[INT-2C] Zatiaras Juice Application & Rollout Kit V1.0, 12 pages. Brand authority for touchpoint/application patterns including social, marketplaces, GBP, menu/price communication, signage, packaging, campaign templates and branch rollout.

[INT-3] POS_TRANSAKSI_SAMARINDA_2025-11-26_sd_2026-06-26.xlsx. Historical baseline only; not current September 2026 performance and does not reliably separate Juanda vs Slamet Riyadi.

[INT-4] MASTER_HPP_SEMUA_MENU_ZATIARAS_2026-06-30.xlsx and MASTER_SOP_PORSI_ZATIARAS_SEMUA_CABANG_2026-06-29.xlsx. Cost/portion context; current supplier, shrinkage and OPEX still require operational reconciliation.

[INT-5] MASTER_HARGA_MENU_ZATIARAS_3_KOTA_AS_OF_2026-06-29.xlsx. Historical price master; verify current prices before production publication.

External research and official guidance

[EXT-1] Google Business Profile Help, “Cara memperbaiki peringkat lokal di Google”. Local results are mainly based on relevance, distance and prominence. https://support.google.com/business/answer/7091?hl=id

[EXT-2] Google Search Central, LocalBusiness structured data. https://developers.google.com/search/docs/appearance/structured-data/local-business?hl=id

[EXT-3] Google Search Central, “Mengoptimalkan situs Anda untuk fitur AI generatif di Google Penelusuran” (2026). SEO remains foundational; local, product, image and business information matter. https://developers.google.com/search/docs/fundamentals/ai-optimization-guide?hl=id

[EXT-4] OpenAI Help Center, Publishers and Developers FAQ. Public sites can appear in ChatGPT search; OAI-SearchBot access supports discovery, citation and linking. https://help.openai.com/id-id/articles/12627856-penerbit-dan-pengembang-faq

[EXT-5] Anthropic Help Center, web crawler controls. Claude-User and Claude-SearchBot support user-directed retrieval and search indexing. https://support.anthropic.com/en/articles/8896518-does-anthropic-crawl-data-from-the-web-and-how-can-site-owners-block-the-crawler

[EXT-6] web.dev, Core Web Vitals. Recommended “good” thresholds at p75: LCP <= 2.5 s, INP <= 200 ms, CLS <= 0.1. https://web.dev/articles/vitals

[EXT-7] Cloudflare Workers docs, SvelteKit. SvelteKit is supported for full-stack deployment on Workers. https://developers.cloudflare.com/workers/framework-guides/web-apps/sveltekit/

[EXT-8] Open Data Pemerintah Kota Samarinda, UMKM by kecamatan and type, 2023-2025, updated 19 June 2026. https://opendata.samarindakota.go.id/

[EXT-9] Portal Resmi Kota Samarinda, city statistics/transparency. Population about 893,385; 2025 PDRB about Rp106.62T and economic growth 6.22%. https://samarindakota.go.id/

[EXT-10] GitHub Docs, repository and agent instructions (AGENTS.md and repository custom instructions) for coding agents. https://docs.github.com/en/copilot/how-tos/configure-custom-instructions-in-your-ide/add-repository-instructions-in-your-ide

[EXT-11] OpenAI, “Unrolling the Codex agent loop” (2026), describing repository-level AGENTS.md context discovery. https://openai.com/index/unrolling-the-codex-agent-loop/