ZATIARAS JUICE

UX, Customer Journey & Interface Specification


Zatiaras Web V1 - Human interaction model for customers and outlet crew

Document code	ZJW-UX-003
Version	1.1
Status	Reconciled Baseline
Planning cut-off	15 September 2026
Agent companion	docs/UX.md
Normative basis	Reconciled domain-specific source hierarchy; 3 official brand PDFs govern visual identity; legacy digital BRD excluded

Purpose

This document is part of the reconciled Zatiaras Web V1 source-of-truth set for human review and controlled handoff to AI coding agents. It is synchronized with a repo-native companion file and the official brand PDF authority set. The legacy digital BRD is not normative.

Document set, source authority and companion mapping



Human specification	Repo-native companion	Primary authority
01 BRD	docs/PRODUCT.md	Business intent, outcomes, scope
02 PRD	docs/SPEC_V1.md	Product behavior and business rules
03 UX Specification	docs/UX.md	Interaction and user journeys
04 Technical Design	docs/ARCHITECTURE.md + docs/CONTRACTS.md	Architecture, boundaries and contracts
05 QA / Rollout	docs/QUALITY.md	Definition of correct and launch gates
06 Decision Register	AGENTS.md + referenced decision IDs	Decision rationale and revisit triggers
3 official Brand PDFs	docs/BRAND_REFERENCES.md	Visual identity and application authority

Current document mapping
03 UX, Customer Journey & Interface Specification is paired with docs/UX.md. If prose conflicts with the official brand PDFs on visual identity, the brand PDFs win for that domain. If implementation conflicts with approved requirements, the conflict must be surfaced rather than guessed.

1. UX north star

The experience must make Zatiaras feel distinctive without making purchase feel difficult. The public brand layer can be memorable and immersive; the commerce layer must be quiet, obvious and fast; the outlet operations layer must be extremely simple.

Interaction principle
20% memorable brand experience + 80% ruthless usability. Automate certainty; humanize uncertainty.

2. Brand implementation constraints

Element	Required behavior
Logo	Use exact approved SVG/asset; no redraw, distortion or AI reconstruction.
Core colors	Heritage Magenta #FF1081, Fruit Cream #FFF8EC, Fruit Ink #241A20, Deep Green #173C35; product colors are accents.
Typography	Zatiaras Display for approved headlines/short statements; Plus Jakarta Sans for UI/body/price/CTA; slogan artwork is locked.
Graphic language	Z-Flow primary; Cup-Lip Bar secondary; Z-Crop occasional. Avoid generic waves/swooshes.
Photography	Product-first, natural texture, clear cup, realistic smartphone-like light; avoid neon/hyper-gloss/AI-perfect product rendering.
Messaging	Core “Buahnya Berasa.”; “Jus Apa Aja Ada.” supporting; “Kentalnya Beneran.” only where eligible; “Worth It Rasanya.” remains evidence-gated.

3. Information architecture and primary journey



Journey stage	Customer question	UX answer
Discover	Apa ini dan kenapa relevan?	Category + product proof + Samarinda context + clear CTA
Choose outlet	Ambil di mana?	Juanda / Slamet Riyadi with hours/status
Browse menu	Apa yang enak dan berapa harganya?	Hero-first menu cards with visible price

Journey stage	Customer question	UX answer
Cart	Apa yang saya pesan?	Simple quantity/edit summary
Pickup	Kapan bisa diambil?	Available pickup slot / operational delay
Checkout	Apa yang dibutuhkan dari saya?	Minimum fields; no account
Pay	Uang saya aman?	Clear amount + gateway flow + confirmed receipt
Track	Pesanan saya lagi apa?	Human language status + ETA
Problem	Kalau uang sudah masuk tapi ada kendala?	One-tap human WhatsApp handoff
Repeat	Bisa beli lagi dengan mudah?	Reorder path in future iteration; no loyalty complexity in V1

4. Homepage experience - controlled immersive product-led commerce

The homepage may use one signature scroll-linked hero sequence. The effect must use real product imagery and official Z-Flow/depth language. It should transition toward product selection or ordering rather than ending as visual spectacle.

Zone	Motion level	Rules
Hero / brand discovery	High but controlled	One signature sequence; transform/opacity-oriented; no scroll hijacking; content still present in SSR HTML.
Product discovery	Medium	Subtle reveals, card movement, product focus; price and add action remain obvious.
Menu/cart/checkout/tracking	Low	Micro-interactions only; no cinematic delays.
Reduced motion	Minimal/static	Respect prefers-reduced-motion and keep full functionality.

5. Screen inventory - customer

Screen ID	Screen	Primary action	Important states
C01	Homepage	Pesan Sekarang	Default, reduced motion, slow connection
C02	Menu	Tambah produk	Loading, category, unavailable item
C03	Product detail	Tambah ke keranjang	Available, limited, sold out
C04	Cart	Lanjut checkout	Empty, item changed, validation
C05	Pickup selection	Pilih waktu	Normal, busy, no slot

Screen ID	Screen	Primary action	Important states
C06	Checkout	Bayar	Validation, revalidation failure
C07	Payment	Complete payment	Pending, success, expired, failed
C08	Tracking	Pantau / ambil	Confirmed, preparing, ready, completed
C09	Fulfillment problem	Chat Zatiaras	Paid but cannot fulfill
C10	Feedback	Kirim laporan / contact	Order-linked / general
C11	Locations	Pilih outlet / Maps	Open/closed/busy
C12	Group order	Ajukan order	Draft, pending review, approved/rejected

6. Commerce UX rules

- No mandatory login, password or email verification for normal purchase.
- Prices must be visible before checkout; do not hide basic buying information behind multiple taps.
- Use one obvious primary CTA per screen; secondary actions should not compete visually.
- Never use motion to delay access to menu, cart or payment.
- Use human Indonesian copy: “Sedang Dibuat”, “Siap Diambil”, “Tidak Bisa Diproses” instead of backend status names.
- If availability changes before payment, stop before charging and explain the alternative.
- If a paid order later fails, show “Pembayaranmu sudah tercatat” and route to human WhatsApp support.

7. Outlet / ZatiarasPOS UX

The outlet interface must be designed for workers who may only have basic digital familiarity. The goal is operational safety, not feature density.

Principle	Operational requirement
Low cognitive load	One main action per order state; few decisions per screen
Large targets	Primary buttons large enough for fast touch operation
Plain language	No technical/payment-gateway terminology in crew workflow
Strong status visibility	Paid/ready/problem states visually explicit
Error recovery	“Tidak Bisa Diproses” available without navigating through admin menus
Minimal manual typing	Reuse order/customer data; use reasons/selectors where possible
Safe defaults	Default actions should not create refunds/cancellations accidentally

8. Human support and trust

WhatsApp is a deliberate trust layer, not a failure of self-service. Normal purchase is automated; complex money-related exceptions become human-assisted. The web remains the system of record while WhatsApp becomes the conversation layer.

Situation	UX behavior
Customer needs pre-purchase help	Secondary “Chat Zatiaras” option
Paid order cannot be fulfilled	Prominent human handoff with order context
Customer requests substitute	Human confirms consent; system records outcome
Refund required	Human explains process; payment system records refund state
General complaint	Web form or WhatsApp; do not block customer from public review platforms

9. Responsive, accessibility and performance UX

- Mobile-first layout; desktop adds space and richer presentation but not a different product journey.
- Keyboard and screen-reader semantics for navigation/forms/status where practical.
- Contrast and focus states must remain clear on cream/magenta surfaces.
- Reduced motion disables or simplifies immersive effects.
- Images sized/responsive; hero motion cannot break Core Web Vitals targets. [EXT-6]
- Loading/error/empty states are designed, not left to browser defaults.

10. Usability validation

Test group	Critical tasks	Pass signal
Customer - first time	Find menu, choose outlet, order, pay, understand pickup	Completes without coaching; understands what happens next
Customer - repeat	Reorder a familiar item quickly	Low friction / low error
Outlet crew	Accept/process/ready/complete an order	Can operate after short briefing
Outlet crew	Handle paid fulfillment problem	Finds “Tidak Bisa Diproses”, triggers support path safely
Management	Find order/payment/failure record	Can audit without developer assistance

Sources and evidence basis

Source authority is domain-specific. Business/product intent is governed by the reconciled BRD, PRD and Decision Register; UX by the UX Specification; technical implementation by Technical Design plus executable contracts/tests; visual identity by the three official brand PDFs (Asset Master Pack, Brand Identity Guidelines, Application & Rollout Kit). Internal operating data supports evidence, external official guidance supports implementation/research, and the legacy digital BRD is not normative.

Internal sources

[INT-0] Zatiaras Web V1 reconciled source-of-truth model. Business intent is governed by the current BRD/PRD/Decision Register; UX by the UX Specification; technical implementation by Technical Design plus executable contracts/tests; brand/visual identity by the three official brand PDFs listed below. Project

conversation is provenance and working context, not authority over approved brand assets. The legacy digital BRD is intentionally excluded as a normative source.

[INT-1] Project planning conversation and research through 15 September 2026. Used as provenance for decisions captured in this reconciled specification set; not a substitute for approved source documents.

[INT-2A] Zatiaras Brand Asset Master Pack V1.0, 12 pages. Highest brand authority for exact assets, logo hierarchy/protection, approved variants, graphic-device assets, production rules, cup branding, vendor handoff and brand QA.

[INT-2B] Zatiaras Juice Brand Identity Guidelines V1.2 Reconciled, 12 pages. Brand authority for essence, messaging hierarchy, color system, typography, slogan system, graphic language, product imagery and digital identity behavior.

[INT-2C] Zatiaras Juice Application & Rollout Kit V1.0, 12 pages. Brand authority for touchpoint/application patterns including social, marketplaces, GBP, menu/price communication, signage, packaging, campaign templates and branch rollout.

[INT-3] POS_TRANSAKSI_SAMARINDA_2025-11-26_sd_2026-06-26.xlsx. Historical baseline only; not current September 2026 performance and does not reliably separate Juanda vs Slamet Riyadi.

[INT-4] MASTER_HPP_SEMUA_MENU_ZATIARAS_2026-06-30.xlsx and MASTER_SOP_PORSI_ZATIARAS_SEMUA_CABANG_2026-06-29.xlsx. Cost/portion context; current supplier, shrinkage and OPEX still require operational reconciliation.

[INT-5] MASTER_HARGA_MENU_ZATIARAS_3_KOTA_AS_OF_2026-06-29.xlsx. Historical price master; verify current prices before production publication.

External research and official guidance

[EXT-1] Google Business Profile Help, “Cara memperbaiki peringkat lokal di Google”. Local results are mainly based on relevance, distance and prominence. https://support.google.com/business/answer/7091?hl=id

[EXT-2] Google Search Central, LocalBusiness structured data. https://developers.google.com/search/docs/appearance/structured-data/local-business?hl=id

[EXT-3] Google Search Central, “Mengoptimalkan situs Anda untuk fitur AI generatif di Google Penelusuran” (2026). SEO remains foundational; local, product, image and business information matter. https://developers.google.com/search/docs/fundamentals/ai-optimization-guide?hl=id

[EXT-4] OpenAI Help Center, Publishers and Developers FAQ. Public sites can appear in ChatGPT search; OAI-SearchBot access supports discovery, citation and linking. https://help.openai.com/id-id/articles/12627856-penerbit-dan-pengembang-faq

[EXT-5] Anthropic Help Center, web crawler controls. Claude-User and Claude-SearchBot support user-directed retrieval and search indexing. https://support.anthropic.com/en/articles/8896518-does-anthropic-crawl-data-from-the-web-and-how-can-site-owners-block-the-crawler

[EXT-6] web.dev, Core Web Vitals. Recommended “good” thresholds at p75: LCP <= 2.5 s, INP <= 200 ms, CLS <= 0.1. https://web.dev/articles/vitals

[EXT-7] Cloudflare Workers docs, SvelteKit. SvelteKit is supported for full-stack deployment on Workers. https://developers.cloudflare.com/workers/framework-guides/web-apps/sveltekit/

[EXT-8] Open Data Pemerintah Kota Samarinda, UMKM by kecamatan and type, 2023-2025, updated 19 June 2026. https://opendata.samarindakota.go.id/

[EXT-9] Portal Resmi Kota Samarinda, city statistics/transparency. Population about 893,385; 2025 PDRB about Rp106.62T and economic growth 6.22%. https://samarindakota.go.id/

[EXT-10] GitHub Docs, repository and agent instructions (AGENTS.md and repository custom instructions) for coding agents. https://docs.github.com/en/copilot/how-tos/configure-custom-instructions-in-your-ide/add-repository-instructions-in-your-ide

[EXT-11] OpenAI, “Unrolling the Codex agent loop” (2026), describing repository-level AGENTS.md context discovery. https://openai.com/index/unrolling-the-codex-agent-loop/