ZATIARAS JUICE

QA, Validation & Rollout Plan


Zatiaras Web V1 - Evidence required before and after production launch

Document code	ZJW-QA-005
Version	1.1
Status	Reconciled Baseline
Planning cut-off	15 September 2026
Agent companion	docs/QUALITY.md
Normative basis	Reconciled domain-specific source hierarchy; 3 official brand PDFs govern visual identity; legacy digital BRD excluded

Purpose

This document is part of the reconciled Zatiaras Web V1 source-of-truth set for human review and controlled handoff to AI coding agents. It is synchronized with a repo-native companion file and the official brand PDF authority set. The legacy digital BRD is not normative.

Document set, source authority and companion mapping



Human specification	Repo-native companion	Primary authority
01 BRD	docs/PRODUCT.md	Business intent, outcomes, scope
02 PRD	docs/SPEC_V1.md	Product behavior and business rules
03 UX Specification	docs/UX.md	Interaction and user journeys
04 Technical Design	docs/ARCHITECTURE.md + docs/CONTRACTS.md	Architecture, boundaries and contracts
05 QA / Rollout	docs/QUALITY.md	Definition of correct and launch gates
06 Decision Register	AGENTS.md + referenced decision IDs	Decision rationale and revisit triggers
3 official Brand PDFs	docs/BRAND_REFERENCES.md	Visual identity and application authority

Current document mapping
05 QA, Validation & Rollout Plan is paired with docs/QUALITY.md. If prose conflicts with the official brand PDFs on visual identity, the brand PDFs win for that domain. If implementation conflicts with approved requirements, the conflict must be surfaced rather than guessed.

1. Quality strategy

Quality for Zatiaras Web is not “no visible bug”. The product must be correct with money, understandable to customers, operable by outlet staff, crawlable by search/AI systems, performant on real mobile devices and recoverable when fulfillment fails.

Launch principle
Soft launch first. A working checkout is not enough; payment, outlet operation, human recovery and measurement must all work before social traffic is pushed aggressively.

2. Test layers

Layer	Purpose	Examples
Unit / contract	Fast correctness of business rules	Order transitions, totals, validation, payment signature helpers
Integration	Services work together	DB + API, webhook + order status, POS update
E2E	Real customer/staff journeys	Browse -> pay -> track -> ready; failure -> WA
Usability	Humans understand the system	Customer + actual crew tasks
Performance	Mobile experience remains fast	CWV, image/motion budget
SEO/AI	Discovery architecture works	SSR, schema, sitemap, crawler policy
Security	Abuse and authorization controls	Order lookup, webhook spoofing, role checks
Operational pilot	System survives real outlet conditions	Busy mode, sold out, refunds, queue load

3. Critical functional test matrix

Test ID	Scenario	Expected result
T-001	Guest orders available item and pays successfully	Order confirmed once; appears in outlet queue
T-002	Payment webhook delivered twice	No duplicate order/payment transition
T-003	Payment expires	Order becomes expired; not produced
T-004	Item becomes unavailable before payment	Checkout blocks charge and explains alternative
T-005	Paid order cannot be fulfilled	Failure recorded; customer sees human WhatsApp assistance

Test ID	Scenario	Expected result
T-006	Crew marks Proses -> Siap -> Selesai	Customer tracking reflects each human-friendly state
T-007	Outlet sets Sold Out	Product cannot be newly purchased at that outlet
T-008	Outlet enters Busy/Very Busy	Pickup promise/availability follows configured policy
T-009	Group order above threshold	Requires approval before payment
T-010	Refund completed	Refund state auditable; order not shown as successfully completed

4. Payment and financial safety tests

- Signature verification failure must reject webhook mutation.
- Amount/order mismatch must not mark order paid.
- Duplicate gateway callback must be safe.
- Network interruption after customer payment must reconcile correctly through server/gateway truth.
- Refund flow must be tested in sandbox and production-ready procedure documented.
- No production action may depend solely on client-side payment state.

5. Customer usability validation

Task	Observation target	Pass condition
Find hero menu and price	Information scent	Customer finds without asking
Choose correct outlet	Branch clarity	Understands where pickup will occur
Complete guest checkout	Form friction	No unnecessary account confusion
Understand payment result	Trust	Can state whether money/order succeeded
Track order	Status comprehension	Understands preparing vs ready
Handle paid problem	Recovery trust	Finds human support and understands payment is recorded

6. Outlet staff UAT

UAT must include actual or representative outlet workers, not only tech-savvy project members.

Crew task	Pass condition
See new paid order	Finds it without navigating complex menus
Start processing	Uses one obvious button
Mark ready	No ambiguity about customer-facing effect
Complete pickup	Can close order safely
Set item sold out	Can do it quickly and restore later
Activate busy mode	Understands operational consequence

Crew task	Pass condition
Flag order unable to process	Can trigger recovery without developer help


7. Performance, accessibility, SEO and AI validation

Area	Launch gate
Core Web Vitals	Target p75 LCP <=2.5s, INP <=200ms, CLS <=0.1 [EXT-6]
Reduced motion	Core journey works with motion reduced/disabled
SSR content	Branch/product facts visible in initial HTML
Structured data	Valid relevant LocalBusiness/product/breadcrumb schema [EXT-2]
Indexing controls	Public pages indexable; checkout/tracking private/noindex as designed
Sitemap/canonical	Generated and correct
AI crawler policy	OAI-SearchBot / Claude retrieval/search policy explicitly configured [EXT-4][EXT-5]
Brand assets	No AI-redrawn logo; approved colors/typography/imagery rules applied

8. Security checks

Risk	Test
Unauthorized order mutation	Attempt status change without staff authorization
Order enumeration	Attempt to guess/view another customer order
Webhook spoofing	Invalid signature/provider data rejected
Rate abuse	Rapid order/support submissions throttled
PII leakage	Logs, analytics and client payload reviewed
Secret exposure	Build/static assets scanned for credentials

9. Rollout plan



Phase	Traffic / users	Exit criteria
Internal QA	Project team / test accounts	Critical paths pass; no blocker defects
Staff UAT	Juanda + Slamet staff reps	Crew can operate core queue and

Phase	Traffic / users	Exit criteria
		exception flow
Customer usability	Small real-customer sample	Major comprehension/friction issues addressed
Soft launch	Low-volume real Samarinda traffic	Payment/failure/ops metrics stable
Observe & fix	Controlled traffic growth	Failure/refund/prep issues within acceptable limits
Scale acquisition	Social/Maps/QR promotion	Conversion + operations + contribution support scaling

10. Go / no-go criteria

Category	Go condition
Money	Successful payment reconciliation; duplicate callbacks safe; refund procedure tested
Operations	Orders reach outlet reliably; staff can process and recover
Customer	Normal order and paid-exception journeys understandable
Performance	No critical mobile performance regression
Discovery	Public pages crawlable and correctly identified
Analytics	Paid order, source, funnel and failure events captured
Support	Human WhatsApp handoff works with useful context

11. Post-launch monitoring

Metric	Why it matters
Paid web orders/day	Adoption and demand capture
Checkout -> paid conversion	Friction/payment health
Payment failure/expiry rate	Reliability and user friction
Fulfillment failure rate	Operational truth
Prep time	Customer promise and capacity
Refund rate/time	Trust and financial process
WhatsApp support click rate	Where automation needs human help
AOV / contribution	Business quality, not vanity traffic
Repeat 30/60d	Habit formation
Organic/AI referrals	Discovery progress

Sources and evidence basis

Source authority is domain-specific. Business/product intent is governed by the reconciled BRD, PRD and Decision Register; UX by the UX Specification; technical implementation by Technical Design plus executable contracts/tests; visual identity by the three official brand PDFs (Asset Master Pack, Brand Identity Guidelines, Application & Rollout Kit). Internal operating data supports evidence, external official guidance supports implementation/research, and the legacy digital BRD is not normative.

Internal sources

[INT-0] Zatiaras Web V1 reconciled source-of-truth model. Business intent is governed by the current BRD/PRD/Decision Register; UX by the UX Specification; technical implementation by Technical Design plus executable contracts/tests; brand/visual identity by the three official brand PDFs listed below. Project conversation is provenance and working context, not authority over approved brand assets. The legacy digital BRD is intentionally excluded as a normative source.

[INT-1] Project planning conversation and research through 15 September 2026. Used as provenance for decisions captured in this reconciled specification set; not a substitute for approved source documents.

[INT-2A] Zatiaras Brand Asset Master Pack V1.0, 12 pages. Highest brand authority for exact assets, logo hierarchy/protection, approved variants, graphic-device assets, production rules, cup branding, vendor handoff and brand QA.

[INT-2B] Zatiaras Juice Brand Identity Guidelines V1.2 Reconciled, 12 pages. Brand authority for essence, messaging hierarchy, color system, typography, slogan system, graphic language, product imagery and digital identity behavior.

[INT-2C] Zatiaras Juice Application & Rollout Kit V1.0, 12 pages. Brand authority for touchpoint/application patterns including social, marketplaces, GBP, menu/price communication, signage, packaging, campaign templates and branch rollout.

[INT-3] POS_TRANSAKSI_SAMARINDA_2025-11-26_sd_2026-06-26.xlsx. Historical baseline only; not current September 2026 performance and does not reliably separate Juanda vs Slamet Riyadi.

[INT-4] MASTER_HPP_SEMUA_MENU_ZATIARAS_2026-06-30.xlsx and MASTER_SOP_PORSI_ZATIARAS_SEMUA_CABANG_2026-06-29.xlsx. Cost/portion context; current supplier, shrinkage and OPEX still require operational reconciliation.

[INT-5] MASTER_HARGA_MENU_ZATIARAS_3_KOTA_AS_OF_2026-06-29.xlsx. Historical price master; verify current prices before production publication.

External research and official guidance

[EXT-1] Google Business Profile Help, “Cara memperbaiki peringkat lokal di Google”. Local results are mainly based on relevance, distance and prominence. https://support.google.com/business/answer/7091?hl=id

[EXT-2] Google Search Central, LocalBusiness structured data. https://developers.google.com/search/docs/appearance/structured-data/local-business?hl=id

[EXT-3] Google Search Central, “Mengoptimalkan situs Anda untuk fitur AI generatif di Google Penelusuran” (2026). SEO remains foundational; local, product, image and business information matter. https://developers.google.com/search/docs/fundamentals/ai-optimization-guide?hl=id

[EXT-4] OpenAI Help Center, Publishers and Developers FAQ. Public sites can appear in ChatGPT search; OAI-SearchBot access supports discovery, citation and linking. https://help.openai.com/id-id/articles/12627856-penerbit-dan-pengembang-faq

[EXT-5] Anthropic Help Center, web crawler controls. Claude-User and Claude-SearchBot support user-directed retrieval and search indexing. https://support.anthropic.com/en/articles/8896518-does-anthropic-crawl-data-from-the-web-and-how-can-site-owners-block-the-crawler

[EXT-6] web.dev, Core Web Vitals. Recommended “good” thresholds at p75: LCP <= 2.5 s, INP <= 200 ms, CLS <= 0.1. https://web.dev/articles/vitals

[EXT-7] Cloudflare Workers docs, SvelteKit. SvelteKit is supported for full-stack deployment on Workers. https://developers.cloudflare.com/workers/framework-guides/web-apps/sveltekit/

[EXT-8] Open Data Pemerintah Kota Samarinda, UMKM by kecamatan and type, 2023-2025, updated 19 June 2026. https://opendata.samarindakota.go.id/

[EXT-9] Portal Resmi Kota Samarinda, city statistics/transparency. Population about 893,385; 2025 PDRB about Rp106.62T and economic growth 6.22%. https://samarindakota.go.id/

[EXT-10] GitHub Docs, repository and agent instructions (AGENTS.md and repository custom instructions) for coding agents. https://docs.github.com/en/copilot/how-tos/configure-custom-instructions-in-your-ide/add-repository-instructions-in-your-ide

[EXT-11] OpenAI, “Unrolling the Codex agent loop” (2026), describing repository-level AGENTS.md context discovery. https://openai.com/index/unrolling-the-codex-agent-loop/