

Project Information

Project Title:	New EASE Focus Project
Date:	Tuesday, September 8, 2026
Author:	ERCEL ABBOTT
Temperature:	68.0°F
Pressure:	Standard (1010 hPa)
Humidity:	Standard (60%)
Mapping:	Broadband - No Weighting



Side View: BERLIN TRUSS 1




Sound Sources

	Label	Type	System	X	Y	Z	Hor	Ver	Rot
1	**BERLIN FF 1**	Line Array	BERLIN	28.89 ft	-30.86 ft	2.00 ft	0.0°	6.1°	0.0°
2	**BERLIN FF 2**	Line Array	BERLIN	28.80 ft	-14.00 ft	2.00 ft	0.0°	6.1°	0.0°
3	**BERLIN FF 3**	Line Array	BERLIN	28.67 ft	10.00 ft	2.00 ft	0.0°	6.1°	0.0°
4	**BERLIN FF 4**	Line Array	BERLIN	28.91 ft	30.50 ft	2.00 ft	0.0°	6.1°	0.0°
5	**BERLIN HL STAND**	Line Array	BERLIN	30.00 ft	-53.00 ft	6.00 ft	-10.2°	6.1°	0.0°
6	**BERLIN HR STAND**	Line Array	BERLIN	30.00 ft	53.00 ft	6.00 ft	8.6°	6.1°	0.0°
7	**BERLIN TRUSS 1**	Line Array	BERLIN	51.00 ft	-36.00 ft	15.00 ft	0.0°	-7.5°	0.0°
8	**BERLIN TRUSS 2**	Line Array	BERLIN	51.00 ft	-14.00 ft	6.00 ft	0.0°	6.1°	0.0°
9	**BERLIN TRUSS 3**	Line Array	BERLIN	51.00 ft	14.00 ft	6.00 ft	0.0°	6.1°	0.0°
10	**BERLIN TRUSS 4**	Line Array	BERLIN	51.00 ft	36.00 ft	6.00 ft	0.0°	6.1°	0.0°


Distribution

Average:	113.0 dB ±4.6
Average - Std. Dev.:	108.4 dB
Average + Std. Dev.:	117.6 dB



Sound Source - BERLIN FF 1

System:	BERLIN
Company:	Turbosound
Label:	BERLIN FF 1
Position:	X=28.89 ft
	Y=-30.86 ft
	Z=2.00 ft
Orientation:	Hor=0.0°
	Ver=6.1°
Weight:	62.25 lbs
Setup:	Fly Bar Suspension
Box Count:	1
Pinpoint Mode:	Best Pinpoint
Pinpoint Number:	Pin 1
Remaining Vertical Angle:	-46.7°
Bottom Angle:	8.6 °
Above Ground:	0.70 ft




	Box Type	Gain	Rigging Angle	Aiming Angle
	(Frame)			6.1°
Box 1	TBV123	-60.0 dB	0°	-1.4°

	Box Type	Input Configuration	Input Types
	(Frame)		
Box 1	TBV123	TBV123	TBV123: 80Hz_1BOX_ST

Sound Source - BERLIN FF 2

System:	BERLIN
Company:	Turbosound
Label:	BERLIN FF 2
Position:	X=28.80 ft
	Y=-14.00 ft
	Z=2.00 ft
Orientation:	Hor=0.0°
	Ver=6.1°
Weight:	62.25 lbs
Setup:	Fly Bar Suspension
Box Count:	1
Pinpoint Mode:	Best Pinpoint
Pinpoint Number:	Pin 1
Remaining Vertical Angle:	-46.7°
Bottom Angle:	8.6 °
Above Ground:	0.70 ft




	Box Type	Gain	Rigging Angle	Aiming Angle
	(Frame)			6.1°
Box 1	TBV123	-60.0 dB	0°	-1.4°

	Box Type	Input Configuration	Input Types
	(Frame)		
Box 1	TBV123	TBV123	TBV123: 80Hz_1BOX_ST

Sound Source - BERLIN FF 3

System:	BERLIN
Company:	Turbosound
Label:	BERLIN FF 3
Position:	X=28.67 ft
	Y=10.00 ft
	Z=2.00 ft
Orientation:	Hor=0.0°
	Ver=6.1°
Weight:	62.25 lbs
Setup:	Fly Bar Suspension
Box Count:	1
Pinpoint Mode:	Best Pinpoint
Pinpoint Number:	Pin 1
Remaining Vertical Angle:	-46.7°
Bottom Angle:	8.6 °
Above Ground:	0.70 ft




	Box Type	Gain	Rigging Angle	Aiming Angle
	(Frame)			6.1°
Box 1	TBV123	-60.0 dB	0°	-1.4°

	Box Type	Input Configuration	Input Types
	(Frame)		
Box 1	TBV123	TBV123	TBV123: 80Hz_1BOX_ST

Sound Source - BERLIN FF 4

System:	BERLIN
Company:	Turbosound
Label:	BERLIN FF 4
Position:	X=28.91 ft
	Y=30.50 ft
	Z=2.00 ft
Orientation:	Hor=0.0°
	Ver=6.1°
Weight:	62.25 lbs
Setup:	Fly Bar Suspension
Box Count:	1
Pinpoint Mode:	Best Pinpoint
Pinpoint Number:	Pin 1
Remaining Vertical Angle:	-46.7°
Bottom Angle:	8.6 °
Above Ground:	0.70 ft




	Box Type	Gain	Rigging Angle	Aiming Angle
	(Frame)			6.1°
Box 1	TBV123	-60.0 dB	0°	-1.4°

	Box Type	Input Configuration	Input Types
	(Frame)		
Box 1	TBV123	TBV123	TBV123: 80Hz_1BOX_ST

Sound Source - BERLIN HL STAND

System:	BERLIN
Company:	Turbosound
Label:	BERLIN HL STAND
Position:	X=30.00 ft
	Y=-53.00 ft
	Z=6.00 ft
Orientation:	Hor=-10.2°
	Ver=6.1°
Weight:	113.02 lbs
Setup:	Fly Bar Suspension
Box Count:	2
Pinpoint Mode:	Best Pinpoint
Pinpoint Number:	Pin 1
Remaining Vertical Angle:	-30.9°
Bottom Angle:	23.6 °
Above Ground:	3.61 ft




	Box Type	Gain	Rigging Angle	Aiming Angle
	(Frame)			6.1°
Box 1	TBV123	-60.0 dB	0°	-1.4°
Box 2	TBV123	-60.0 dB	0°	-16.4°

	Box Type	Input Configuration	Input Types
	(Frame)		
Box 1	TBV123	TBV123	TBV123: 80Hz_1BOX_ST
Box 2	TBV123	TBV123	TBV123: 80Hz_1BOX_ST

Sound Source - BERLIN HR STAND

System:	BERLIN
Company:	Turbosound
Label:	BERLIN HR STAND
Position:	X=30.00 ft
	Y=53.00 ft
	Z=6.00 ft
Orientation:	Hor=8.6°
	Ver=6.1°
Weight:	113.02 lbs
Setup:	Fly Bar Suspension
Box Count:	2
Pinpoint Mode:	Best Pinpoint
Pinpoint Number:	Pin 1
Remaining Vertical Angle:	-30.9°
Bottom Angle:	23.6 °
Above Ground:	3.61 ft




	Box Type	Gain	Rigging Angle	Aiming Angle
	(Frame)			6.1°
Box 1	TBV123	-60.0 dB	0°	-1.4°
Box 2	TBV123	-60.0 dB	0°	-16.4°

	Box Type	Input Configuration	Input Types
	(Frame)		
Box 1	TBV123	TBV123	TBV123: 80Hz_1BOX_ST
Box 2	TBV123	TBV123	TBV123: 80Hz_1BOX_ST

Sound Source - BERLIN TRUSS 1

System:	BERLIN
Company:	Turbosound
Label:	BERLIN TRUSS 1
Position:	X=51.00 ft
	Y=-36.00 ft
	Z=15.00 ft
Orientation:	Hor=0.0°
	Ver=-7.5°
Weight:	113.02 lbs
Setup:	Fly Bar Suspension
Box Count:	2
Pinpoint Mode:	Best Pinpoint
Pinpoint Number:	Pin 2
Remaining Vertical Angle:	17.7°
Bottom Angle:	37.2 °
Above Ground:	12.77 ft




	Box Type	Gain	Rigging Angle	Aiming Angle
	(Frame)			-7.5°
Box 1	TBV123	0.0 dB	0°	-15.0°
Box 2	TBV123	0.0 dB	0°	-30.0°

	Box Type	Input Configuration	Input Types
	(Frame)		
Box 1	TBV123	TBV123	TBV123: 80Hz_1BOX_ST
Box 2	TBV123	TBV123	TBV123: 80Hz_1BOX_ST

Sound Source - BERLIN TRUSS 2

System:	BERLIN
Company:	Turbosound
Label:	BERLIN TRUSS 2
Position:	X=51.00 ft
	Y=-14.00 ft
	Z=6.00 ft
Orientation:	Hor=0.0°
	Ver=6.1°
Weight:	113.02 lbs
Setup:	Fly Bar Suspension
Box Count:	2
Pinpoint Mode:	Best Pinpoint
Pinpoint Number:	Pin 1
Remaining Vertical Angle:	-30.9°
Bottom Angle:	23.6 °
Above Ground:	3.61 ft




	Box Type	Gain	Rigging Angle	Aiming Angle
	(Frame)			6.1°
Box 1	TBV123	-60.0 dB	0°	-1.4°
Box 2	TBV123	-60.0 dB	0°	-16.4°

	Box Type	Input Configuration	Input Types
	(Frame)		
Box 1	TBV123	TBV123	TBV123: 80Hz_1BOX_ST
Box 2	TBV123	TBV123	TBV123: 80Hz_1BOX_ST

Sound Source - BERLIN TRUSS 3

System:	BERLIN
Company:	Turbosound
Label:	BERLIN TRUSS 3
Position:	X=51.00 ft
	Y=14.00 ft
	Z=6.00 ft
Orientation:	Hor=0.0°
	Ver=6.1°
Weight:	113.02 lbs
Setup:	Fly Bar Suspension
Box Count:	2
Pinpoint Mode:	Best Pinpoint
Pinpoint Number:	Pin 1
Remaining Vertical Angle:	-30.9°
Bottom Angle:	23.6 °
Above Ground:	3.61 ft




	Box Type	Gain	Rigging Angle	Aiming Angle
	(Frame)			6.1°
Box 1	TBV123	-60.0 dB	0°	-1.4°
Box 2	TBV123	-60.0 dB	0°	-16.4°

	Box Type	Input Configuration	Input Types
	(Frame)		
Box 1	TBV123	TBV123	TBV123: 80Hz_1BOX_ST
Box 2	TBV123	TBV123	TBV123: 80Hz_1BOX_ST

Sound Source - BERLIN TRUSS 4

System:	BERLIN
Company:	Turbosound
Label:	BERLIN TRUSS 4
Position:	X=51.00 ft
	Y=36.00 ft
	Z=6.00 ft
Orientation:	Hor=0.0°
	Ver=6.1°
Weight:	113.02 lbs
Setup:	Fly Bar Suspension
Box Count:	2
Pinpoint Mode:	Best Pinpoint
Pinpoint Number:	Pin 1
Remaining Vertical Angle:	-30.9°
Bottom Angle:	23.6 °
Above Ground:	3.61 ft




	Box Type	Gain	Rigging Angle	Aiming Angle
	(Frame)			6.1°
Box 1	TBV123	-60.0 dB	0°	-1.4°
Box 2	TBV123	-60.0 dB	0°	-16.4°

	Box Type	Input Configuration	Input Types
	(Frame)		
Box 1	TBV123	TBV123	TBV123: 80Hz_1BOX_ST
Box 2	TBV123	TBV123	TBV123: 80Hz_1BOX_ST

Audience Zone: Audience Zone

Label:	Audience Zone
Shape:	Rectangle

Label	Length	Ear Height
Audience Area 1	85.00 ft	3.94 ft (Sitting)



Audience Zone: Stage

Label:	Stage
Shape:	Rectangle

Label	Length	Ear Height
Audience Area 1	16.00 ft	3.94 ft (Sitting)



Receivers

	X	Y	Z
Receiver 1	32.83 ft	0.00 ft	3.94 ft
Receiver 2	75.38 ft	0.85 ft	3.94 ft

