Evaluating Character Wikis at Reader-Selected Narrative Cutoffs

Anonymous ACL submission

Abstract

Character wikis should reflect what a reader knows at a chosen narrative cutoff. We define cutoff-bounded reference generation and an artifact-level protocol for measuring coverage, factual support, citation sufficiency and later-information disclosure. We provide a pilot dataset and compare seven systems, including NARRATIVEWIKI, a reference implementation that filters stored graph claims before generation. In one five-volume public-domain series (111 gold facts; LLM labels with limited human review), systems withholding later text stated no assessed later fact; NARRATIVEWIKI implied one by misreading eligible evidence. Closed-book generation and full-text cutoff instructions produced more disclosures. NARRATIVEWIKI recovered fewer gold facts and had lower citation sufficiency than prefix long-context prompting. Renaming and paraphrasing sharply reduced closed-book recall while text-based systems largely retained coverage; however, NARRATIVEWIKI converted a character's prediction into a later marriage. The findings motivate controls on construction scope, attribution and evidence attachment. Disclosure assessment uses a finite probe set and imperfect candidate search, so low observed counts do not certify spoiler-free outputs. Code, gold facts and evaluation materials accompany the submission; the repository address is `https://anonymous.4open.science/r/NarrativeWiki-Anon-341E/`.

1 Introduction

A reader consulting a character wiki midway through a series may encounter a later identity, marriage or death while seeking a reminder of events already read. For example, a reader who has finished *Anne of Avonlea*, the second book of L. M. Montgomery's Anne series, may learn from Anne Shirley's whole-series page about her marriage to Gilbert Blythe in book four (Figure 1).[1]

[1]Examples in this paper reveal plot points of the series.

A useful reference must therefore respect the reader's progress as well as the story's facts. The boundary follows reading order: a flashback in volume four remains unknown to a volume-one reader. We call the earliest volume whose text establishes a fact its *reveal volume*. At cutoff t, every statement should have a reveal volume no later than t (Figure 2). Because an empty page satisfies this condition, coverage, support and citation quality must also be evaluated.

Filtering retrieved passages alone does not enforce this boundary. Full-series entity resolution can expose an identity established only in a later volume; a generator can supply memorized plot details; and shared menus, titles or search indexes can disclose later names. We encountered all three channels during development. Even with an explicit cutoff instruction, a generator given all five books wrote on Priscilla Grant's volume-two page that she "entered Redmond College in Kingsport" alongside Anne, although their college attendance first appears in book three (Appendix I).

Temporal knowledge boundaries have been studied for role-playing agents (Ahn et al., 2024), for conversational agents gated to the narrative present (Huang et al., 2025), and for character representations extracted from long narratives (Gurung and Lapata, 2024). We study a linked reference artifact at every cutoff and evaluate coverage, support and disclosure across its delivered surfaces. The contribution is the task and evaluation framework; NARRATIVEWIKI serves as a reference implementation. We provide:

- **A task and threat model** for cutoff-bounded reference generation, covering pages, titles, links, navigation and search; gold facts dated by reveal volume; and three channels of later-information disclosure (Section 3).
- **An artifact-level evaluation protocol** applied to seven systems: assertions are enumerated across




Figure 1: Overview. Left: a whole-series wiki reveals Anne's marriage to Gilbert (volume 4) to a reader at volume 2. Later information can enter through a full-series index, generator memory or surfaces shared across cutoffs. Right: the intended cutoff mechanism of NARRATIVEWIKI, which filters claims before generation. The illustration depicts the design goal rather than an observed guarantee of spoiler-free output.




Figure 2: Reading cutoffs for one character pair. Relation intervals open at their first-evidence volume. The cutoff-2 wiki renders intervals opened by volume 2 and withholds the marriage evidenced in volume 4. Citations use `v<volume>:c<chapter>:p<paragraph>`.

surfaces and sampled for precision and citation sufficiency; recall uses 111 gold facts; and disclosure search covers every page, with candidate sentences adjudicated and search recall tested on seeded cases (Section 5). The pilot dataset documents corpus size, annotation units and illustrative records (Appendix C).

- **NARRATIVEWIKI**, a reference implementation that applies the cutoff to stored claims before page generation. One build yields a wiki for every cutoff (Figure 1, right; Section 4).
- **A pilot comparison of cutoff designs.** On the original text, withholding later text from page generation yields no stated assessed later fact and NARRATIVEWIKI implies one by misreading eligible text (1 of 1,100 assessments; 9 of 1,100 including uncertain verdicts). Closed-book and full-text instruction disclose more. NARRATIVEWIKI has lower gold recall than long-context prompting, citation sufficiency of about one half and early pages shaped by later volumes; on renamed, paraphrased text, it states a later marriage from a character's prediction (Section 6).

2 Related Work

Spoilers, characters and temporal bounds. Spoiler detection typically labels review sentences without conditioning on a reader's position (Wan et al., 2019). Closest in aim, Jones et al. (2018) serve fan-wiki revisions archived before an episode aired; we generate cutoff-specific pages from the source text and evaluate their content. E-readers also offer position-bounded answers (Amazon Staff, 2025), although we are unaware of a published evaluation. CHIRON builds validated character sheets (Gurung and Lapata, 2024), BookWorm pairs books with character descriptions (Papoudakis et al., 2024), and EvolvTrip builds temporal graphs of characters' mental states (Yang et al., 2025). TimeChara measures point-in-time hallucination in role-playing models (Ahn et al., 2024); Living the Novel gates conversation to the narrative present (Huang et al., 2025), using the filter-before-generate principle we adopt; and NS-ST-GraphRAG answers from temporally valid subgraphs (Lin, 2026). These works bound answers or

dialogue in time; none evaluates a complete linked reference artifact at every cutoff (Table 3). Identity errors also connect to literary coreference: LitBank annotates identities using the whole text, including revelations unavailable at an earlier mention (Bamman et al., 2020).

Grounded article and wiki generation. STORM researches and outlines Wikipedia-like articles (Shao et al., 2024); GraphRAG summarizes a corpus entity graph (Edge et al., 2024); LightRAG, adapted here as a baseline, combines graph structure with lightweight retrieval (Guo et al., 2025); and SearchWiki builds linked wikis for agent navigation (Singh et al., 2026). Our reference additionally depends on the reader's position within the corpus.

Factuality, attribution and contamination. We evaluate atomic support following FActScore (Min et al., 2023), attribution to identified sources (Rashkin et al., 2023) and citation quality following ALCE (Gao et al., 2023), extending evaluation to assertions across the artifact and their page context. Automatic raters of book-length text can disagree with knowledgeable readers (Kim et al., 2024). On STORYSUMM, MiniCheck (Tang et al., 2024) performed below chance, and individual annotation protocols missed errors (Subbiah et al., 2024); we therefore use evidence-reading annotators rather than entailment classifiers. Published novels may also be known to the generator (Chang et al., 2023; Cheng et al., 2025); a closed-book diagnostic measures its recall without source text.

3 Task and Threat Model

Cutoffs and the delivered artifact. A series comprises ordered volumes $v_1, \ldots, v_N$. At cutoff t, the reader has read $D_{\leq t} = v_1 \cdots v_t$; the cutoff follows reading order, not story time. The delivered artifact W_t includes page text, links and backlinks, titles and addresses, shared navigation and search, group and place pages, and source views opened by citations. All these surfaces belong to the evaluation scope. Unrequested later information is in scope; deliberately opening a later cutoff is outside the threat model.

Facts and assertions. A gold fact g is a selected character statement with reveal volume $r(g)$, the earliest volume whose text suffices to establish it. Eligible gold facts are $G_t = \{g : r(g) \leq t\}$; assessed later facts are $F_t = \{g : t < r(g) \leq N\}$. The latter are a finite probe set, not an exhaustive spoiler inventory. Story-level truth, support from eligible text and citation sufficiency are distinct properties: a true assertion supported only by later text violates the cutoff. Support must preserve attribution and modality: *A believes B is her father* does not establish *B is A's father*.

Threats. We distinguish three channels. *Construction dependence*: processing volumes beyond t shapes the early artifact through alias merges, canonical names or pages created for later characters, even when rendered claims are filtered. *Published disclosure*: a delivered surface directly exposes later content, such as a name in shared navigation. *Parametric contribution*: the generator supplies memorized information about the work. An observed disclosure alone cannot identify its channel; experiments therefore vary what each system can access (Figure 4).

4 Reference Implementation: NarrativeWiki

NarrativeWiki constructs a graph of evidence-bearing claims with volume intervals and renders one wiki per cutoff (Figure 3). Claims are filtered to evidence volumes $\leq t$ before page assembly and prose generation. Filtering precedes generation because removing explicit later facts from generated text can leave implications intact.

Ingestion and entities (stages 1–2). Volumes become ordered paragraphs with stable citation identifiers such as `v01:c06:p0003`. Lexical mining identifies capitalized n-grams, honorifics and vocatives; the model types them as characters, groups, places, events or objects. Surface forms are clustered by exact match, fuzzy match and whole-word subset, followed by model adjudication of ambiguous pairs using passages containing both names. A bare name is not automatically merged with a fuller name first appearing later. Shared first names are assigned volume by volume to the locally dominant full name. Entities use the fullest title occurring in their first volume, and surface forms retain their first-occurrence volume.

Claims with evidence (stage 3). Three extraction passes share a schema: subject, predicate, object or value, qualifier, first-evidence volume (`first_vol`), verbatim quotes and paragraph identifiers. A chapter pass covers every paragraph in overlapping spans and extracts scenes, participants




Figure 3: The NARRATIVEWIKI pipeline on a stored fact. BUILD converts all volumes into identified paragraphs, entities and claim intervals accepted by the verifier. PUBLISH assembles each cutoff's wiki from eligible intervals and quotes. Stages marked LLM call the generator; other stages are deterministic. Validation gates check verbatim evidence and fact-level support.

and summaries backed by up to four paragraphs. A mention pass reads windows around each character's mentions; a long-context pass reads all their paragraphs in a volume for attributes and background. Claims are retained only when the quote occurs verbatim in its cited paragraph, that paragraph names subject and object, and relation objects resolve to known entities.

Intervals and verification (stage 4). Claims become volume intervals. Conflicting values of a single-valued attribute within one volume are arbitrated as extraction conflicts; values in different volumes are treated as story changes, closing the earlier interval when the later one opens. Near-duplicate values are clustered with BGE-M3 embeddings (Chen et al., 2024). A verifier judges each assembled fact against its cited evidence in a separate call; rejected facts are withheld. On a minimal-edit challenge set the verifier reaches 0.989 balanced accuracy (MiniCheck: 0.718), and 0.750 on a harder set of embedded speech (Appendix H). One logged field definition, for `APPEARANCE`, is malformed (Appendix D).

Cutoff assembly and publication (stages 5–8). Deterministic assembly selects intervals opening by t (Algorithm 1, Appendix D). Each quote is filtered by its own volume; intervals closing after t appear current to conceal future changes; and qualifiers must be supported no later than the interval's start. Names, attributes, affiliations and relations are rendered directly from graph rows. The model writes only short prose from filtered facts, with sentence limits per section (Appendix D), and is instructed to identify the input lines supporting it. Line keys select source paragraphs; returned paragraph IDs are normalized during citation resolution (Appendix D). Sections without evidence remain empty without a model call. String matching adds links using surface forms revealed by t. Cutoffs occupy separate directories, shared navigation names no characters, and no site-wide search index is shipped because it would span cutoffs.

Build scope. One graph is built from all volumes. Additional cutoffs require no extraction, structured content is rendered without model calls, and prose is generated once per distinct eligible fact set. This efficiency retains construction dependence (Section 3), which we assess against prefix-only builds (Section 6.3). Every model stage, including verification, uses the generator specified in Section 5. Templates do not insert title or author metadata, but model outputs and full-series entity lists can reintroduce the title and later identities (Appendix N).




Figure 4: Information available to each system at cutoff 2 and its cutoff mechanism (left). Confirmed disclosures of assessed later facts, summed over cutoffs one to four (right). X1 and X2 are diagnostics.

5 Experimental Setup

Corpus and gold facts. We evaluate the first five novels in publication order of L. M. Montgomery's Anne series, from *Anne of Green Gables* to *Rainbow Valley*, using Project Gutenberg editions: 428,122 words, 8,489 paragraphs and 184 chapters. This series also informed system development; it is not held out (Appendix C). The gold inventory contains 111 facts about 43 characters, each with a reveal volume and an evidence paragraph. It was drafted from the source text without access to system outputs; eligible counts at each cutoff appear in Table 8; dataset composition and examples are in Appendix C. For 85 of the 111 facts the cited paragraph suffices alone; the other 26 (23 established in part, three not) need text beyond that paragraph and are retained unchanged (Appendix B). Recall measures coverage of this selected inventory rather than all facts in the novels.

Systems. All systems use Gemini 3.6 Flash (Vertex AI, temperature 0.4, `thinking_budget` 0). Comparison systems share a character-page template, output budget and citation format. A cast character receives a page at t if an eligible gold fact concerns them or their full name occurs in $D_{\leq t}$ (14, 21, 25, 33 and 43 pages at $t = 1..5$; Figure 4). **B1** supplies the complete prefix $D_{\leq t}$ to the generator. **B2** combines BM25 and dense retrieval from a prefix-only index. **B3** uses prefix-built LightRAG (Guo et al., 2025) as the shared generator's retriever. **B4** retrieves from the full five-volume NarrativeWiki graph, filtering facts at retrieval time; it controls for the graph while changing page generation and publication scope. **B5**, NarrativeWiki, discovers its own entities and also publishes other character, relationship, codex and timeline pages. We evaluate its full artifact and separately examine the cast character pages shared with the baselines. **X1** receives only the title and character name (closed book). **X2** receives all five volumes with an instruction to reveal nothing after t. These two diagnostics are excluded from best-system comparisons. Baseline settings were fixed on a separate development novel (Appendix E).

Metrics. We report four separate outcomes (Figure 5; Appendix B). *Recall* (M1) is the fraction of eligible gold facts stated of the correct character anywhere in W_t. *Precision* (M3) measures full support in $D_{\leq t}$ for 40 uniformly sampled atomic assertions per system and cutoff, drawn from an inventory of all delivered surfaces (Min et al., 2023). Assertions are judged in their page context: a true scene line on a relationship page is supported there only if both characters participate in a shared episode of that scene (the *scene rule*). We also report statement-only judgments and the *line rule*, which requires participation in the episode described by the sampled line. *Citation sufficiency* (M8) is the fraction of sampled assertions fully established by their cited paragraphs alone; uncited assertions count as insufficient. *Disclosure* (M4) searches every page for every assessed later fact using three lexical routes. Retrieved candidates are labeled *stated*, *implied*, *uncertain* or absent; stated and implied count as disclosure. There are 220 fact–cutoff assessments per system at $t = 1..4$; M4 is undefined at $t = 5$. We test candidate-search recall with seeded disclosures and add two checks independent of that search: later-only support among sampled assertions, and names in W_t that occur in the full entity index but not in $D_{\leq t}$.

Annotation and review. Claude Opus 5.5 read evidence under written rules and finalized all reported AI labels, including gold, recall, disclosure, precision and citation sufficiency. Claude harmonized pair verdicts; agreement was 90 of 99 (Cohen's $\kappa = 0.79$). Reported values incorporate consistency audits and the review-triggered recall recheck; sampled precision and citation labels were left unchanged so that one judgment standard applies to every item. Two human reviewers then independently relabeled 554 original-text items without seeing the AI answers (κ from 0.39 on precision to 0.83 on recall; Table 5). Appendix B details the review scope and corrections.

Statistics. We report unweighted cutoff means and sample standard deviations; medians and ranges appear in Table 12. Paired differences use shared entities and cutoffs and are computed before rounding. Each system was generated once. The reported spread describes variation across cutoffs, not repeated runs, and cutoff-level samples of 40 assertions support only limited comparisons.

6 Results

Interpreting the comparisons. These are single-run, LLM-labeled pilot results. Claude finalized all AI labels and also assisted in implementation; the AI judgments were not blinded to system identity. Human checks covered selected original-text items, excluding disclosure and treated conditions; review disagreements did not uniformly correct system scores. Judgment rules, review coverage and sampling can still affect comparisons (Section 5; Appendix B).

6.1 Disclosure of later facts

B1, B2 and B3 each have no stated or implied disclosures in 220 fact–cutoff assessments; NARRATIVEWIKI has one implied disclosure (Table 1). At $t = 3$, a relationship summary says a friend *later serves as a bridesmaid for Anne*, implying Anne's wedding. The eligible passage instead describes Anne as the friend's bridesmaid: the generator inverted the relation. Withholding later text therefore reduces an exposure channel without preventing disclosure through incorrect inference. B4 also has no confirmed disclosure. The diagnostics disclose more: X1 states 4 of 220 later facts without source text, and X2 states or implies 8 of 220 despite its cutoff instruction.

Detection limits and uncertain cases. Including uncertain verdicts raises the count for the five input-bounded systems to 9 of 1,100: NARRATIVEWIKI has five of 220, while X2 has 14. NARRATIVEWIKI's four uncertain verdicts arise from a relation labeled *romantically involved with* from volume one (Appendix I). The candidate search retrieves 0.845 (186/220) of seeded paraphrases naming the character and 0.714 (157/220) of seeded implications; with pronouns on another character's page, retrieval falls to roughly one third (Table 15). These are detection-limited counts on a finite probe set. At $t = 2$, NARRATIVEWIKI contains 9,695 assertions versus B1's 1,350; unequal artifact sizes further complicate comparisons of missed disclosures. Facts also cluster within characters and cutoffs. M4 excludes identity effects, which we examine separately in Section 6.3.

Checks independent of candidate retrieval. Among sampled assertions at $t \leq 4$, none in NARRATIVEWIKI, B1, B2 or B3 is established only by later volumes (NARRATIVEWIKI: 0 of 159; B3: 0 of 160), versus 2 of 160 for X2 and 1 of 159 for X1. A lexical screen finds one name absent from $D_{\leq t}$ on each input-bounded system's pages, including NARRATIVEWIKI, versus 8 for X1 and 17 for X2. The input-bounded hits are a plural or an expanded title, rather than confirmed later-character disclosures. Both checks have limited coverage: the assertion samples are small, and the screen detects only new names.

6.2 Coverage, support and citations

Coverage. Closed-book recall of 0.683 identifies recognition as a substantial confound; exceeding this diagnostic does not isolate the contribution of reading. NARRATIVEWIKI has lower recall than long-context prompting at every cutoff (0.802 versus 0.848; Figure 6). Its mean paired difference relative to prefix retrieval is -0.032. Table 13 gives the other comparisons. Section 6.4 tests the pattern after reducing recognition.

Support and publication scope. Whole-artifact precision is 0.789 for NARRATIVEWIKI, versus 0.929, 0.960 and 0.950 for B1–B3. On cast character pages, the matched population, NARRATIVEWIKI reaches 0.886 (31/35), versus B1's 0.930 (185/199); the NARRATIVEWIKI estimate rests on only 35 atoms. The largest gap occurs on relationship pages (46% of its assertions): 0.706 (72/102) are supported in page context, whereas 0.971 (99/102) are supported as statements alone. Relationship pages include lines from chapter-level scene records naming both characters, even when the two do not share an episode. Under the *line rule*, precision is 0.628 (Table 23). NARRATIVEWIKI also publishes 6,970 distinct assertions per cutoff, nearly four times B1's 1,821; recall on a fixed gold inventory does not measure this additional content.

Citation sufficiency. Paragraph-citation coverage, measured over each full assertion inventory and averaged across cutoffs, is 0.930 for NARRATIVEWIKI (B1: 0.976). This differs from sampled citation sufficiency, whose cutoff mean is 0.512, versus 0.658 for B1 and 0.774 for B2. After exclud-

System (cutoff enforced by)	Recall ↑	Precision ↑	Citation sufficiency ↑	Later facts disclosed ↓	Distinct assertions	Tokens in / out (M)
B1 Long context (input)	**0.848**$_{\pm 0.022}$	0.929$_{\pm 0.028}$	0.658$_{\pm 0.098}$	0 of 220	1,821	69.23 / 0.37
B2 Prefix retrieval (input)	0.834$_{\pm 0.063}$	0.960$_{\pm 0.029}$	0.774$_{\pm 0.088}$	0 of 220	1,718	**3.42 / 0.37**
B3 LightRAG (input)	0.536$_{\pm 0.133}$	0.950$_{\pm 0.018}$	0.765$_{\pm 0.118}$	0 of 220	1,404	5.08 / 1.01
B4 Graph baseline	0.761$_{\pm 0.049}$	**0.965**$_{\pm 0.014}$	**0.915**$_{\pm 0.029}$	0 of 220	1,701	+1.11 / 0.36
B5 NarrativeWiki (data)	0.802$_{\pm 0.026}$	0.789$_{\pm 0.087}$	0.512$_{\pm 0.035}$	**1 of 220**	**6,970**	33.13 / 1.86
X1 Closed book (none)	0.683$_{\pm 0.082}$	0.814$_{\pm 0.071}$	–	**4 of 220**	1,526	0.06 / 0.15
X2 Full text (instruction)	0.814$_{\pm 0.043}$	0.910$_{\pm 0.058}$	0.625$_{\pm 0.064}$	**8 of 220**	1,829	98.67 / 0.37

Table 1: Main comparison on Anne: rates are mean ± sample standard deviation across $t = 1..5$. Recall uses eligible gold facts; precision and citation sufficiency use 40 sampled atoms per cutoff, judged in page context. Disclosure counts stated or implied later facts across $t = 1..4$. Distinct assertions are means per cutoff; tokens (millions, input / output) cover the reported build. X1 and X2 are diagnostics; X1 cites nothing. Bold identifies rate and assertion-count maxima and minimum measured cost among B1–B5, plus non-zero disclosures. Cyan highlights performance maxima, pink disclosures, and lavender inventory and minimum cost. B4 reuses B5's graph; its cell is the page generation added to B5's build. Distributions are in Table 12.

ing one enumeration error, NarrativeWiki has 199 evaluated sampled atoms: 191 carry citations and 102 are fully established by them. Restricting the pooled sample denominator to cited atoms yields 0.534 (102/191); the corresponding values are 0.668 (131/196) for B1 and 0.802 (154/192) for B2. Citation omission alone therefore does not explain the gap: evidence selection or attachment also falls short.

Control using the same graph. B4 uses NarrativeWiki's graph but generates only cast character pages from retrieved facts. It has slightly lower recall (0.761 versus 0.802), but higher precision (0.965) and citation sufficiency (0.915). Together with the page-type breakdown, this control implicates publication context and citation attachment in the quality gap; it does not isolate their separate effects (Appendix G). The reported NarrativeWiki is its second build, revised after first-build labeling; Table 23 reports both.

6.3 Does construction from later volumes matter?

Using the first build's code, we constructed graphs from volumes 1..2 and 1..3 and compared their wikis with the corresponding cutoffs of the full-series build. Neither disclosed an assessed later fact (0 of 65 at $t = 2$, 0 of 45 at $t = 3$), and recall and sampled precision were close (Table 18).

The first build's entity inventories nevertheless differ. Of the 40 character pages present in only one build at $t = 2$, 7 are anchored to later characters (9 at $t = 3$) but display an earlier namesake. For example, the first full-series build's `walter` entity is dominated by Walter Blythe from volume five, with 127 of its 130 mentions; its cutoff-2 page instead describes Anne's father. The page's existence and identity depend on unavailable text even without a later-fact disclosure.

For the reported build, comparing full-series entities with prefix-discovered indexes gives identity dependence of 0.390 at $t = 1$ and 0.089 at $t = 4$. Here dependence means that no prefix-built character has exactly the page entity's set of names observed by t; it includes changed alias links, regrouping and absent counterparts (Table 19). Wikis built on those prefix indexes match the full build's pooled recall (180 of 224 each, $t = 1..4$) and state no later fact (Table 20). Thus content filtering alone does not make entity construction independent of later volumes. Archived early-volume prompts also expose later aliases such as "Mistress Blythe" and "Mrs. Doctor" (Appendix N). The index and wiki comparisons do not isolate the influence of this prompt-metadata channel.

6.4 Recognition and memory

All seven systems were rebuilt on renamed, paraphrased text, retaining paragraph identifiers to align gold facts and citations (Appendix K). In 200 aligned probes, title identification falls from 0.820 to 0.110; a names-only control gives 0.325 (Table 26). Residual recognition and imperfect fidelity limit interpretation.

Closed-book recall falls from 0.683 to 0.003 (rounded). One gold fact–cutoff match remains: a death in an invented story (1 of 335 assessments). Of 200 sampled closed-book assertions, 162 are unsupported. Text-based systems retain much of their recall, with a maximum mean loss of 0.070

System	Recall			Precision		Citation sufficiency		Later facts
	treated	original	difference	treated	original	treated	original	disclosed, treated
B1 Long context	**0.845**$_{\pm 0.078}$	0.848	−0.003	0.920$_{\pm 0.060}$	0.929	0.530$_{\pm 0.239}$	0.658	0 of 220
B2 Prefix retrieval	0.784$_{\pm 0.052}$	0.834	−0.050	0.950$_{\pm 0.025}$	0.960	0.885$_{\pm 0.045}$	0.774	0 of 220
B3 LightRAG	0.470$_{\pm 0.074}$	0.536	−0.067	**0.960**$_{\pm 0.038}$	0.950	0.794$_{\pm 0.108}$	0.765	0 of 220
B4 Graph baseline	0.704$_{\pm 0.057}$	0.761	−0.057	0.940$_{\pm 0.034}$	0.965	**0.895**$_{\pm 0.037}$	0.915	**2 of 220**
B5 NarrativeWiki	0.843$_{\pm 0.017}$	0.802	+0.041	0.770$_{\pm 0.065}$	0.789	0.625$_{\pm 0.087}$	0.512	**4 of 220**
X1 Closed book	0.003$_{\pm 0.007}$	0.683	**−0.680**	0.145$_{\pm 0.037}$	0.814	–	–	0 of 220
X2 Full text	0.744$_{\pm 0.063}$	0.814	−0.070	0.845$_{\pm 0.045}$	0.910	0.475$_{\pm 0.088}$	0.625	**23 of 220**

Table 2: Original and treated text (names replaced, paragraphs paraphrased), with unchanged code, prompts and gold facts. Rates are unweighted means over $t = 1..5$; treated values include sample standard deviations. Differences: treated minus original, before rounding. Disclosure counts cover $t = 1..4$. Claude finalized the AI labels in both conditions. Bold highlights: best treated B1–B5 rates (cyan), largest recall loss and nonzero disclosures (pink).

(Table 2). The contrast is consistent with using supplied evidence, but does not isolate each system's memory contribution. Long-context citation sufficiency declines from 0.875 at $t = 1$ to 0.375 at $t = 5$, often because citations retain a paragraph number but omit its volume.

B1, B2, B3 and X1 disclose no assessed later fact on the treated text. NarrativeWiki states the leads' marriage at $t = 2$ and $t = 3$ (4 of 220): a neighbor's prediction was extracted as a presumed marriage and rendered as a spouse relation. B4, using the same graph, implies it (2 of 220). The failure concerns attribution and modality in eligible evidence, which a volume filter cannot repair. X2 discloses 23 of 220 later facts, versus 8 of 220 on the original; 8/88 occur at $t = 1$, where the original run had none. The full-text instruction remains unreliable after recognition is reduced.

7 Discussion

Input boundaries and inference errors. On the original text, withholding later material from page generation avoided stated disclosures, whereas full-text cutoff instructions did not. This supports restricting later-text access but does not establish safety (Section 6.1): NarrativeWiki's implied disclosure arose from misreading eligible evidence, as did its stated marriage on the treated text, which a character predicts in book two. Input filtering cannot prevent these inference errors. These runs motivate access-boundary controls alongside retrieval and graph choices; they do not isolate their causal effects. Checks must also cover delivered surfaces, since development leaks occurred in page lists, titles and shared navigation (Appendix I).

Benefits and costs of a linked graph. For this familiar five-volume work fitting in one context, graph extraction recovered fewer gold facts than direct prompting, while prefix retrieval achieved higher recall with about one tenth of the input tokens. The graph provides deterministic structured content, reusable cutoff filtering and broader linked coverage, whose value to readers remains unmeasured. The costs include misplaced claims on relationship pages, insufficient citations and identities shaped by later volumes (Tables 16 and 19). For character-page generation in this pilot, the measured tradeoffs favor prefix retrieval.

Design implications. Validating entity groupings, preserving speaker and modality, and checking final assertions in page context against their attached citations are repair priorities whose effectiveness remains untested. They address distinctions that volume filtering alone cannot verify; simply publishing more content does not establish reader utility.

8 Conclusion

We introduced cutoff-bounded reference generation, an artifact-level evaluation protocol and a pilot dataset, with NarrativeWiki as a reference implementation. In this five-book pilot, NarrativeWiki recovered fewer gold facts and had lower citation sufficiency than long-context prompting. Withholding later text avoided stated assessed disclosures on the original; NarrativeWiki nevertheless implied one. Renaming reduced closed-book recall, while NarrativeWiki still stated a later marriage from a prediction. The protocol makes these tradeoffs and failure channels visible; stronger comparisons require independent annotation, held-out works and repeated generations.

Limitations

Corpus, scale and generalization. The evaluation covers one English public-domain series, five volumes and one generator. The series informed development, and all five volumes fit within the generator's context window. Cutoffs share characters and evidence, so their estimates do not represent independent works. Results may differ for other genres, languages, models or series exceeding one context window. Commercial development series contribute no reported measurements. A held-out series and repeated generations are needed to assess generalization and variability.

Annotation and gold evidence. Gold facts and evaluation labels were finalized by Claude, who knew system identity and also assisted in implementation. A common finalizer does not establish independent or blinded evaluation. The pair-context verdicts come from Claude; alternative provisional pair judgments yield precision 0.753 rather than 0.789. Thus judgment sensitivity can affect comparisons across systems and text conditions even with one finalizing annotator. In the earlier review, one human accepted renewed LLM answers for all gold facts and 10% samples of recall, precision and citation labels, with those answers visible. This provides no independent agreement estimate for that pass. The later check recomputes agreement between supplied human final-label sets and with an accepted AI-assisted reference (Tables 5 and 6), and joint nominal α across those three label sets (Table 7). Both human label sets were produced entirely by human reviewers working from scratch, without the AI answers (Appendix B). Agreement does not establish annotation accuracy. Both checks exclude disclosure and treated-text judgments. The audit also found that some gold evidence paragraphs establish their facts only partially or not at all (Section 5). The inventory is retained; resolving these cases requires reviewing the underlying annotation data. Precision and citation estimates use 40 sampled atoms per cell and remain sensitive to sampling and judgment rules.

Incomplete disclosure assessment. M4 examines a selected inventory of later facts through candidate retrieval, rather than exhaustively reading every assertion for every possible spoiler. Validated seeded fixtures give approximately 85% retrieval for named paraphrases and 70% for named implications, with substantially lower recall for pronouns on other pages. The fixtures were written and validated by the same LLM annotator. Missed disclosures, unassessed plot points, identity changes and surfaces outside the published directory can therefore escape the evaluation. Different artifact sizes and clustered assertions further limit the interpretation of zero counts: a zero or low count does not certify spoiler-free output.

Development feedback and single runs. The reported NARRATIVEWIKI is a second build revised after first-build labels became available; baselines were not retuned in that round. Table 23 reports both builds. The complete prefix-versus-full graph comparison used first-build code. For the reported build, prefix-discovered indexes and wikis were evaluated on the original text only, with one-pass LLM labels (Appendix G). Entity-index differences include candidate-mining rules and stochastic model decisions. Each system and condition was generated once; reported standard deviations reflect cutoff variation, not run-to-run or model variation. Some original-text citation labels were added in later sessions. B4 differs from NARRATIVEWIKI in page scope and generation as well as citation attachment, so that comparison does not isolate their effects, and the repairs suggested in Section 7 are untested.

Recognition intervention. High closed-book recall shows that the generator recognizes this public-domain work; it does not establish how much each text-based system relies on memory. Renaming and paraphrasing sharply reduce closed-book recall, but neither remove recognition completely nor preserve the text perfectly. The treatment was not proofread against its source; 26 paragraphs retain inflected source names, and name collisions affect page selection. Some outputs recover the island's original name despite its absence from the treated text. Gold fidelity was checked by an unblinded LLM, without repeating the stricter paragraph-sufficiency audit. The treatment changes wording, entity resolution and potentially meaning, limiting cross-condition comparisons even with labels finalized by the same annotator. A work published after the generator's training cutoff would offer a complementary test of recognition, as in NoCha (Karpinska et al., 2024).

Temporal and discourse representation. Cutoffs are finished volumes. Two conflicting attribute values within one volume are treated as an extrac-

tion conflict, although both may describe genuine changes. Identity links are not dated, and predictions or beliefs can become factual relations if attribution or modality is lost. Attribute intervals track explicit replacements rather than implicit aging: an early age can remain displayed after later events (Appendix J). The system also lacks systematic cross-claim inference and may miss pronoun links across extraction windows. These qualitative observations have no measured prevalence (Appendix L).

Reader utility and publication scope. We measure factual coverage, support, citation sufficiency and disclosure, but not readers' ability to find information or their experience of spoilers. The additional linked pages may provide value or impose navigation costs; no reader study establishes either. The system omits portraits because development trials could not reliably ground character illustrations in textual evidence. External search engines and deliberately opened later cutoffs are outside the audited artifact.

Ethical Considerations

The evaluation uses public-domain Project Gutenberg editions. The accompanying materials include code, identifiers, gold facts, AI labels and human-review summaries, and exclude copyrighted development texts; no reported measurement comes from those development series. No reader-study participants were recruited. Claude Opus 5.5 finalized the AI labels, with human review of selected original-text items as described in Section 5 and Appendix B.

AI coding assistants contributed to implementation, evaluation tools and drafting. The overview illustration (Figure 1) was generated with an image model and is included as a vector graphic. The authors reviewed these materials and remain responsible for their content. Cutoff-bounded references are intended to assist readers, although generated summaries can substitute for reading and can inadvertently disclose later events. Released pages concern public-domain works. The paper itself contains plot spoilers for the Anne series.

References

Jaewoo Ahn, Taehyun Lee, Junyoung Lim, Jin-Hwa Kim, Sangdoo Yun, Hwaran Lee, and Gunhee Kim. 2024. TimeChara: Evaluating point-in-time character hallucination of role-playing large language models. In *Findings of the Association for Computational Linguistics: ACL 2024*, pages 3291–3325, Bangkok, Thailand. Association for Computational Linguistics.

Amazon Staff. 2025. How Kindle helps you stay immersed in every book you read. About Amazon. Published 2 April 2025, updated 2 July 2026. `https://www.aboutamazon.com/news/books-and-authors/kindle-recaps-feature-ebook-series-refreshers`. Accessed 11 October 2026.

David Bamman, Olivia Lewke, and Anya Mansoor. 2020. An annotated dataset of coreference in English literature. In *Proceedings of the Twelfth Language Resources and Evaluation Conference*, pages 44–54, Marseille, France. European Language Resources Association.

Kent K. Chang, Mackenzie Cramer, Sandeep Soni, and David Bamman. 2023. Speak, memory: An archaeology of books known to ChatGPT/GPT-4. In *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*, pages 7312–7327, Singapore. Association for Computational Linguistics.

Jianlyu Chen, Shitao Xiao, Peitian Zhang, Kun Luo, Defu Lian, and Zheng Liu. 2024. M3-Embedding: Multi-linguality, multi-functionality, multi-granularity text embeddings through self-knowledge distillation. In *Findings of the Association for Computational Linguistics: ACL 2024*, pages 2318–2335, Bangkok, Thailand. Association for Computational Linguistics.

Yuxing Cheng, Yi Chang, and Yuan Wu. 2025. A survey on data contamination for large language models. *arXiv preprint arXiv:2502.14425*.

Jasper Dekoninck, Mark Niklas Müller, and Martin Vechev. 2024. ConStat: Performance-based contamination detection in large language models. In *Advances in Neural Information Processing Systems*, volume 37, pages 92420–92464. Curran Associates, Inc.

Darren Edge, Ha Trinh, Newman Cheng, Joshua Bradley, Alex Chao, Apurva Mody, Steven Truitt, Dasha Metropolitansky, Robert Osazuwa Ness, and Jonathan Larson. 2024. From local to global: A graph RAG approach to query-focused summarization. *arXiv preprint arXiv:2404.16130*.

Tianyu Gao, Howard Yen, Jiatong Yu, and Danqi Chen. 2023. Enabling large language models to generate text with citations. In *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*, pages 6465–6488, Singapore. Association for Computational Linguistics.

Zirui Guo, Lianghao Xia, Yanhua Yu, Tu Ao, and Chao Huang. 2025. LightRAG: Simple and fast retrieval-augmented generation. In *Findings of the Association for Computational Linguistics: EMNLP 2025*, pages 10746–10761, Suzhou, China. Association for Computational Linguistics.

Kshitij Gupta. 2025. WHODUNIT: Evaluation benchmark for culprit detection in mystery stories. *arXiv preprint arXiv:2502.07747*.

Alexander Gurung and Mirella Lapata. 2024. CHIRON: Rich character representations in long-form narratives. In *Findings of the Association for Computational Linguistics: EMNLP 2024*, pages 8523–8547, Miami, Florida, USA. Association for Computational Linguistics.

Yifei Huang, Tianyu Yan, Sitong Gong, Xiwei Gao, Caixin Kang, Ruicong Liu, Huchuan Lu, and Bo Zheng. 2025. Living the novel: A system for generating self-training timeline-aware conversational agents from novels. *arXiv preprint arXiv:2512.07474*.

Yeonseok Jeong, Minsoo Kim, Seung-won Hwang, and Byung-Hak Kim. 2025. Agent-as-judge for factual summarization of long narratives. In *Proceedings of the 2025 Conference on Empirical Methods in Natural Language Processing*, pages 23591–23608, Suzhou, China. Association for Computational Linguistics.

Shawn M. Jones, Michael L. Nelson, and Herbert Van de Sompel. 2018. Avoiding spoilers: Wiki time travel with Sheldon Cooper. *International Journal on Digital Libraries*, 19(1):77–93.

Marzena Karpinska, Katherine Thai, Kyle Lo, Tanya Goyal, and Mohit Iyyer. 2024. One thousand and one pairs: A "novel" challenge for long-context language models. In *Proceedings of the 2024 Conference on Empirical Methods in Natural Language Processing*, pages 17048–17085, Miami, Florida, USA. Association for Computational Linguistics.

Yekyung Kim, Yapei Chang, Marzena Karpinska, Aparna Garimella, Varun Manjunatha, Kyle Lo, Tanya Goyal, and Mohit Iyyer. 2024. FABLES: Evaluating faithfulness and content selection in book-length summarization. In *First Conference on Language Modeling (COLM)*.

Klaus Krippendorff. 2011. Computing Krippendorff's alpha-reliability. Departmental Papers (ASC), Annenberg School for Communication, University of Pennsylvania.

Zheng Kui Lin. 2026. NS-ST-GraphRAG: Neuro-symbolic spatio-temporal GraphRAG for literary knowledge processing. *arXiv preprint arXiv:2609.05139*.

Sewon Min, Kalpesh Krishna, Xinxi Lyu, Mike Lewis, Wen-tau Yih, Pang Wei Koh, Mohit Iyyer, Luke Zettlemoyer, and Hannaneh Hajishirzi. 2023. FActScore: Fine-grained atomic evaluation of factual precision in long form text generation. In *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*, pages 12076–12100, Singapore. Association for Computational Linguistics.

Argyrios Papoudakis, Mirella Lapata, and Frank Keller. 2024. BookWorm: A dataset for character description and analysis. In *Findings of the Association for Computational Linguistics: EMNLP 2024*, pages 4471–4500, Miami, Florida, USA. Association for Computational Linguistics.

Qwen Team. 2024. Qwen2.5 technical report. *arXiv preprint arXiv:2412.15115*.

Hannah Rashkin, Vitaly Nikolaev, Matthew Lamm, Lora Aroyo, Michael Collins, Dipanjan Das, Slav Petrov, Gaurav Singh Tomar, Iulia Turc, and David Reitter. 2023. Measuring attribution in natural language generation models. *Computational Linguistics*, 49(4):777–840.

Yijia Shao, Yucheng Jiang, Theodore Kanell, Peter Xu, Omar Khattab, and Monica Lam. 2024. Assisting in writing Wikipedia-like articles from scratch with large language models. In *Proceedings of the 2024 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies (Volume 1: Long Papers)*, pages 6252–6278, Mexico City, Mexico. Association for Computational Linguistics.

Guransh Singh, Vishwajeet Kumar, Arkadeep Acharya, Adnan Qidwai, Jaydeep Sen, and Sachindra Joshi. 2026. SearchWiki: Learning to build and navigate knowledge wikis for active information seeking. *arXiv preprint arXiv:2608.29953*.

Melanie Subbiah, Faisal Ladhak, Akankshya Mishra, Griffin Thomas Adams, Lydia Chilton, and Kathleen McKeown. 2024. STORYSUMM: Evaluating faithfulness in story summarization. In *Proceedings of the 2024 Conference on Empirical Methods in Natural Language Processing*, pages 9988–10005, Miami, Florida, USA. Association for Computational Linguistics.

Yifan Sun, Han Wang, Dongbai Li, Gang Wang, and Huan Zhang. 2025. The emperor's new clothes in benchmarking? A rigorous examination of mitigation strategies for LLM benchmark data contamination. In *Proceedings of the 42nd International Conference on Machine Learning*, volume 267 of *Proceedings of Machine Learning Research*, pages 57728–57753. PMLR.

Liyan Tang, Philippe Laban, and Greg Durrett. 2024. MiniCheck: Efficient fact-checking of LLMs on grounding documents. In *Proceedings of the 2024 Conference on Empirical Methods in Natural Language Processing*, pages 8818–8847, Miami, Florida, USA. Association for Computational Linguistics.

Mengting Wan, Rishabh Misra, Ndapa Nakashole, and Julian McAuley. 2019. Fine-grained spoiler detection from large-scale review corpora. In *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics*, pages 2605–2610, Florence, Italy. Association for Computational Linguistics.

Bohao Yang, Hainiu Xu, Jinhua Du, Ze Li, Yulan He, and Chenghua Lin. 2025. EvolvTrip: Enhancing literary character understanding with temporal theory-of-mind graphs. *arXiv preprint arXiv:2506.13641*.

Xinrong Zhang, Yingfa Chen, Shengding Hu, Zihang Xu, Junhao Chen, Moo Khai Hao, Xu Han, Zhen Leng Thai, Shuo Wang, Zhiyuan Liu, and Maosong Sun. 2024. ∞Bench: Extending long context evaluation beyond 100K tokens. In *Proceedings of the 62nd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 15262–15277, Bangkok, Thailand. Association for Computational Linguistics.

Appendix Contents

The appendices provide annotation rules, implementation details, complete results and logged model exchanges.

A Comparison with Prior Work 13
B Annotation Rules and Metric Definitions 13
C Corpus and Evaluation Dataset 18
D Implementation Details 19
E Comparison Systems 21
F Results at Every Cutoff 21
G Additional Results 22
H Validation of Automatic Judges 29
I Disclosure Casebook 29
J Qualitative Example: One Page, Two Cutoffs 29
K Contamination Diagnostics and the Decontaminated Condition 31
L Development Observations 36
M Reproducibility and Release 37
N Prompts and Model Exchanges 38

A Comparison with Prior Work

Table 3 compares NARRATIVEWIKI with closely related systems and evaluations. The entries follow each cited paper's description of its task, output, and evaluation. Among these works, none combines a published reference artifact, a reader-selected volume cutoff, and evaluation of atomic assertions across the delivered pages.

B Annotation Rules and Metric Definitions

Annotators and workflow. Labels were produced by LLM coding agents working interactively in the project repository under the written rules of this appendix, not by a fixed prompt: for each item the agent read the fact or assertion with the eligible source paragraphs and recorded a label in a released label file. First-pass labels came from two agents, OpenAI Codex and Claude Opus 5.5; Claude Opus 5.5 finalized every reported label. The model version behind the Codex agent was not recorded. The prefix-index builds of Table 20 received a single pass.

How each metric is computed. Let A_t be the atomic assertions of W_t, $S_t \subset A_t$ the sampled atoms (40 drawn uniformly, with enumeration frame errors removed), $c(a)$ the set of paragraphs cited for atom a, $c_t(a) = c(a) \cap D_{\le t}$ its eligible part, and $\mathbf{1}[\cdot]$ the indicator. For an assessed later fact $g \in F_t$, $d_t(g)$ is the verdict of reading every candidate sentence of W_t for it.

$$
\begin{aligned}
\mathrm{M4}_t &= |P_t| \,/\, |F_t| \qquad (t \le 4),\\
P_t &= \{g \in F_t : d_t(g) \in \{\text{stated}, \text{implied}\}\},\\
\mathrm{M8}_t &= \frac{1}{|S_t|} \sum_{a \in S_t} \mathbf{1}\big[\sigma_t(a)\big],\\
\sigma_t(a) &\equiv c_t(a) \neq \varnothing \wedge c_t(a) \models a,\\
\mathrm{CITE}_t &= \frac{|\{a \in A_t : c(a) \neq \varnothing\}|}{|A_t|},\\
\mathrm{M5} &= \frac{|L|}{\sum_{t \le 4} |S_t|},\\
L &= \{(t,a) : 1 \le t \le 4,\ a \in S_t,\\
&\qquad D_{\le t} \not\models a,\ D_{\le 5} \models a\},
\end{aligned}
$$

where $c_t(a) \models a$ means the eligible cited paragraphs, read alone and jointly, establish every element of a (*sufficient* below); cited paragraphs after the cutoff are ignored, so an atom citing only later paragraphs is insufficient. The disclosure count of Table 1 is $\sum_{t=1}^{4} |P_t|$; the inclusive count adds the facts whose verdict is *uncertain*. A system's value is the unweighted mean over the cutoffs measured, $\bar{M} = \frac{1}{|T|} \sum_{t \in T} M_t$. A paired difference between systems A and B is $\Delta = \frac{1}{|T|} \sum_{t \in T} \big(M_t^A(E_t) - M_t^B(E_t)\big)$, with E_t the page entities both have at t; its standard deviation, median, lowest and highest value are those of the per-cutoff differences. The recall gap relative to the closed-book diagnostic is $\bar{\mathrm{M}}1 - \bar{\mathrm{M}}1^{X1}$; it does not isolate the contribution of reading from memory. The seeded search recall is the share of seeded disclosure sentences returned as candidates. M5 assesses a uniform assertion sample, whereas M4 uses fact-directed searches across the delivered artifact; their denominators and detection coverage differ.

Unit. An atomic assertion states one predicate about one subject, and an object for relations. Its interpretation includes polarity, modality, and attribution to the speaker or believer when the narrative does not establish it as true.

Support labels (M3). *Supported*: the text through the cutoff establishes the assertion with the stated attribution and modality. *Partial*: part of it is established, or a transient state is presented as a lasting trait. *Unsupported*: nothing through the cutoff establishes it. *Uncertain*: the annotator cannot decide from the eligible text. The annotator

Work	Task	Output artifact	Cutoff	Construction scope	Evaluation unit
Jones et al. (2018)	spoiler-free wiki browsing	archived fan-wiki revision	episode air date	human-written revisions saved before the cutoff	revision selected for a requested date
CHIRON (Gurung and Lapata, 2024)	character representation	character sheet	story snippet	story so far	generated statement; masked-character prediction
TimeChara (Ahn et al., 2024)	point-in-time role-play	dialogue answers	story moment	not applicable	response to one interview question
Living the Novel (Huang et al., 2025)	conversational agent	dialogue	narrative present	whole novel, retrieval gated at t	character dialogue; user study
STORM (Shao et al., 2024)	article writing	article	none	web search, target article excluded	outline headings; article sentence citations
NarrativeFact-Score (Jeong et al., 2025)	summary evaluation	factuality score and feedback	none	whole narrative	atomic fact of a summary
STORYSUMM (Subbiah et al., 2024)	faithfulness benchmark	labels	none	not applicable	summary sentence
NS-ST-GraphRAG (Lin, 2026)	question answering	answers	temporal scope of a query	whole work, subgraph selected at query time	answer to a question
SearchWiki (Singh et al., 2026)	information seeking	linked wiki for an agent	none	whole corpus	downstream answer
NARRATIVEWIKI (this work)	reference generation	linked wiki per cutoff	reading volume	all volumes, rendered from facts filtered at t; compared with prefix-only builds	atomic assertion of a delivered page; later gold fact against every page

Table 3: Comparison with prior work by task, artifact, cutoff, construction scope, and evaluation unit.

may read surrounding eligible context but never text after the cutoff. Only *supported* counts. Each atom is judged in the context of the page on which it appears; its factuality in isolation is also recorded (*true as a statement*). An error introduced by the enumeration tool, such as assigning a quotation to the wrong speaker, is a frame error and is excluded from the denominator (at most 1 per cell).

The pair rule. Relationship pages display lines from scene summaries as shared scenes. A factually true line is supported *on that page* only if both characters are present and participate in at least one episode of the scene summarized. Being mentioned, quoted, written to, remembered, dead, or watching from a distance does not count. This *scene rule* is the standing one. Under the stricter *line rule*, reported as a sensitivity value, the pair must take part in the episode that the sampled line itself describes. An earlier rule that accepted a pair present anywhere in the chapter was retired because it conflated shared scenes with shared chapters. The first-pass labels of the first and the reported build had used different pair rules, so Claude Opus 5.5 re-read every sampled relationship line from the first build, reported build, and two prefix builds against the chapter text. The annotator recorded verdicts under both the scene rule and the line rule. These contextual verdicts are combined with each build's factuality labels to compute the page-context precision reported here.

Reveal volume. The earliest t whose prefix $D_{\leq t}$ establishes the fact without later text; foreshadowing that a first-time reader could not resolve is not sufficient. Each later fact's reveal volume was checked against the earliest statement in the text by a keyword scan of every earlier volume followed by a read; the check moved 2 of 90 drafted facts to an earlier volume.

Conveyed (M1). A gold fact is conveyed at cutoff t when any page of that cutoff's wiki (a character, relationship, codex or timeline page) states its core proposition of the right character (the same subject, the same event, relation or attribute, and the same object) in any wording. A conjunction of two propositions needs both (*a newspaper man and a grandson of the schoolmaster*). An incidental qualifier may be missing (*four years ago*, *at Christmas*, a color or a material); a wrong or missing core element may not: who did it, to whom, or the number when the number is the fact (*Una*




Figure 5: The evaluation protocol, applied identically to every system's wiki at every cutoff. Cyan: support for the wiki's assertions. Lavender: coverage of information available to the reader. Pink: checks for later information reaching the reader.

ID	Definition
M1	Recall: eligible gold facts conveyed about the correct character anywhere in W_t, divided by $\|G_t\|$.
M3	Precision: fully supported sampled atoms divided by sampled atoms across all surfaces, cited or uncited; enumeration frame errors are excluded.
M4	Disclosure: assessed later facts stated or implied anywhere in W_t, divided by $\|F_t\|$; undefined when $F_t = \varnothing$.
M5	Later-volume content: sampled atoms not established through the cutoff but established by the full five-volume text, divided by sampled atoms at $t = 1, \ldots, 4$.
M8	Citation sufficiency: sampled atoms established by their cited, eligible paragraphs, divided by all sampled atoms; uncited atoms are insufficient.
M12	Verifier errors: unsupported candidates admitted and supported candidates rejected on a challenge set.
M13	Cost: model calls, input tokens, and output tokens of the reported build.

Table 4: Metrics reported in this paper. IDs retain the historical measurement-ledger numbering to match archived results and labels; measures outside the reported set leave gaps.

is ten). The same proposition asserted of a different character does not count (where the statement stands does not matter, whom it is about does), and an engagement does not convey a marriage. We formalized this rule across all systems after the recall audit in Section 5 found inconsistent application in the first pass. Labels had been carried forward across cutoffs when similar wording persisted; a fact marked absent early was therefore not reassessed when a later wiki paraphrased it. The audit rechecked every gold fact in every system using one search pattern per fact and changed 108 (96 to conveyed, 12 to not conveyed) labels; the reported build of NARRATIVEWIKI and the graph baseline on it were labeled afterward with the same patterns.

Disclosed (M4). *Stated*: a page asserts the later fact. *Implied*: a page asserts something from which a reader would infer it. *Uncertain*: a page asserts something adjacent that is available at the cutoff and that a reader could, but need not, read toward the later fact. *Absent*: no candidate sentence was found, or every candidate read was about something else. Stated and implied count as disclosure. Candidates are found by three lexical routes: vocabulary that first occurs after t, overlap with the content words of the fact, and marriage, death and birth words near the character's name.

Citation sufficiency (M8). For a sampled atom that the page cites, the annotator opens every paragraph in the citation list of that line or section (only paragraphs at or before the cutoff count) and asks whether they establish the atom without any other text. *Sufficient*: every element of the atom is in the cited paragraphs, jointly if need be; a relation is sufficient when the paragraph states it of a person the reader can identify, even if the page's canonical surname is given elsewhere. *Partial*: the core is there and a stated element is not (an added qualifier, a trait inferred from behavior). *Insufficient*: the supporting paragraph is not in the list, the list points to another volume or person, or the atom is itself unsupported. An assertion with no paragraph citation is insufficient; a link to a whole chapter is not

a paragraph citation. Only *sufficient* counts. One correction was made after labeling. The tool that enumerates assertions did not attach to a timeline line of the reported build the *Sources* line printed under it, so the 22 sampled timeline atoms had been labeled as uncited. Their citations were read from the delivered pages and judged by the rule above: 11 are sufficient. Counting them as uncited would give NARRATIVEWIKI a citation sufficiency of 0.457 instead of 0.512, and a share of assertions with a paragraph citation of 0.840 instead of 0.930.

The precision audit. Citation assessment for M8 revealed comparison-system atoms previously labeled unsupported or uncertain that were established by the text, sometimes by the page's own citations. The first pass searched for a character's name near the fact, missing pronoun references, and examined only the first six cited passages. All 119 comparison-system atoms not labeled supported were re-read against the best-matching paragraphs of the complete eligible text, and 34 were corrected to supported. The atom-level negatives of NARRATIVEWIKI's first build were re-read the same way and none changed. Labels already marked supported were not re-audited for any system.

Two-reviewer agreement. Two human reviewers each labeled the complete review packet (554 original-text items: every gold fact and the samples of recall, precision and citation labels listed below), giving two separate sets of final labels. Table 5 recomputes their agreement on the original-text validation tasks. Cohen's κ is reported separately for gold evidence, recall, precision and citation sufficiency, since these tasks have different questions and label spaces. Across the 554 reviewed items, all assessed decisions agree on 458; at least one decision differs on 96. These values describe concordance between the reviewers' final judgments, rather than agreement with the AI annotations or correctness of the annotations. Each reviewer labeled every item from scratch, without seeing the AI answers, so these judgments are not anchored on them.

Table 6 compares each reviewer's label set with the accepted AI-assisted review snapshot finalized by Claude. Its mapping to the accepted source sheet is verified; it is not independently verified as unchanged blind first-pass AI labels. Each comparison uses all 554 reviewed items. Pair placement is evaluated separately on 14 relationship-page items within the precision sample. All applicable decisions agree on 473 items for reviewer 1, with at least one disagreement on 81; for reviewer 2, the corresponding counts are 457 and 97. These comparisons measure reviewer–AI concordance, not annotation accuracy.

Task	Items	Agreement	κ
Gold evidence	111	82.88%	0.55
Recall (M1)	235	92.77%	0.83
Precision (M3)	148	70.95%	0.39
Citation (M8)	60	71.67%	0.57
Pair placement	14	92.86%	0.86

Table 5: Agreement between the two human reviewers' final labels. Cohen's κ is reported per task; no mixed-task coefficient is pooled. Pair placement is a precision subset, not additional items.

Reviewer provenance. Both final label sets were produced entirely by human reviewers; no model generated or proposed these decisions. Both CSVs cover the complete review packet, and their labels match the accompanying response records. A released aligned audit maps each decision to its original item and marks remaining disagreements as unadjudicated.

Joint agreement across the three label sets. Table 7 recomputes nominal Krippendorff's α for the same accepted AI-assisted reference and the two reviewers' final-label sets. All 554 items have complete labels from all three. For each task, $\alpha = 1 - D_o/D_e$ uses nominal distance (zero for identical labels, one otherwise), observed within-item coincidences, and expected disagreement from pooled category counts with the $n(n-1)$ finite-sample correction, where n is the number of pairable label values (Krippendorff, 2011, pp. 1–5). It is calculated jointly, rather than by averaging pairwise kappas. Pair placement is again assessed separately within the precision sample. The coefficient measures concordance among the AI labels and two human label sets; it is not an all-human reliability estimate or an accuracy measure. The recomputed coefficients match the summary distributed with the label files. This calculation reproduces decisions; it does not adjudicate disagreements or change system scores.

Earlier human review. Claude Opus 5.5 finalized all reported AI labels. Before the two-reviewer check, one human reviewer examined and accepted

Task	Items	Reviewer 1 vs. AI		Reviewer 2 vs. AI	
		Agreement	κ	Agreement	κ
Gold evidence	111	85.59%	0.58	80.18%	0.51
Recall (M1)	235	94.47%	0.87	89.36%	0.75
Precision (M3)	148	77.70%	0.48	80.41%	0.50
Citation sufficiency (M8)	60	71.67%	0.57	68.33%	0.49
Pair placement	14	71.43%	0.44	64.29%	0.29

Table 6: Agreement recomputed for each human reviewer's label set against the accepted AI-assisted reference snapshot. Each comparison uses all 554 reviewed items. Pair placement is reported separately for a subset of the precision sample; its items are not added to the total. No mixed-task coefficient is pooled.

Task	Items	α	Mean pairwise agreement	Unanimous items
Gold evidence	111	0.54	82.88%	83
Recall (M1)	235	0.82	92.20%	209
Precision (M3)	148	0.45	76.35%	97
Citation sufficiency (M8)	60	0.54	70.56%	35
Pair placement	14	0.54	76.19%	9

Table 7: Nominal Krippendorff's α recomputed jointly over the accepted AI-assisted reference and the two human reviewers' final-label sets. All 554 items have complete labels from all three. Mean pairwise agreement averages the three label-set pairs; unanimous items have identical labels in all three sets. Pair placement is a subset of precision, not additional items. No mixed-task α is pooled.

an AI-checked sheet with answers and reasons visible; this pass yields no agreement estimate. It assessed the labels against the source text and the rules above. Sets of at most 500 items are checked in full; larger sets use a uniform random 10% sample. Each set is checked separately:

- gold facts, 111 items (at most 500): every fact and its evidence paragraph;
- recall labels, 2,345 items (over 500): a sample of 235;
- precision atoms, 1,480 items (over 500): a sample of 148;
- citation-sufficiency labels, 600 items (over 500): a sample of 60;
- disclosure verdicts, 1,540 items, and the 12,689 candidate sentences behind them: not checked by a human; these are LLM labels only.

In all, 554 labels were reviewed. The sampling frame was fixed before the last labels were added: its precision atoms are those of every original-text cell then labeled, including prefix-build cells, and its citation labels are those of B1, B2 and NARRATIVEWIKI; the citation labels of B3, B4 and X2 were added later and are outside it. All of them are labels of the original text: the labels of the treated text (Appendix K) were finalized afterward by Claude and are not part of the check. The accepted answers agree with the paper's original labels on 204 of 235 recall items, 120 of 148 precision atoms and 46 of 60 citation labels. Of the gold facts, 85, 23 and 3 are established by their evidence paragraph in full, in part and not at all; 12 of those established in part are dated by a paragraph that announces the event, which is completed within the same volume, so no reveal volume moves. For the three not established, the fact holds in the volume it is dated to, but the paragraph recorded as its evidence does not carry it alone (a greeting for a household arrangement, a plan for a residence, an introduction that does not yet tie a surname to the man). In recall and precision the accepted answers are stricter; citation-sufficiency differences occur in both directions.

The recall differences had one cause: in some cells a page sentence weaker than the gold fact had been credited ("fascinated by insects" for a boy who collects toads, bugs and frogs; a fight for a hatred). The written rule already asked for the same event, relation or attribute. We therefore re-read six gold facts in every cell of every system, on both texts, with one test per fact, and changed 64 (48 to not conveyed, 16 to conveyed) recall labels. The re-read moved no system's mean recall by more than 0.021 and is in every value reported here; after it the accepted answers match 215 of 235 recall items. It covers the six facts the check surfaced,

t	Book	Par.	Words	Ch.	$\lvert G_t \rvert$	$\lvert F_t \rvert$
1	*Anne of Green Gables*	1,788	101,965	38	23	88
2	*Anne of Avonlea*	1,705	90,685	30	46	65
3	*Anne of the Island*	1,759	76,061	41	66	45
4	*Anne's House of Dreams*	1,606	78,931	40	89	22
5	*Rainbow Valley*	1,631	80,480	35	111	0
	Total	**8,489**	**428,122**	**184**		

Table 8: The evaluated corpus. Paragraphs, words and chapters are per volume; $|G_t|$ is the number of gold facts eligible at cutoff t and $|F_t|$ the number of later facts assessed for disclosure at t.

not all 111. Precision and citation labels were not changed on the sampled items alone, since that would correct a tenth of the labels under a reading the other nine tenths did not get.

Zero counts. A zero disclosure count is printed as $0/n$. Under an idealized model of k independent, representative character-level Bernoulli trials with zero events, where k is the number of characters with an assessed later fact at t (40 at $t = 1$, 12 at $t = 4$), the exact one-sided 95% upper bound is $1 - 0.05^{1/k}$: 0.072 at $t = 1$ and 0.221 at $t = 4$. Grouping by character avoids treating correlated assertions as independent. However, characters also interact, the cast is purposively selected, and candidate retrieval is incomplete. These values illustrate the effect of the sampling unit; they are not calibrated population bounds on this system's spoiler risk.

C Corpus and Evaluation Dataset

Editions. The Anne series is read from Project Gutenberg eBooks 45 (*Anne of Green Gables*), 47 (*Anne of Avonlea*), 51 (*Anne of the Island*), 544 (*Anne's House of Dreams*) and 5343 (*Rainbow Valley*), in that order (Table 8). The corpus follows the publication order of the first five Anne books (1908–1919), excluding two later-written books set between them. Throughout the paper, a volume is one book; word counts use whitespace-delimited tokens in the parsed text.

Development history. The pipeline was developed on other series, which contribute no reported results. The Anne books were processed while the pipeline was still being revised, so this corpus is not a held-out evaluation. Baseline settings were chosen on George Eliot's *Middlemarch* (Gutenberg eBook 145, Books I–V) and not on the Anne series (Appendix E).

Primary-matrix unit	Original	Treated
System–cutoff artifacts	35	35
Selected gold records	111	111
Cast characters	43	43
Recall judgments	2,345	2,345
Disclosure judgments	1,540	1,540
Sampled assertion records	1,400	1,400
Excluded frame errors	4	2
Evaluated precision atoms	1,396	1,398

Table 9: Size of the primary evaluation matrix, excluding earlier and prefix-build diagnostics. Counts describe records and judgments, not independent trials. Both conditions reuse the same gold inventory. Citation sufficiency uses the sampled assertion records; X1 supplies no citations.

Cast. The evaluated cast contains the 43 characters with at least one gold fact. A comparison system generates a character page at cutoff t if a gold fact about that character is evidenced by t or their full name occurs in $D_{\leq t}$. Characters without a page remain in the evaluation denominators. This rule replaces an earlier rule that matched any single word of a name and generated baseline pages for characters not yet introduced (Appendix I).

Dataset size and units. The source corpus contains 428,122 whitespace-delimited words in 8,489 paragraphs and 184 chapters. The evaluated inventory contains 111 selected facts about 43 characters. Table 9 distinguishes these unique records from repeated judgments. Each original or treated condition contains the same seven systems at five cutoffs; renaming and paraphrasing reuse the inventory and reveal dates rather than adding an independent corpus. Recall labels judge eligible fact–cutoff pairs; disclosure labels judge later fact–cutoff pairs. Assertions are a separate system-generated population sampled for precision and citation sufficiency. Repeated cutoffs share facts and characters.

What a record contains. The gold YAML groups facts by character. Each fact records a claim and a paragraph identifier; the identifier encodes its evidence volume, chapter and paragraph. Optional keyword lists assist disclosure search, while reader and note fields record provenance. The stored YAML retains historical later-volume entries, but this evaluation selects evidence volumes one to five only. Below is a minimal excerpt from an existing record, with provenance metadata omitted:

```
series: anne
characters:
```

```
Matthew Cuthbert:
  facts:
    - claim: "Matthew is the shyest man alive."
      evidence: v01:c01:p0004
```

Easier example: a direct statement. The cited paragraph describes Matthew as "the shyest man alive" and says that he "hated to have to go among strangers". The human-accepted gold check (Appendix B) labels this record fully supported. The character and description occur together, so matching the proposition requires neither a cross-paragraph identity link nor a conjunction. Its evidence volume is one: it is eligible at every evaluated cutoff. This is the narrator's characterization of Matthew, rather than a claim about his current life status.

Harder example: conjunction and local coreference. Owen Ford's record reads: "Owen Ford is a newspaper man and a grandson of the schoolmaster who built the house", with evidence `v04:c22:p0019`. Miss Cornelia's report includes "His name is Owen Ford", "a newspaper man" and "a grandson of the schoolmaster who built this house". The human-accepted gold check labels the record fully supported. Interpreting the pronouns requires linking them to Owen; recall requires both the occupation and the family/house relation. A generated statement that supplies only his occupation does not convey the full record. At cutoff three the fact is a disclosure probe; at cutoff four it becomes eligible. The example illustrates the existing conjunction rule, not a measured difficulty grade or a newly assigned annotation.

An evidence boundary case. The gold claim "Anne marries Gilbert Blythe" points to `v04:c04:p0000`, which begins "Anne wakened on the morning of her wedding day". That paragraph alone neither names Gilbert nor establishes the completed marriage. The human-accepted gold check therefore marks it partial, even though the fact is assigned to the correct volume. This example distinguishes volume-level support from paragraph-level evidence sufficiency; the recorded evidence defect remains part of the inventory, as reported in Appendix B. These illustrative cases do not constitute new labels, a measured easy/hard split, or a repair of the gold evidence.

Review population and release scope. The two-reviewer check covers 554 original-text items: 111 gold-evidence, 235 recall, 148 precision and 60 citation checks, sampled from the labels that existed when the sample was drawn (Appendix B). Original and treated gold, per-system judgments, sampled assertions, candidate witnesses, the two reviewers' final label files and recomputed agreement form the evaluation materials. The reviewer files, original response records and input hashes are released; the human review is described in Appendix B.

D Implementation Details

Claim schema. A claim is a record with a subject (an entity identifier, never a raw surface form), a predicate, a kind (attribute, relation or trait), an object entity or a scalar value, an optional short qualifier, a polarity (asserted, denied or presumed), the volume and chapter of its first evidence, and one or more evidence items, each a paragraph identifier with a verbatim quote of at most 240 characters. *Presumed* keeps a belief apart from a fact: a character thought dead in one volume is recorded as presumed dead there, not as dead. Polarity and qualifier are part of a claim's identity, so two observations that disagree on either never merge. A claim whose subject or object cannot be resolved to a known entity is dropped.

Ontology. Entities are typed as character, group, place, event or object; only characters get their own pages, and the other types share codex pages. There are nine attributes (age, gender, status, rank, title, nickname, origin, occupation, appearance), five trait keys (personality, motivation, skill, fear, background) and twenty relation predicates covering kinship (parent, child, sibling, relative, spouse), affect (romantic, friend, rival, enemy), roles (mentor, student, commands, serves under, comrade, affiliated with) and events (origin, participated in, pilots, killed, saved). The ontology is shared by all series and was not adapted to the evaluated work.

Extraction settings. The chapter pass reads spans of about 4,000 tokens with 500 tokens of overlap and records, for each scene, a summary, the characters who take part and up to four paragraphs that support the summary. The mention pass reads a window of four paragraphs before and after a mention, never across a hard scene break, with at most 40 windows per entity per volume, one window per call and at most 6,000 tokens per window (a denser cluster of mentions is split into consecutive windows). The long-context pass reads

Algorithm 1 Assembling the page of entity e at cutoff t.

Require: graph of verifier-accepted intervals; entity e; cutoff t
$I \leftarrow$ copies of $\{\, i \in \textsc{Intervals}(e) : i.start \le t \,\}$ ▷ a local view; the graph is not modified
if $I = \varnothing$ **then return** no page ▷ an entity with no interval by t has no page and is no link target
end if
for $i \in I$ **do**
  $i.quotes \leftarrow \{\, q \in i.quotes : \mathrm{vol}(q) \le t \,\}$ ▷ each quote filtered by its own volume
  if $i.end > t$ **then**
    $i.end \leftarrow \bot$ ▷ do not reveal that, or when, it ends
  end if
end for
$I \leftarrow \{\, i \in I : \textsc{Verified}(i) \,\}$ ▷ facts the verifier rejected are withheld
$\mathit{fields} \leftarrow \textsc{Render}(I)$ ▷ deterministic: names, attributes, relations, history
$\mathit{prose} \leftarrow \textsc{Generate}(I)$ ▷ model sees only I; no evidence ⇒ no call, empty section
$\mathit{page} \leftarrow \textsc{Link}(\mathit{fields}, \mathit{prose}, \{\, s : \mathrm{vol}(s) \le t \,\})$ ▷ surface forms and targets revealed by t
return *page* with cutoff-t title and navigation

all of a character's paragraphs in a volume (up to 150,000 tokens) for gender, age and origin, and separately for background. A claim needs a self-reported confidence of at least 0.5 to be kept and 0.7 to fill a structured field. An evidence-adequacy gate rejects quotes shorter than six words, quotes in which the subject is not named within one paragraph, and quotes carrying irrealis markers ("would have", "might have").

Intervals. Single-valued attributes supersede: a value's interval closes when the next distinct value first appears. Relations in a declared conflict group supersede the same way; every other relation and multi-valued attribute is an open interval that opens at its earliest evidence, with its qualifier taken from evidence no later than that volume. Free-text values whose BGE-M3 embeddings have cosine similarity of at least 0.86 are clustered before intervals are built.

Generation. Every model call uses Gemini 3.6 Flash (Vertex AI, temperature 0.4, `thinking_budget` 0). The intended character-page template specifies appearance 2–4, personality 2–6, and history 3–12 sentences; shared-page summaries request one sentence. The archived NARRATIVEWIKI appearance prompt instead requests 3–4 sentences (Appendix N). These are prompt requirements, not a measurement of output-length enforcement. Generation prompts request keys identifying the input lines supporting the text, which map back to source paragraphs. The parser also normalizes returned paragraph IDs during citation resolution, as in the codex example below. A shared-page summary is retained only if a second call judges every statement to be established by its input passages. A rejected summary is regenerated once and omitted if it fails again. Responses are cached by provider, model, prompt, and parameters, so rebuilding an unchanged configuration requires no new calls. All prompts are released verbatim with the code. Prompts for NARRATIVEWIKI and text-reading comparison systems omit the work's title and author; the closed-book diagnostic receives the title by design. A character with no STATUS claim is printed as *alive (assumed)*: a configured default with no evidence behind it, marked as assumed on the page, since the absence of a death claim does not establish that a character is alive.

Prompt and response defects. The extraction prompt of the reported runs exposes internal revision labels, module paths, and implementation notes in the STATUS and APPEARANCE descriptions. The prompt builder passes the same canonicalization note to the verifier as the *definition* of APPEARANCE, which the verifier is told to judge against; a rule for deduplicating values does not define a physical characteristic. The exhibited call accepts its appearance claim; the effect on other decisions is not measured. The codex response returns a paragraph ID where the prompt requests an input-line key; the parser maps it to its paragraph during citation resolution, without checking that the paragraph supports the sentence. All reported results use this configuration; a repaired prompt builder would require new runs, which this paper does not report.

Changes between builds. The reported build differs from the first build (Section 6.2, Table 23) by one batch of changes, made after the first build had been labeled and applied to every series alike. *Entity resolution:* a bare name and a fuller name first seen in a later volume go to the model in-

stead of merging for free; a first name shared by several people is assigned per volume; fuzzy matching may not exchange a whole word; the cap on model-judged name pairs rose from 1,000 to 5,000; hyphenated names and titles of the form "X of the Y" are mined whole. *Ingestion:* publisher's back matter is dropped. *Scenes:* the participants of a scene are those who take part, not those mentioned, and each summary names up to four supporting paragraphs. *Citations:* generated text names the input lines it rests on, and scene lines print their paragraphs on timeline, pair and codex pages; the first build cited a chapter for a scene line and nothing for most prose. *Gates:* a prose answer that says it found nothing is discarded, and summaries on shared pages pass the check described above. *Windows:* the 6,000-token ceiling on a mention window, which the first build did not enforce on a dense cluster. One side effect: the first build held two entities for several main characters, and each entity received its own windows, so the same text was read twice; with the entities merged it is read once, and the claims stored for two such characters fell from 162 and 66 to 118 and 46 on as many windows. We did not isolate this change's contribution to the reported build's lower recall.

E Comparison Systems

All comparison systems (B1–B4, X1, X2) use the same cast list, character-page template, generator, and intended character-page budget: the shared sections and sentence limits (appearance 2–4, personality 2–6, history 3–12), at most five quotes, and a shared citation format (Table 10). For systems supplied with passages, citations to paragraphs outside their input are removed, and characters absent from the eligible text receive no page but remain in the evaluation denominators. Settings were chosen on the development novel (*Middlemarch*) and fixed before the Anne runs. NARRATIVEWIKI itself is not given the cast: it discovers entities and also publishes pages for other characters, relationships, codex entries, and a timeline. The shared template therefore controls the evaluated cast's character pages, while the complete artifacts differ in scope (Table 16). The exhibited comparison prompts request 2–4 appearance sentences; the archived NARRATIVEWIKI appearance prompt requests 3–4 (Appendix N). The template budget therefore does not imply identical prompt wording or verified enforcement of output length.

	Adaptation and settings
B1	Every paragraph of volumes $1, \ldots, t$, labeled with its identifier, precedes the task so that pages at a cutoff share a cacheable prefix. Prompts exceeding the model's context limit would be marked unsupported rather than truncated; none exceeded it.
B2	Prefix-only index of consecutive paragraphs within a chapter (150 words). Okapi BM25 (k_1=1.5, b=0.75) and BGE-M3 cosine rankings for the character name alone and with seven facet words (appearance, personality, family, relations, goals, past, speech), fused by reciprocal rank (k=60); chunks added in fused order up to 20,000 tokens of retrieved text, then restored to reading order. Budgets count retrieved text only, estimated as characters divided by four, so a call's provider-counted input, which adds the prompt, can exceed them. Chunk size (150 or 300 words) and budget (6,000, 12,000 or 20,000 tokens) were chosen at t=2 of the development novel.
B3	LightRAG 1.5.7, default chunking (1,200 tokens) and its default extraction prompt and limits (at most 100 rows and 40 entities per chunk), mode `mix`, context capped at the same 20,000 tokens, reranking off. The index at cutoff t is the index at $t-1$ plus volume t, so no index sees a later volume. LightRAG supplies retrieval only: its retrieved entities, relations and chunks are passed to the shared generator, and its own extraction calls use the same model.
B4	The NARRATIVEWIKI graph built from all five volumes. For each character, the facts visible at t and their evidence paragraphs of volumes $\leq t$, up to the same budget, are passed to the shared generator in place of NARRATIVEWIKI's structured rendering (graph `anne@v2`).
X1	The shared prompt with the work's title, the character's name and no passages, with an instruction to write what is known of the character up to volume t; citations are empty by construction.
X2	Every paragraph of volumes 1–5 regardless of t, with the instruction to write for a reader of volume t and reveal nothing later.

Table 10: Adaptations of the comparison systems.

F Results at Every Cutoff

Table 11 reports the individual cells underlying the means in Table 1; Figure 6 plots them. Long-context recall is approximately stable across cutoffs. NARRATIVEWIKI has its highest recall on the first book, where it matches the closed-book diagnostic, and its lowest at $t = 2$. Closed-book recall declines from the first book to the fifth. LightRAG's low recall at $t = 1$ accompanies retrieved context concentrated on the opening chapters. With only 40 sampled atoms per cell, the precision results do not establish a trend across cutoffs. Every reported model call used the shared generator. Table 12 gives the mean, standard deviation, median, minimum, and maximum across cutoffs; Table 13 reports the same summaries for the paired differences discussed in Section 6.

t	System	Recall (M1)	Precision (M3)	Citation sufficiency (M8)	Disclosed (M4)	Assertions
1	B1	0.870 (20/23)	0.950 (38/40)	0.800 (32/40)	0/88	837
	B2	**0.913 (21/23)**	0.925 (37/40)	**0.850 (34/40)**	0/88	848
	B3	0.304 (7/23)	**0.975 (39/40)**	0.575 (23/40)	0/88	622
	NARRATIVEWIKI	0.826 (19/23)	0.825 (33/40)	0.575 (23/40)	0/88	**4,606**
	X1	0.826 (19/23)	0.725 (29/40)	–	**1/88**	807
	X2	0.870 (20/23)	0.900 (36/40)	0.700 (28/40)	0/88	862
2	B1	**0.870 (40/46)**	0.900 (36/40)	0.650 (26/40)	0/65	1,350
	B2	0.783 (36/46)	**1.000 (40/40)**	0.650 (26/40)	0/65	1,369
	B3	0.630 (29/46)	0.950 (38/40)	**0.800 (32/40)**	0/65	1,102
	NARRATIVEWIKI	0.761 (35/46)	0.718 (28/39)	0.487 (19/39)	0/65	**9,695**
	X1	0.652 (30/46)	0.875 (35/40)	–	**1/65**	1,280
	X2	0.761 (35/46)	0.900 (36/40)	0.675 (27/40)	**6/65**	1,432
3	B1	**0.818 (54/66)**	**0.950 (38/40)**	0.700 (28/40)	0/45	1,823
	B2	0.758 (50/66)	**0.950 (38/40)**	**0.800 (32/40)**	0/45	1,730
	B3	0.545 (36/66)	**0.950 (38/40)**	0.775 (31/40)	0/45	1,331
	NARRATIVEWIKI	0.803 (53/66)	0.875 (35/40)	0.500 (20/40)	**1/45**	**13,947**
	X1	0.652 (43/66)	0.897 (35/39)	–	0/45	1,511
	X2	0.803 (53/66)	0.825 (33/40)	0.575 (23/40)	0/45	1,740
4	B1	0.843 (75/89)	0.897 (35/39)	0.590 (23/39)	0/22	2,345
	B2	**0.854 (76/89)**	0.949 (37/39)	0.718 (28/39)	0/22	2,187
	B3	0.607 (54/89)	**0.950 (38/40)**	**0.775 (31/40)**	0/22	1,837
	NARRATIVEWIKI	0.820 (73/89)	0.850 (34/40)	0.500 (20/40)	0/22	**17,853**
	X1	0.663 (59/89)	0.800 (32/40)	–	**2/22**	2,016
	X2	0.843 (75/89)	0.950 (38/40)	0.625 (25/40)	**2/22**	2,421
5	B1	0.838 (93/111)	0.950 (38/40)	0.550 (22/40)	–	3,234
	B2	**0.865 (96/111)**	**0.975 (39/40)**	0.850 (34/40)	–	2,892
	B3	0.595 (66/111)	0.925 (37/40)	**0.900 (36/40)**	–	2,440
	NARRATIVEWIKI	0.802 (89/111)	0.675 (27/40)	0.500 (20/40)	–	**23,613**
	X1	0.622 (69/111)	0.775 (31/40)	–	–	2,570
	X2	0.793 (88/111)	0.975 (39/40)	0.550 (22/40)	–	3,196

Table 11: Results at every cutoff. Rates are followed by their counts. Disclosure is the number of assessed later facts stated or implied over $|F_t|$ and is undefined at $t = 5$; citation sufficiency has no value for X1, which cites nothing; assertions is the size of the cutoff's assertion inventory, counting a statement once for every page that prints it. A precision denominator below 40 reflects excluded frame errors. B4 is reported in Table 17. Bold: highest rates and assertion count at each cutoff among B1, B2, B3 and B5, and each non-zero disclosure count. Cyan, pink, and lavender highlight performance maxima, disclosures, and assertion counts, respectively.

G Additional Results

Coverage of the evaluation. Table 14 lists the available builds and labels. B4's aggregate results are included in Table 1, with per-cutoff values below. The first build of NARRATIVEWIKI and its prefix variants support the analyses in Sections 6.2 and 6.3.

What the disclosure search retrieves. Disclosure judgments are limited to sentences returned by candidate search. We therefore test retrieval on seeded sentences with known disclosures (Table 15). Search retrieves every verbatim claim, about 85% of named paraphrases and about 70% of named implications; pronouns on another character's page reduce retrieval to roughly one third. The corresponding rates are 220 of 220 for verbatim claims, 0.845 (186/220) and 0.768 (169/220) for paraphrases, and 0.714 (157/220) and 0.623 (137/220) for implications. Search produced 5,702 candidate sentences for NARRATIVEWIKI, 520 for B1 and 12,689 across systems and builds. A lexical-screen hit on X2 exposed an unmatched phrase ("to marry"); after correcting the matcher, 144 sentences were reassessed. Of 224 eligible claims passed through the same search, 14 became candidates for a later fact about the same character. Retrieval alone does not count as disclosure.

The annotator model wrote and checked each fixture for its subject, event and object, independently of whether search retrieved it. An earlier fixture version, in which many implications did not establish their target fact, had retrieval of approximately one quarter and is released alongside the validated version. No second reader validated the fixtures. The search-independent checks of Section 6.1 also have limits: lexical screening detects only new names, while zero later-volume assertions

Recall ($n = 5$)

Statistic	B1	B2	B3	B4	B5	X1	X2
Mean	**0.848**	0.834	0.536	0.761	0.802	0.683	0.814
SD	0.022	0.063	0.133	0.049	0.026	0.082	0.043
Median	0.843	0.854	0.595	0.758	0.803	0.652	0.803
Min	0.818	0.758	0.304	0.696	0.761	0.622	0.761
Max	0.870	0.913	0.630	0.826	0.826	0.826	0.870

Precision ($n = 5$)

Statistic	B1	B2	B3	B4	B5	X1	X2
Mean	0.929	0.960	0.950	**0.965**	0.789	0.814	0.910
SD	0.028	0.029	0.018	0.014	0.087	0.071	0.058
Median	0.950	0.950	0.950	0.975	0.825	0.800	0.900
Min	0.897	0.925	0.925	0.950	0.675	0.725	0.825
Max	0.950	1.000	0.975	0.975	0.875	0.897	0.975

Citation sufficiency ($n = 5$)

Statistic	B1	B2	B3	B4	B5	X1	X2
Mean	0.658	0.774	0.765	**0.915**	0.512	–	0.625
SD	0.098	0.088	0.118	0.029	0.035	–	0.064
Median	0.650	0.800	0.775	0.925	0.500	–	0.625
Min	0.550	0.650	0.575	0.875	0.487	–	0.550
Max	0.800	0.850	0.900	0.950	0.575	–	0.700

Disclosure rate ($n = 4$)

Statistic	B1	B2	B3	B4	B5	X1	X2
Mean	0.000	0.000	0.000	0.000	**0.006**	**0.029**	**0.046**
SD	0.000	0.000	0.000	0.000	0.011	0.042	0.053
Median	0.000	0.000	0.000	0.000	0.000	0.013	0.045
Min	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Max	0.000	0.000	0.000	0.000	0.022	0.091	0.092

Assertions ($n = 5$)

Statistic	B1	B2	B3	B4	B5	X1	X2
Mean	1,918	1,805	1,466	1,796	**13,943**	1,637	1,930
SD	924	781	698	849	7,315	679	904
Median	1,823	1,730	1,331	1,704	13,947	1,511	1,740
Min	837	848	622	784	4,606	807	862
Max	3,234	2,892	2,440	2,981	23,613	2,570	3,196

Table 12: Distribution over cutoffs of every per-cutoff cell: unweighted mean, sample standard deviation, median, lowest and highest value over the n cutoffs measured ($t = 1..5$; disclosure $t = 1..4$). Disclosure rate is stated or implied disclosures over $|F_t|$. Rate means equal the point estimates of Table 1; the assertion panel counts every assertion as it occurs on a page, not the distinct assertions of Table 1. Bold: highest performance and assertion-count means among B1–B5, and each non-zero mean disclosure rate. Cyan highlights performance maxima, pink non-zero disclosure means, and lavender assertion count.

Metric	B5−	Mean	SD	Median	Min	Max
Recall	B1	**−0.045**	0.037	−0.036	−0.109	−0.015
	B2	−0.032	0.050	−0.034	−0.087	0.045
	B3	**0.266**	0.150	0.213	0.130	0.522
	X1	0.120	0.072	0.152	0.000	0.180
	X2	−0.011	0.021	0.000	−0.043	0.009
Disclosure	X1	−0.024	0.048	−0.013	−0.091	0.022
	X2	**−0.040**	0.060	−0.045	−0.092	0.022

Table 13: Paired differences of NARRATIVEWIKI (B5) from each system, mean over cutoffs of the per-cutoff difference on the entities both systems have; SD, median, lowest and highest value are over the per-cutoff differences (five cutoffs for recall, four for disclosure). Recall minus X1 compares source-conditioned output with the closed-book diagnostic. Bold cyan cells mark the largest mean difference in each direction.

	Cutoffs built	M1, M3, M4	M8
B1, B2, NARRATIVEWIKI	1–5	labeled	labeled
on prefix indexes	1–4	labeled	labeled
B3, B4, X2	1–5	labeled	labeled
X1 (cites nothing)	1–5	labeled	–
NARRATIVEWIKI, first build	1–5	labeled	labeled
from a prefix	2, 3	labeled	–

Table 14: What was built and labeled. Every label is by an LLM annotator (Section 5).

in a sample of approximately 160 atoms gives limited evidence about rare disclosures. Overlapping cutoff wikis and clustering within pages reduce the effective sample size.

Matched and whole-artifact populations. Table 16 separates sampled assertions by page type. The comparison systems publish only cast character pages; on this matched population, 31 of NARRATIVEWIKI's 35 sampled atoms are supported. This small subsample does not support a precise comparison with the baselines, and no equivalence test is reported. Of NARRATIVEWIKI's 42 page-context negatives, 30 occur on relationship pages; 27 of those 30 are supported as statements but placed under a pair that shares no episode of the scene.

For every NARRATIVEWIKI page type, observed citation sufficiency is below the overall values of B1 and B2. Cited paragraphs establish 14 of 35 atoms on cast pages, 60 of 102 on relationship pages and 11 of 22 on the timeline. Timeline lines




Figure 6: Recall and precision at each cutoff (lines), and counts of assessed later facts disclosed (bars). Dashed lines denote the X1 and X2 diagnostics. B1–B4 have zero observed disclosures at every cutoff. Disclosure denominators are $|F_t| = 88, 65, 45, 22$ at $t = 1, \ldots, 4$; disclosure is undefined at $t = 5$.

Seeded sentence	Retrieved	Rate
Gold claim verbatim	220	1.000
Paraphrase, names the character	186	0.845
Paraphrase, pronoun, own page	169	0.768
Paraphrase, pronoun, other page	68	**0.309**
Implying, names the character	157	0.714
Implying, pronoun, own page	137	0.623
Implying, pronoun, other page	78	**0.355**

Table 15: Recall of the disclosure candidate search on seeded disclosures: 220 fact-by-cutoff units ($t = 1..4$), one paraphrase and one implying sentence per later fact, each checked to establish its fact. Bold pink cells mark the lowest rate of each kind.

	Share	n	Page	Atom	Suff.
Character pages, cast	0.206	35	31	31	14
Character pages, other	0.171	29	22	24	15
Relationship pages	**0.463**	102	**72**	**99**	60
Codex pages	0.057	11	11	11	2
Timeline	0.090	22	21	21	11
Index	0.012	0	–	–	–
NARRATIVEWIKI, all pages	1.000	199	157	186	102
B1 (cast pages only)	1.000	199	185	185	131
B2 (cast pages only)	1.000	199	191	191	154

Table 16: The precision samples by kind of page, pooled over cutoffs. Share: of the system's assertions on that kind of page; n: sampled atoms; Page and Atom: supported on the page that prints them (relationship pages under the pair rule of Appendix B), and as statements; Suff.: established by their own cited paragraphs. Bold lavender cells highlight the largest kind of page and its gap between assertions true as statements and assertions supported on the page.

can carry up to four paragraphs selected to support a chapter-level summary.

The graph baseline (B4). Table 17 reports B4 at every cutoff, using the reported NARRATIVEWIKI graph. Mean recall is 0.761, versus 0.802 for NARRATIVEWIKI: lower at four cutoffs and equal at one. Mean precision is 0.965. No assessed later fact was disclosed (0 of 220); B4 publishes 1,701 distinct assertions per cutoff and has 1 lexical-screen hit, the same expanded page title found in the prefix baselines.

B4 generates cast character pages from a budgeted selection of retrieved graph facts; NARRATIVEWIKI renders all eligible facts and also publishes relationship, codex and timeline pages. B4's higher precision, together with the 30 relationship-page negatives among NARRATIVEWIKI's 42 page-context negatives, suggests that publication context contributes to the gap in Table 1. This comparison does not isolate context from selection and generation.

B4's cited paragraphs suffice for 0.915 of sampled assertions, and none of its 200 sampled citations is judged wholly unrelated to the assertion. The corresponding whole-artifact value for NARRATIVEWIKI is 0.512; on character pages it is 29 of 64, versus 183 of 200 for B4. These observations show that evidence stored in the common graph can support generated assertions, while NARRATIVEWIKI's evidence selection or attachment is less reliable.

t	Recall	Precision	Citation	Disclosed	Assertions
1	**0.826 (19/23)**	0.975 (39/40)	0.925 (37/40)	0/88	784
2	**0.696 (32/46)**	0.975 (39/40)	0.875 (35/40)	0/65	1,284
3	0.758 (50/66)	0.950 (38/40)	0.950 (38/40)	0/45	1,704
4	0.787 (70/89)	0.950 (38/40)	0.900 (36/40)	0/22	2,227
5	0.739 (82/111)	0.975 (39/40)	0.925 (37/40)	–	2,981

Table 17: B4, the graph baseline (the full graph, filtered at retrieval time), at every cutoff. Columns as in Table 11; Claude finalized the citation labels at every cutoff. Bold marks the highest and lowest recall, highlighted in cyan and pink, respectively.

	$t = 2$	$t = 3$
Pages, full build	133	173
Pages, prefix build	107	151
In both builds	100	145
same title	100	145
same alias list	80	128
alias not in $D_{\leq t}$ (full)	0	0
In one build only	40	34
later-anchored	**7**	**9**
second page, same person	9	9
same person, new address	9	5
minor entity	15	11
stating a later fact	0	0
Recall, prefix build	0.804 (37/46)	0.848 (56/66)
Recall, full build	**0.848 (39/46)**	**0.864 (57/66)**
Precision, prefix build	**0.769 (30/39)**	**0.718 (28/39)**
Precision, full build	0.718 (28/39)	0.692 (27/39)
Later facts disclosed	0/65	0/45
Prefix build tokens (M)	12.03 / 0.68	17.94 / 1.01

Table 18: Construction scope (character pages), first build of NARRATIVEWIKI: built from volumes $1..t$ alone (prefix) against the same cutoff of its five-volume build (full; 33.14M input and 1.81M output tokens once, for all cutoffs). Precision is under the pair rule of Appendix B. Disclosure counts are identical in the two builds; tokens are input / output, in millions. Bold pink cells mark later-anchored pages; bold cyan cells mark the higher of the two builds on recall and precision.

Identity dependence. Table 19 reports the measure defined in Section 6.3; its mean is 0.217. Every prefix-built character has a counterpart in the full build, although counterpart existence does not imply identical alias grouping.

Some differences arise deterministically during candidate mining. Of the full build's candidates first occurring by t, 109, 111, 78 and 44 are absent from prefix mining ($t = 1..4$). Most, 91, 87, 60 and 32, occur fewer than three times in the prefix and reach the miner's frequency threshold only with later occurrences. The remaining 18, 24, 18 and 12 fail a separate rule: a single capitalized word must stand alone in at least three quarters of its occurrences in some volume. Bare *Gilbert* appears alone in 62 of 113 book-one occurrences; the other 51 are in *Gilbert Blythe*. Prefix mining therefore omits the alias, while later volumes allow the full build to retain it. Disabling this rule admits 352 additional full-build candidates, mostly sentence-initial words. We retain the reported rule because changing it would alter the evaluated index.

Pages absent from the prefix index at $t = 1$ include `walter`, `jerry` and `marshall`, discussed below, and Anne's mother, whose full name occurs once in book one. The four prefix indexes use 2.61M input and 0.26M output tokens, including 0.37M and 0.04M in calls absent from the full build's cache. The measure captures entity-index sensitivity to construction scope; wiki outcomes on these indexes appear in Table 20.

Wikis built on the prefix indexes. Table 20 evaluates the complete reported pipeline on each prefix $t = 1..4$, using that prefix's entity index. Pooled recall is 180 of 224 gold-fact assessments for the prefix builds and 180 of 224 for the full build. Per-cutoff differences comprise one to three facts in either direction: prefix builds lose a minor character's trait and gain an office or prize omitted by the full build. Pooled precision is 134 of 159, versus 130 of 159, on different samples. Citation sufficiency is 91 of 159, versus 82 of 159, using different samples with labels finalized by Claude.

Neither build states a later fact. Both contain the same implied disclosure at $t = 3$, the bridesmaid relation inverted from eligible text. Prefix builds publish fewer character pages at early cutoffs: `walter` and `jerry`, retained by the full build at every cutoff because of book-five characters, never appear in prefix builds; `marshall`, from book four, appears only at $t = 4$. Prefix-specific discovery avoids using later text in entity construction while retaining the observed pooled gold recall. This is not evidence of equivalence on all outcomes: the approach requires a build per cutoff, and the four prefix builds together use more tokens than the single full build.

t	Pages	Same	Alias	Regrouped	Absent	Identity dependence	Regrouped or absent	Mentions
1	59	36	10	4	9	**0.390 (23/59)**	**0.220 (13/59)**	**0.943**
2	117	87	13	7	10	0.256 (30/117)	0.145 (17/117)	0.967
3	158	137	9	4	8	0.133 (21/158)	0.076 (12/158)	0.982
4	191	174	7	5	5	0.089 (17/191)	0.052 (10/191)	0.994

Table 19: Identity dependence of the reported NARRATIVEWIKI on the original text. Each character page of the five-volume build at cutoff t is compared with the entity index built from volumes $1..t$ alone. *Same*: a prefix-built character has exactly its set of names seen by t. *Alias*: one counterpart, with a name linked in one build only. *Regrouped*: names that one build gives one character the other gives two. *Absent*: no prefix-built entity carries any of its names. *Mentions*: character mentions in volumes $1..t$ under the prefix index, as a share of the full build's. One run per index, so model variance is inside the differences. Bold pink cells mark the cutoff where identity dependence is largest.

	Build	$t = 1$	$t = 2$	$t = 3$	$t = 4$
Character pages	full	59	117	158	191
	prefix	48	108	155	185
Recall	full	0.826 (19/23)	0.761 (35/46)	0.803 (53/66)	**0.820 (73/89)**
	prefix	0.826 (19/23)	0.761 (35/46)	**0.818 (54/66)**	0.809 (72/89)
Precision	full	0.825 (33/40)	0.718 (28/39)	0.875 (35/40)	**0.850 (34/40)**
	prefix	**0.950 (38/40)**	**0.750 (30/40)**	0.875 (35/40)	0.795 (31/39)
Citation sufficiency	full	0.575 (23/40)	**0.487 (19/39)**	0.500 (20/40)	0.500 (20/40)
	prefix	**0.650 (26/40)**	0.425 (17/40)	**0.600 (24/40)**	**0.615 (24/39)**
Later facts disclosed	full	0/88	0/65	**1/45**	0/22
	prefix	0/88	0/65	**1/45**	0/22
Assertions	full	4,606	9,695	13,947	17,853
	prefix	3,977	8,732	13,432	17,723
Tokens, in / out (M)	prefix	5.68 / 0.31	11.95 / 0.65	18.04 / 0.99	24.04 / 1.37

Table 20: The reported NARRATIVEWIKI built on entity indexes discovered from the prefix (*prefix*: one build per cutoff, every stage on volumes $1..t$) against the same cutoff of its five-volume build (*full*). Metrics as in Table 11; precision is on a different sample of 40 assertions in each build. The prefix builds received a single LLM labeling pass; the full build's labels were finalized by Claude Opus 5.5 (Appendix B). The full build's tokens, for all five cutoffs at once, are in Table 21. Bold cyan cells mark the higher rate where the builds differ; bold pink cells mark non-zero disclosure counts.

Construction scope. Table 18 compares prefix and full graphs made with first-build code; this complete graph comparison was not repeated for the reported build. The pooled recall difference is -0.027 (93 vs 96 of 112), with seven discordant facts; the precision difference is $+0.038$ (58 vs 55 of 78), using separate samples. These comparisons cannot isolate construction-scope effects from differences in entity indexes and model runs.

At $t = 2$, later-anchored pages include `walter` (Walter Blythe of book five, 127 of the entity's 130 mentions, but an early page describing Anne's father); `di` (Di Blythe, with an early duplicate page for Diana Barry under a nickname used once in the first two books); `mary` (Mary Vance, showing the twins' mother); `jerry` (Jerry Meredith, merging a book-one hired boy with a book-two agent); and `marshall`, `baxter` and `sam`. An entity-merge audit flags 42 entities in the full build and 2 in a volume-one build.

Shared pages have identical titles and no full-build alias absent from $D_{\leq t}$. Relation lines differ in both directions: at $t = 2$, 54 occur in both builds, 93 only in the full build and 68 only in the prefix build. Separate runs and entity lists prevent attributing these differences solely to later volumes. Prose on shared pages was not compared.

Later-anchored entities in the reported build. The reported build adjudicates bare names against fuller forms first appearing later, and assigns shared first names volume by volume to the locally dominant full name. Its `walter` entity now contains only Anne's father (three mentions), with Walter Blythe appearing separately from book five.

A separate screen flags character-page entities with at least ten mentions and at least four fifths occurring after the cutoff: 6 of 117 at $t = 2$ and 3 of 158 at $t = 3$. At $t = 2$, these are `susan` (3 of 204 mentions by book two; an empty page dominated

Stage	Calls	Input	Output
Entity discovery	2,771	1.39	0.14
Chapter pass	452	2.74	**0.97**
Mention pass	**2,932**	**14.04**	0.43
Long-context pass	980	7.10	0.11
Arbitration	64	0.02	0.00
Verification	2,816	6.21	0.04
Prose	953	0.89	0.15
Shared-page summaries	386	0.73	0.02
Total, reported runs	11,354	33.13	1.86
Rebuild from cache	0	0	0

Table 21: Size of the reported NARRATIVEWIKI build for all five cutoffs, including verification rechecks after one re-extraction: model calls, and input and output tokens in millions. Every call of the build is counted, whether or not the provider served it at a discount, so the token column of Table 1 is comparable across systems. A rebuild from the call cache sends nothing. Ingestion, assembly and linking make no model call. Bold lavender cells identify the stage consuming the most resources in each column.

by Susan Baker of books four and five); `sam` (2 of 10, with prose saying "Sam does not appear in the story provided"); `joseph` (5 of 54, an early pupil's uncle under an entity later dominated by others); `jerry-corcoran` (6 of 120, correctly described at $t = 2$ but later absorbing Jerry Meredith); and `stella-maynard` and `billy-andrews`, correctly resolved people introduced early. This screen identifies entities dominated by later mentions. It neither establishes dependence for every flagged page nor determines what a prefix build would publish instead.

Cost. Table 21 breaks down model use by stage; extraction dominates. Prose and shared-page summaries are generated once per distinct filtered fact set, across all five cutoffs, and included in the total. Verification includes rechecks after one re-extraction, so its count slightly exceeds a cold build from an empty cache. The first build used 33.14M input and 1.81M output tokens under the same accounting. B4 adds 1.11 / 0.36 million tokens (input / output) of page generation to the graph it shares with NARRATIVEWIKI; latency, hardware and the local evaluation models are not costed for any system.

Long-context input grows with the prefix (2.2M, 7.0M, 10.8M, 19.6M and 29.7M tokens at $t = 1..5$), which is sent once per page. The all-cutoff NARRATIVEWIKI build uses 33.1M input tokens. LightRAG's 5.08 / 1.01 million tokens (input / output) comprise 2.36M input and 0.72M output tokens for five incremental indexes and 2.72M and 0.29M for page generation. Prefix retrieval indexes use local embeddings and BM25, so its 3.42 / 0.37 million tokens cover page generation. The closed-book diagnostic uses 0.06 / 0.15.

Verification. At audit, the verifier had marked 21.2% of 2,535 facts unsupported by their cited evidence; these facts are withheld. Table 21 counts verification calls rather than distinct facts. On a challenge set of 81 items created by minimal substitutions in source-verified facts, the verifier accepted 1 of 46 labeled unsupported candidates and rejected 0 of 35 labeled supported ones (Appendix H). This synthetic challenge does not establish performance on naturally occurring extraction errors.

Facts NARRATIVEWIKI misses. At $t = 5$, NARRATIVEWIKI misses 22 of the 111 gold facts; B1 or B2 conveys 18 of those omissions. Examples include Gilbert's teaching appointment at White Sands and Cooper Prize, Diana's role as improvement-society treasurer, Rilla's position as the youngest Blythe child, Leslie's mother's pressure to marry, Mr. Phillips's interest in Prissy Andrews, and Paul Irving's place of origin. Conversely, four facts are conveyed by NARRATIVEWIKI but neither B1 nor B2: Anne's fictional heroine, her mother's letters, Gilbert's boat rescue of Anne and Walter's hatred of a schoolmate. Four facts are conveyed by none of these three systems.

Typical errors. NARRATIVEWIKI still merges namesakes. Priscilla Grant's page lists the book-one schoolgirl "Prissy Andrews" as an alias. The `james-a` page joins Mr. Harrison of book two, who also has a separate page, with a deceased James of book three and a book-four sailor. A duplicate page for Anne, `shirley`, also absorbs her son Shirley at $t = 5$ ("the little brown boy").

Other errors include a remark by Mrs. Barry attributed to Marilla, an inverted relationship (Section 6.1), intervals persisting beyond their validity and an exhibition prize labeled "Fought in". Generated commentary about the input can reach pages: one subject "does not appear in the story provided", and 5 of the 341 non-timeline pages at $t = 4$ retain source-line keys ("[R3, R4, S1, S4]"; Figure 8). Two first-build errors were not observed in the reported build: Anne's mother's death specified as "of yellow fever", beyond the text, and a merger of two men named George.

B1 and X2 also misattribute biographies: at

System	Original	Treated
B1	0/88	0/88
B2	0/88	0/88
B3	0/88	0/88
B4	0/88	2/88
B5 (NARRATIVEWIKI)	1/88	2/88
X1	3/88	0/88
X2	8/88	17/88

Table 22: Confirmed unique subject facts disclosed, over unique assessed subject facts. The unit is (character, claim, reveal volume): repeated cutoffs collapse, while reciprocal character facts remain distinct. These are not independent event or error counts.

	First	Reported
Recall	**0.855**	0.802
Precision, scene rule	0.751	**0.789**
Precision, line rule	0.604	**0.628**
True as statements	**0.949**	0.934
Citation sufficiency	0.112	**0.512**
With a paragraph citation (all)	0.198	**0.930**
Later facts disclosed	**0 of 220**	1 of 220
Lexical screen hits	4	**1**
Assertions per cutoff	20,823	13,943
distinct	8,808	6,970
Pair lines sharing an episode	76 of 116	**75 of 102**
Participants per scene record	9.0	5.9
Tokens, in / out (M)	33.14 / 1.81	33.13 / 1.86

Table 23: The two builds of NARRATIVEWIKI, means over cutoffs $t = 1..5$. Every relationship line of both samples was read by Claude Opus 5.5 under one rule; all other labels come from each build's own labeling round, the first build's before the revision and the reported build's after. Bold marks the better of the two builds where a direction exists; cyan emphasizes selected improvements, and pink marks the observed disclosure.

$t = 5$, both place one man's courtship and marriage on another man's page. The closed-book diagnostic imports material outside the five-book corpus, describing Anne's years at "Windy Willows".

Uncertain disclosure verdicts. System-level uncertain counts at $t = 1..4$ are 3 (B1), 0 (B2), 1 (B3), 0 (B4), 4 (B5), 2 (X1), 6 (X2). For NARRATIVEWIKI, four verdicts arise from one relation line between Anne and Gilbert, "Romantically involved with — harbors romantic feelings for her". The interval opens in book one from a friend's report that Gilbert kept a rose Anne dropped. Assessed at $t = 1$ and $t = 2$ against two later facts about the couple, the line yields four uncertain judgments because it could suggest their book-four marriage.

Unique facts and error mechanisms. Table 22 collapses repeated fact–cutoff assessments to unique subject facts. On the original text, NARRATIVEWIKI's confirmed disclosure concerns one fact from one inverted-bridesmaid error. On the treated text, its four confirmed assessments cover two reciprocal marriage facts at two cutoffs, arising from a single prediction-to-marriage failure mechanism. B4's two treated assessments concern those same reciprocal facts. These witness-based descriptions do not establish that every output error has been found or that error mechanisms are independent. Grouping systems by information available to page generation includes B4 alongside B1–B3 and B5: together they have 1 of 1,100 original-text assessments, or 9 of 1,100 including uncertain verdicts.

The two builds and the pair rule. Table 23 compares the first and reported builds. The revision (Appendix D) lowered recall and raised citation sufficiency, merged two of the protagonist's three entities, removed three of four lexical-screen hits and introduced the implied disclosure. Precision is 0.751 and 0.789 under the main scene-sharing rule; 0.604 and 0.628 when the pair must participate in the line's own event; and 0.949 and 0.934 when assertions are assessed without page context. Rule choice changes the observed estimate more than the revision does. At 40 atoms per cutoff, these estimates do not establish equal precision across builds.

Two earlier estimates are superseded because their judgment rules differ: 0.822, allowing both pair members anywhere in a chapter, and 0.748, an initial reported-build pass. The provisional and finalized passes agree on 90 of 99 pair verdicts. Eight of nine disagreements involve lines accepted in the finalized pass; four occur on Anne's duplicate page, whose identity the provisional pass rejects. Substituting the provisional pair verdicts while retaining all other labels yields precision 0.753.

The page-context error has a structural mechanism: scene records summarize chapters (median 38 paragraphs) and list their participants; pair pages print every line of every record naming both members. The revision requested participants rather than merely mentioned characters, reducing participants per record from 9.0 to 5.9 and implied pairs from 10,216 to 4,604. The share of sampled pair lines whose characters share an episode rises from 76 of 116 to 75 of 102. Episode-level records are a possible remedy that has not been tested.

H Validation of Automatic Judges

Claude Opus 5.5 finalized the reported recall, precision, citation-sufficiency and disclosure labels after reading the source text (Section 5). We evaluated two types of automatic component: the verifier used by NARRATIVEWIKI and potential screens for evaluation.

The verifier inside NARRATIVEWIKI. Negatives were produced by minimal word substitutions in source-verified facts, following Jeong et al. (2025), each confirmed false against the text and stratified by type (entity, attribute, negation, reversed relation). On these 81 items the verifier reached a balanced accuracy of 0.989 (1 of 46 unsupported admitted, 0 of 35 supported rejected). A second, harder set of 12 items pairs a quoted lie, a hypothetical, and a character's embedded story with true counterparts from the same passages. The verifier's balanced accuracy on this set is 0.750; it admitted every claim drawn from the embedded story. These measurements concern the reported verifier. Its logged `APPEARANCE` call contains a definition error (Appendix D); no corrected verifier was evaluated.

Screens considered for evaluation. On the same minimal-edit set, MiniCheck (Tang et al., 2024) reached a balanced accuracy of 0.718, rejecting nearly every negative but also more than half of the true facts, and a local instruction model, Qwen2.5-14B-Instruct (Qwen Team, 2024) (4-bit, served by Ollama), reached 0.867. On the hard set they reached 0.500 and 0.667. Consistent with the finding of Subbiah et al. (2024) that entailment classifiers transfer poorly to narrative, neither screen assigns evaluation labels. The same local model splits prose into atomic assertions, and string search retrieves candidate disclosure sentences. Claude finalized the sampled-atom and candidate labels against the source text.

I Disclosure Casebook

Table 24 illustrates disclosure channels observed in the reported builds and the first build of NARRATIVEWIKI, including lexical-screen hits that did not disclose later facts. Table 25 documents defects found and corrected during development. The examples reveal plot points of the evaluated series.

J Qualitative Example: One Page at Two Cutoffs

Figures 7 and 8 show the reported NARRATIVEWIKI site for the Anne series. Readers select a cutoff before opening a wiki (Figure 7a), whose pages use claims with recorded evidence volumes at or below that cutoff. Gilbert Blythe's page is shown at cutoffs 2 and 4; volume 4 first establishes his marriage to Anne. The screenshots themselves were not annotated. Precision labels in Section 6 assess sampled atoms in the underlying pages.

The overview. Structured fields are rendered from graph rows with paragraph citations. At cutoff 2 (Figure 7b) Gilbert is listed as a teacher and holds the title "president" (since v2), and the page has no family line. At cutoff 4 (Figure 7c) the role is "country doctor (since v4)", the earlier roles are kept as closed intervals ("previously: teacher (v1–v2)"), the titles of his college years and "doctor" are added with the volumes that open them, and a family line names Anne Shirley as his spouse. These later roles, titles and the spouse field are absent from the cutoff-2 overview.

The relationship. The relationship block (Figure 8) contains the intervals illustrated in Figure 2. At cutoff 2 it lists rivalry, the enmity that ended in volume 1, comradeship and friendship, and its short prose ends with the two as close friends. At cutoff 4 the same block adds "Spouse of — husband and wife (since v4)", the other lines cite more paragraphs, and the prose, written from the cutoff-4 claims only, ends with the marriage. Each block's prose was generated independently from its cutoff's filtered claim set.

Visible failure modes. The example contains four defects. (i) The line "Romantically involved with — harbors romantic feelings for her" is open from volume 1 at both cutoffs. Its relation label is stronger than its qualifier and evidence, producing NARRATIVEWIKI's uncertain disclosure verdicts (Section 6.1). (ii) The cutoff-4 prose prints the keys by which the generator names the lines it rests on ("[R3, R4, S1, S4]"). The renderer resolves those keys into the *Sources* line but fails to remove them from the prose; this occurs on 5 of the 341 non-timeline pages at cutoff 4. (iii) The age "nearly fourteen", stated in volume 1, still stands at cutoff 4 because an attribute with no later extracted value remains open. (iv) Gilbert's page carries a second block, "Shirley" (Figure 8c). The reported

System	t	Surface	Delivered text	Source and reveal volume	Verdict
X2	2	character page (Priscilla Grant)	"She entered Redmond College in Kingsport, taking up the Second Year work alongside Anne."	Anne studies at Redmond: `v03:c01:p0013`, reveal 3	stated; the later text was in the input with an instruction not to use it
X2	2	character page (Jane Andrews)	"Later, Jane accepted a teaching position in Winnipeg, West Canada, where she became engaged to a wealthy English millionaire."	Jane leaves for the West: `v03:c14:p0030`, reveal 3	stated
X2	4	character page (Susan Baker)	"Role: Housekeeper at Ingleside"	Anne lives at Ingleside: `v05:c01:p0001`, reveal 5	stated
X1	1	character page (Billy Andrews)	"Too bashful to propose to her himself, he sends his sister Jane to propose marriage to Anne on his behalf."	`v03:c08:p0012`, reveal 3	stated; no text in the input, so the source is the generator's memory
X1	4	character page (Little Jem)	"When Gilbert's medical practice expands, the Blythe family moves to Ingleside in Glen St. Mary."	`v05:c01:p0001`, reveal 5	stated (memory)
NARRATIVEWIKI	3	relation summary on a character page (Phil Gordon)	"Phil later serves as a bridesmaid for Anne."	Anne marries Gilbert: `v04:c04:p0000`, reveal 4	implied: a reader infers Anne's wedding, and by the end of book three she is engaged to Gilbert (`v03:c41:p0036`). Written from eligible text and wrong: in `v03:c39:p0039` Anne is Phil's bridesmaid
NARRATIVEWIKI	1, 2	relation line on two character pages and a pair page	"Anne Shirley — Romantically involved with — Gilbert Blythe — harbors romantic feelings for her · since v1", citing `v01:c25:p0055`	Anne marries Gilbert: `v04:c04:p0000`, reveal 4	uncertain: in the cited passage a friend reports that Gilbert kept a rose Anne dropped; the label reads towards the later romance
B1	2	character page (Rachel Lynde)	"…allowing Anne to attend Redmond College"	decision in book two, attendance `v03:c01:p0013`	uncertain
B4†	2	quote on a character page (Ruby Gillis)	"Oh, she does look really dead." (`v01:c28:p0013`, said of Anne playing a corpse)	Ruby Gillis dies: `v03:c14:p0033`, reveal 3	not a disclosure; an entailment screen scored it 0.52
B1–B4	3	title of a character page	"Reverend Jo", the name under which the evaluated cast lists the character	book three has "the Rev. Jo" (`v03:c39:p0039`); spelled out first in book four	expanded name form supplied by the evaluation's page list; no fact revealed
NARRATIVEWIKI †	2	existence and title of a character page (`walter`)	a page "Walter" describing Anne's father, wrongly	the entity is Walter Blythe of book five (127 of its 130 mentions)	later-anchored page; no fact revealed; absent from the prefix build and corrected in the reported build
NARRATIVEWIKI	2	existence of a character page (`susan`)	an empty page titled "Susan"	the entity is Susan Baker of books four and five (3 of its 204 mentions by book two)	later-anchored page; no fact revealed
NARRATIVEWIKI	1	codex page (groups)	"Conservatives"	book one has the singular	plural form; lexical screen hit, no fact revealed

Table 24: Cases from the reported builds and the first build of NARRATIVEWIKI, by disclosure channel. Each row gives the delivered text, the source and reveal volume of the fact concerned, and the verdict. †: the first build of NARRATIVEWIKI, or B4 on its graph.

System	t	Surface	Delivered text	Cause or correction	Verdict
baselines	1	list of pages and their titles	pages for eleven characters whose names do not occur in book one	the page-selection rule matched any single word of a name	disclosure by page title; rule changed to "a gold fact by t or the full name in $D_{\leq t}$"
NARRATIVEWIKI	3	page title and address	a page for Leslie Moore, who first appears in book four	a book-three mention "Will Leslie" was resolved to her	disclosure by title; resolution fixed
NARRATIVEWIKI	1	relation qualifier	a qualifier written from book-two evidence on a relation opened in book one	qualifier now taken from evidence no later than the interval's first volume	premature detail; fixed
NARRATIVEWIKI	all	shared navigation	names of later characters in a menu shared by every cutoff	the menu listed all pages of the site	disclosure by menu; shared navigation now names no character

Table 25: Development defects and the corrections applied before generating the reported evaluation cells.

build merged the two entities the first build kept for "Anne" and "Anne Shirley", so the marriage is now on Anne Shirley's block and on her page; a third entity under her surname remains, and holds a rivalry line belonging to her. The screenshot shows the duplicate-entity failure discussed in Appendix G.

K Contamination Diagnostics and the Decontaminated Condition

A generator may recognize published novels (Chang et al., 2023). We compare aligned original, names-only and renamed-and-paraphrased text, assessing recognition separately from later-fact disclosure and cutoff compliance. Renaming follows prior practice (Gupta, 2025; Zhang et al., 2024); cross-condition differences motivate contamination diagnostics (Dekoninck et al., 2024). Because a treatment can damage the narrative (Sun et al., 2025), we examine gold-fact fidelity and document errors. The procedure aims to preserve facts, attribution, reveal order and cross-volume coreference, but has no independent validation of complete fidelity. Reduced recognition does not rule out memorization (Cheng et al., 2025).


Treatment. The treatment operates paragraph by paragraph, retaining identifiers, chapter boundaries and scene breaks so citations remain aligned.

Step 1, names. A reviewed map of 239 entries replaces character, family and local place names with invented forms. Longer forms precede shorter ones in whole-word replacement, with consistent full names, surnames and nicknames. Mechanical checks require stand-ins to be absent from the source names and every part of a mapped full name to be mapped. An initial map failed both checks after one volume: a main character's stand-in matched two minor characters' first names, and a mapped full name left its 148 bare-first-name occurrences unchanged. We rebuilt the map and discarded that treated volume. Recurring minor characters and local places are renamed; countries and distant cities remain. A surname also used as a compass direction is replaced only in person-name contexts.

Step 2, paraphrase. The generator rewrites each renamed paragraph under instructions to preserve facts, events, numbers, places, ordering, names and dialogue speakers, with no additions or summarization. Reapplying the map replaces any restored source names. Nonempty rewrites between half and twice the source length are accepted; otherwise the renamed paragraph is retained and counted as unparaphrased. Residual source names are counted separately. In an initial treated volume, approximately one paragraph in 25, containing one word in 12, retained at least four fifths of its four-word sequences. We therefore request one retry when at least half the source's four-word sequences remain. A second near-copy is retained but counted as verbatim. Failed model calls stop the run, preventing silent fallback.

Step 3, gold. The same map transforms the original gold facts and cast; facts are neither added nor removed, and reveal volumes are unchanged. All systems in Section 5 are rebuilt with unchanged code, configuration and prompts. A names-only variant omits Step 2 and is used for recognition probes, rather than complete system rebuilding.

What the condition can and cannot show. If systems mainly use supplied evidence, much of their original-text coverage may survive the treatment. Reduced recognition may instead reduce closed-book coverage, where no source text is supplied. These are diagnostic expectations, not an



(a) Home page: the reader picks a cutoff before seeing anything.

Cutoff 2

Overview

- **Age:** nearly fourteen v1 CHAPTER XV. A Tempest in the School Teapot P24
- **Gender:** male v1 CHAPTER XV. A Tempest in the School Teapot P28, v2 XIX Just a Happy Day P51, v2 XXIV A Prophet in His Own Country P4, v2 XXX A Wedding at the Stone House P37
- **Role:** teacher v1 CHAPTER XXXVI. The Glory and the Dream P24, v1 CHAPTER XXXVII. The Reaper Whose Name Is Death P35, v1 CHAPTER XXXVIII. The Bend in the Road P38, v2 I An Irate Neighbor P55, v2 IV Different Opinions P0, v2 IV Different Opinions P12, +3 more
- **Status:** alive (since v2) v2 XXV An Avonlea Scandal P70
- **Titles:** president (since v2) v2 VI All Sorts and Conditions of Men . . . and women P8

(b) Gilbert Blythe, overview, cutoff 2.

Cutoff 4

Overview

- **Age:** nearly fourteen v1 CHAPTER XV. A Tempest in the School Teapot P24
- **Gender:** male v1 CHAPTER XV. A Tempest in the School Teapot P28, v2 XIX Just a Happy Day P51, v2 XXIV A Prophet in His Own Country P4, v2 XXX A Wedding at the Stone House P37, v3 ch.Change P27, v3 ch.Autumn P7, +4 more
- **Role:** country doctor (since v4) v4 CHAPTER 14 NOVEMBER DAYS P8
  previously: teacher (v1–v2) v1 CHAPTER XXXVI. The Glory and the Dream P24, v1 CHAPTER XXXVII. The Reaper Whose Name Is Death P35, v1 CHAPTER XXXVIII. The Bend in the Road P38, v2 I An Irate Neighbor P55, v2 IV Different Opinions P0, v2 IV Different Opinions P12, +3 more
  previously: Daily News employee (v3) v3 ch.Speaks P23
- **Origin:** Island (since v4) v4 CHAPTER 2 THE HOUSE OF DREAMS P7
- **Status:** alive (since v2) v2 XXV An Avonlea Scandal P70, v3 ch.Revelation P25
- **Titles:** president (since v2) v2 VI All Sorts and Conditions of Men . . . and women P8; Captain of the Freshman football team (since v3) v3 ch.Park P6; president of the Freshman Class (since v3) v3 ch.Home P0; doctor (since v4) v4 CHAPTER 14 NOVEMBER DAYS P3
- **Family:** Anne Shirley (spouse)

(c) The same section, cutoff 4.

Figure 7: The delivered site at two cutoffs (screenshots of the NARRATIVEWIKI wiki, Anne series). Fields carry paragraph citations; at cutoff 4 the role, title and family lines open intervals evidenced in volumes 3 and 4 and keep the earlier roles as closed intervals.

Cutoff 2

Anne Shirley · the relationship

Gilbert and Anne began as bitter enemies after he teased her on his return to school, causing Anne to hold a long-standing grudge despite his attempts to apologize and even saving her when her boat leaked. They were fierce academic rivals competing for top marks in school, but Anne eventually forgave him. By the second volume, they have become close friends who write newspaper notes together as literary collaborators, with Gilbert harboring romantic feelings for her.

Sources: v1 CHAPTER XV. A Tempest in the School Teapot P16, v1 CHAPTER XV. A Tempest in the School Teapot P33, v1 CHAPTER XV. A Tempest in the School Teapot P38, +34 more

- Rival of — academic rivals competing for top marks in school v1 CHAPTER XVII. A New Interest in Life P36, v1 CHAPTER XIX. A Concert, a Catastrophe, and a Confession P32, v1 CHAPTER XX. A Good Imagination Gone Wrong P4, +6 more
- Romantically involved with — harbors romantic feelings for her v1 CHAPTER XXV. Matthew Insists on Puffed Sleeves P55, v2 XIX Just a Happy Day P51, v2 XXVIII The Prince Comes Back to the Enchanted Palace P5
- Saved v1 CHAPTER XXVIII. An Unfortunate Lily Maid P26
- Enemy of — persistent grudge and refusal to speak after insult *(ended v1)* v1 CHAPTER XV. A Tempest in the School Teapot P47, v1 CHAPTER XV. A Tempest in the School Teapot P51, v1 CHAPTER XV. A Tempest in the School Teapot P93, +1 more
- Comrade of — literary collaborators writing newspaper notes together (since v2) v2 I An Irate Neighbor P55, v2 VI All Sorts and Conditions of Men . . . and women P8, v2 XV The Beginning of Vacation P40, +2 more
- Friend of — close friend (since v2) v2 VII The Pointing of Duty P1, v2 XIX Just a Happy Day P51, v2 XXVI Around the Bend P46, +1 more

(a) Gilbert Blythe, relationship with Anne Shirley, cutoff 2.

Cutoff 4

Anne Shirley · the relationship

Gilbert and Anne began as bitter enemies in school after Gilbert teased her, prompting Anne to smash a slate over his head and hold a persistent grudge despite his attempts to apologize and save her from a leaking boat [R3, R4, S1, S4]. They gradually transitioned into intense academic rivals, literary collaborators, and close friends as Anne eventually forgave him [R1, R5, R6, S5]. Though Anne initially rejected his marriage proposal, their relationship deepened until they ultimately married, settling down together as husband and wife [R2, R7, S41, S67].

Sources: v1 CHAPTER XV. A Tempest in the School Teapot P16, v1 CHAPTER XV. A Tempest in the School Teapot P33, v1 CHAPTER XV. A Tempest in the School Teapot P38, +80 more

- Rival of — academic rivals competing for top marks in school v1 CHAPTER XVII. A New Interest in Life P36, v1 CHAPTER XIX. A Concert, a Catastrophe, and a Confession P32, v1 CHAPTER XX. A Good Imagination Gone Wrong P4, +7 more
- Romantically involved with — harbors romantic feelings for her v1 CHAPTER XXV. Matthew Insists on Puffed Sleeves P55, v2 XIX Just a Happy Day P51, v2 XXVIII The Prince Comes Back to the Enchanted Palace P5, +10 more
- Saved v1 CHAPTER XXVIII. An Unfortunate Lily Maid P26
- Enemy of — persistent grudge and refusal to speak after insult *(ended v1)* v1 CHAPTER XV. A Tempest in the School Teapot P47, v1 CHAPTER XV. A Tempest in the School Teapot P51, v1 CHAPTER XV. A Tempest in the School Teapot P93, +1 more
- Comrade of — literary collaborators writing newspaper notes together (since v2) v2 I An Irate Neighbor P55, v2 VI All Sorts and Conditions of Men . . . and women P8, v2 XV The Beginning of Vacation P40, +5 more
- Friend of — close friend (since v2) v2 VII The Pointing of Duty P1, v2 XIX Just a Happy Day P51, v2 XXVI Around the Bend P46, +7 more
- Spouse of — husband and wife (since v4) v4 CHAPTER 1 IN THE GARRET OF GREEN GABLES P5, v4 CHAPTER 2 THE HOUSE OF DREAMS P7, v4 CHAPTER 3 THE LAND OF DREAMS AMONG P29, +26 more

(b) The same block, cutoff 4: “Spouse of” opens in volume 4.

Shirley · the relationship

Gilbert and Shirley maintained a fierce academic rivalry during their time as school classmates [R10, S13]. Their intense competition for top marks continued up through their final examinations at school [R10, S13, S14].

Sources: v1 CHAPTER XVII. A New Interest in Life P0, v1 CHAPTER XVII. A New Interest in Life P16, v1 CHAPTER XVII. A New Interest in Life P28, +5 more

- Rival of — academic rivals in schoolwork v1 CHAPTER XVII. A New Interest in Life P36

(c) The block “Shirley” on the same page at cutoff 4: a second entity for Anne, under her surname, holding one of her relations.

Figure 8: One relationship at two cutoffs. Each block’s prose is generated from its cutoff’s eligible claims; the cutoff-2 text therefore contains no marriage statement. The bracketed keys in (b) and the block in (c) are defects of the reported build.

identification strategy for each system's memory contribution: rewriting also changes wording, entity resolution and sometimes meaning.

A prefix-bounded system can disclose later facts through extraction or inference errors, generation or residual recognition. A treated-text disclosure by the full-text diagnostic still demonstrates a failure to obey the cutoff while later evidence is available. A model can recognize a plot without its original names, so the treatment cannot establish the absence of memorization.

The treated text. The treated series contains 8,489 paragraphs and 428,122 and 467,246 words before and after treatment. Of these paragraphs, 8,468 (99.8%) were paraphrased, with the remainder renamed only; 1 remained near-copies after retrying. Paraphrase lengthens the series overall, although each accepted rewrite stays within the length bounds of Step 2. Whole-name checks find no mapped source name unchanged. A broader search finds 27 inflected or derived source-name occurrences in 26 paragraphs: chiefly family-name plurals ("the Gardners"), plus a college-derived adjective and a sentence explaining a name's origin. Recognition probes include these residual forms.

Some residuals reach generated pages. Across 1,597 character pages from seven systems, the name explained in the source sentence appears in 25 pages of six systems. A family name retained in a plural and a chapter title ("The Gardners' Call") appears on 9 pages of four systems. Three other family names and the college name, each from a residual form, appear on seven pages. A further closed-book match is a common surname in an invented story.

Another source name has no literal residual: Six pages from prefix retrieval and the full-text diagnostic print "Prince Edward Island", absent from the treated paragraphs and chapter titles. The renamed island's neighboring provinces remain, permitting geographic inference. This output therefore does not distinguish inference from residual recognition.

Fidelity. An unblinded LLM annotator checked all 111 gold facts against their treated evidence paragraphs. It judged all 111 still expressed, one with altered wording: a sleeve style is renamed in its evidence paragraph but given its source name in the next paragraph. This asks whether the treated passage retains the fact. The stricter paragraph-alone audit from Appendix B, yielding 85, 23 and 3 for the original text, was not repeated.

Text condition	Title	Author
Original	0.820	0.865
Names remapped	0.325	0.625
Remapped and paraphrased	0.110	0.195

Table 26: Recognition ablation on 200 aligned paragraphs. Values are the share for which the frozen generator identifies an Anne title or its author. Renaming and paraphrasing both reduce recognition, while residual recognition remains. Cyan highlights the combined treatment. This probe does not establish that a wiki fact was memorized.

Errors also occur outside gold evidence. One paraphrase changes two children's ages into an interval of minutes, after which prefix retrieval reports twins born six minutes apart. The statement counts as supported against the supplied treated text. Treatment errors found during analysis are documented here and left in place.

Recognition. On 200 aligned paragraphs spanning five volumes, the generator restores a masked character name with accuracy 0.165 on original text and 0.000 on treated text. Title identification is 0.820, 0.325 and 0.110 for original, names-only and combined treatment, respectively; author identification is 0.865, 0.625 and 0.195. Renaming reduces title recognition more than author recognition. Adding paraphrase reduces both further, to approximately one third of their names-only levels, but roughly one treated paragraph in nine is still identified as belonging to the series. Only recognition was probed for names-only text; complete systems were rebuilt on original and combined-treatment text.

Systems on the treated text. Table 2 compares original and treated systems; Table 27 reports every cutoff. Gold facts, reveal volumes and labeling rules are transferred from the original; inverse name mapping allows the same per-fact tests. Claude Opus 5.5 finalized the AI labels for all systems on both texts, including precision and citation sufficiency.

Each condition has one build. Differences in entity resolution and paraphrase fidelity preclude interpreting small cross-condition changes as isolated memory effects. The closed-book diagnostic has a much larger recall reduction, from 0.683 to 0.003, with 1 of 335 matching fact–cutoff assessments remaining: a death also present in its invented story. This is consistent with recognition

Metric	t	B1	B2	B3	B4	B5	X1	X2
Recall	1	**0.957 (22/23)**	0.870 (20/23)	0.348 (8/23)	0.652 (15/23)	0.870 (20/23)	0.000 (0/23)	0.826 (19/23)
	2	**0.891 (41/46)**	0.783 (36/46)	0.457 (21/46)	0.674 (31/46)	0.826 (38/46)	0.000 (0/46)	0.696 (32/46)
	3	0.818 (54/66)	0.727 (48/66)	0.500 (33/66)	0.758 (50/66)	**0.848 (56/66)**	0.015 (1/66)	0.667 (44/66)
	4	0.764 (68/89)	0.775 (69/89)	0.539 (48/89)	0.663 (59/89)	**0.843 (75/89)**	0.000 (0/89)	0.764 (68/89)
	5	0.793 (88/111)	0.766 (85/111)	0.505 (56/111)	0.775 (86/111)	**0.829 (92/111)**	0.000 (0/111)	0.766 (85/111)
Precision	1	**0.975 (39/40)**	**0.975 (39/40)**	0.925 (37/40)	0.925 (37/40)	0.750 (30/40)	0.200 (8/40)	0.825 (33/40)
	2	0.950 (38/40)	**0.975 (39/40)**	0.949 (37/39)	**0.975 (39/40)**	0.700 (28/40)	0.150 (6/40)	0.825 (33/40)
	3	0.900 (36/40)	0.925 (37/40)	**1.000 (40/40)**	0.975 (39/40)	0.875 (35/40)	0.125 (5/40)	0.825 (33/40)
	4	0.825 (33/40)	0.950 (38/40)	**1.000 (40/40)**	0.923 (36/39)	0.750 (30/40)	0.150 (6/40)	0.825 (33/40)
	5	**0.950 (38/40)**	0.925 (37/40)	0.925 (37/40)	0.900 (36/40)	0.775 (31/40)	0.100 (4/40)	0.925 (37/40)
Citation suff.	1	0.875 (35/40)	**0.925 (37/40)**	0.625 (25/40)	0.850 (34/40)	0.500 (20/40)	–	0.575 (23/40)
	2	0.675 (27/40)	**0.900 (36/40)**	0.769 (30/39)	**0.900 (36/40)**	0.700 (28/40)	–	0.550 (22/40)
	3	0.425 (17/40)	0.825 (33/40)	**0.875 (35/40)**	**0.875 (35/40)**	0.575 (23/40)	–	0.475 (19/40)
	4	0.300 (12/40)	0.925 (37/40)	0.800 (32/40)	**0.949 (37/39)**	0.700 (28/40)	–	0.400 (16/40)
	5	0.375 (15/40)	0.850 (34/40)	**0.900 (36/40)**	**0.900 (36/40)**	0.650 (26/40)	–	0.375 (15/40)
Disclosed	1	0/88	0/88	0/88	0/88	0/88	0/88	**8/88**
	2	0/65	0/65	0/65	**2/65**	**2/65**	0/65	**8/65**
	3	0/45	0/45	0/45	0/45	**2/45**	0/45	**6/45**
	4	0/22	0/22	0/22	0/22	0/22	0/22	**1/22**
	5	–	–	–	–	–	–	–

Table 27: Every cell of the treated text behind Table 2: recall over the eligible gold facts, precision and citation sufficiency over 40 sampled statements, and stated or implied disclosures over the later gold facts (none are left to disclose at $t = 5$). The closed-book generator cites nothing. Bold cyan cells mark the highest rates among B1–B5 at each cutoff; bold pink cells mark non-zero disclosure counts.

contributing substantially to original-text closed-book recall.

What the closed-book generator writes. Given stand-in names without text, the generator still writes full pages. Of 200 sampled assertions, 162 are unsupported. The stand-in for a shy book-one farmer becomes a sea captain founding a cult; a heroine's friend becomes a duelist at a magical academy; later cutoffs introduce a street gang and a starship. Supported judgments concern generic statements about gender, status, siblings or traits. No assertion carries a citation.

The disclosure by NARRATIVEWIKI. At $t = 2$ and $t = 3$, NARRATIVEWIKI lists both leads as spouses, a book-four fact (4 of 220, counting the marriage for both characters at both cutoffs). These are two reciprocal subject facts from one prediction-to-marriage failure mechanism, rather than four independent errors (Table 22). Another 4 verdicts are uncertain, involving the same courtship line as in the original. The marriage citations point to a book-two neighbor's prediction. Extraction stored a presumed marriage at volume two, and rendering turned presumed spouses into spouses. B4, using the same graph, prints "anticipated future marriage" at $t = 2$, labeled implied disclosure (2 of 220).

The original build did not extract this relation from the corresponding passage. The treated passage is cutoff-eligible, but the claim loses the distinction between a character's prediction and an established event. Volume filtering cannot repair that attribution and modality error.

Long-context prompting on the treated text. Mean recall is 0.845 on treated text versus 0.848 on original text; precision is 0.920 versus 0.929. Both treated estimates are lowest at $t = 4$ (Table 27). The close means do not establish equivalence from single builds.

Citation sufficiency is 0.875 and 0.675 for one and two volumes, then falls to 0.425, 0.300 and 0.375, versus 0.700, 0.590 and 0.550 on the original. Most insufficient citations accompany supported assertions. Many retain the paragraph number but lose the volume or chapter, pointing, for example, from a volume-one fact to the corresponding identifier in volume three. Such identifiers pass the harness's existence check.

The cause is untested. Familiarity with the original might help locate evidence, or paraphrased passages might be harder to distinguish. Neither explanation is isolated by this comparison.

The full-text diagnostic on the treated text. Despite the cutoff instruction, X2 discloses 23 of 220 assessed later facts on treated text, versus 8 of 220

on the original. Per-cutoff counts at $t = 1..4$ are 8/88, 8/65, 6/45 and 1/22; original counts are 0/88, 6/65, 0/45 and 2/22. At $t = 1$, the guardian's page describes the neighbor's widowhood and move, the heroine's college attendance and her marriage "years later". It cites volumes two to four, whose identifiers the harness accepts because all volumes are supplied. Reduced recognition therefore does not make the instruction reliable; observed disclosure is higher at the first cutoff. Familiarity with the original's book boundaries is one untested explanation.

Treated recall is lower at every cutoff (0.744 versus 0.814); mean precision is also lower (0.845 versus 0.910). Most unsupported statements are misattributed biographies, and citation errors also omit volumes. The heroine's $t = 1$ page returned malformed JSON three times, closing a list with the wrong bracket. We corrected that bracket in the recorded first response without another model call (Appendix M).

Namesakes made by the name map. Whole-word renaming creates two collisions observed in the systems receiving the most text, B1 and X2. First, one stand-in replaces a shared first name across characters, making a book-one minor character a namesake of a schoolmate; passages about one are then cited for the other. Second, a book-two twin's stand-in is a short form of the stand-in for the heroine's romantic name, also borne by her friend's daughter in book four. With book four in context, the twin's page describes the friend (B1 at $t = 4$; X2 at $t = 2$, 4 and 5) or the heroine (X2 at $t = 3$), whereas original-text builds describe the twin.

This page contributes unsupported assertions and two stated X2 disclosures at $t = 3$. Neither mechanical map check detects these collisions. They are treatment defects retained in the reported system scores.

L Development Observations

Choice of generator. We sent stored claim-extraction prompts from a commercial development series to three Gemini Flash models, then checked the outputs of two of them, 3.1 Flash-Lite and 3.6 Flash, against their cited paragraphs. No numerical results from that series are reported (Appendix C). Qualitatively, Gemini 3.1 Flash-Lite returned more facts than Gemini 3.6 Flash, with a lower share fully supported and some unsupported claims; no unsupported claims were observed in the reviewed 3.6 Flash outputs. We selected 3.6 Flash for all stages and comparison systems. Model choice also affects entity discovery: from the same volume-one Anne candidate list, Flash-Lite retained 83 (50 characters) entities and 3.6 Flash retained 92 (54 characters). This illustrates an effect on the entity inventory before page generation.

Stories within the story. Characters tell stories, invent companions and make false confessions. Entity discovery admitted figures from embedded stories, including a story-club heroine and a child's imagined cave lady, and verification accepted claims about them (Appendix H). Local evidence can therefore be insufficient to distinguish the main narrative from an embedded or imagined account.

Reveal volumes need an earliest-statement check. Disclosure assessment found 2 of 90 draft facts assigned reveal volumes later than their earliest supporting statements. Pages containing these facts were consequently eligible. Reveal-volume annotation requires searching for the earliest support, rather than retaining the first passage encountered by the annotator.

Implicit temporal progression. Gilbert's age, *nearly fourteen*, is extracted from volume one and remains on his cutoff-4 page alongside the later marriage (Figure 7c). No extracted age supersedes it, so its interval stays open. The graph records explicit changes; it does not advance ages with narrative time. Reveal volumes order evidence rather than elapsed story years. A historical age should therefore be marked as an observation at a particular story time unless a supported update is available.

Cross-claim inference. Some updates require combining claims rather than extracting one explicit statement. As an illustrative example, suppose Anne is two years younger than Gilbert and marries him at age 25. The premises imply that Gilbert is 27 at their marriage. These ages are hypothetical, not verified annotations of the displayed example. The current pipeline does not systematically derive such updates. An extension would need to retain the supporting premises, align their narrative times and expose a derived claim only after all required premises become available at the reader's cutoff.

Coreference across extraction windows. Pronouns and other referring expressions can link a character or fact across sentences and scenes without repeating a name. Extraction may miss these links or attribute a claim to the wrong person when the relevant context lies outside its window. Both backward and forward references require discourse context, while a later identity revelation must remain unavailable at an earlier cutoff. These are qualitative failure modes; no error rate for them is measured here.

M Reproducibility and Release

Freeze. Before each block of runs, the source code, configuration, and scripts are hashed into a freeze record that every runner checks before making a call. Any change requires a new record and an account of which results it invalidates. Changes affecting a reported number are logged with the previous and revised values and the cells rebuilt or relabeled, including the two label audits in Section 5. Sampling seeds are fixed (assertion samples: seed 0).

Provenance. A shared client caches every model response under a hash of its provider, model, prompt, and parameters; each run writes a manifest and call log. Every number in the paper maps to a measurement-ledger row identifying the producing command and run. All generative calls of the systems and of the treatment used Gemini 3.6 Flash (Vertex AI, temperature 0.4, `thinking_budget` 0), between 28 September and 7 October 2026. The provider's model name exposes no finer revision. Cached responses reproduce the released artifacts exactly; fresh calls need not produce identical generations. On the treated text, one page of the full-text diagnostic returned a list with an incorrect closing bracket in three attempts. The runner corrected the bracket in the recorded first response and applied its normal validation and rendering; no page was regenerated. Appendix N presents one logged exchange for each generative stage, including the system prompt, input, and output. Claude Opus 5.5 finalized all reported AI annotation labels after evidence review. The prompt and response defects documented in Appendix N remain part of the archived run configuration. The reported results are not measurements of a repaired prompt builder or citation validator.

Commands. With the corpus parsed, the reported artifacts are produced by:

- the reported NARRATIVEWIKI build of all five cutoffs:
  `run_series.py anne@v2 --upto 5` (the first build is the series `anne`);
- a comparison cell at cutoff t:
  `run_baseline.py anne {X1|B1|B2|B4|X2} --upto t`, with `--chunk-words 150 --budget-tokens 20000` for B2 and `--graph anne@v2 --budget-tokens 20000` for B4, and `b3_lightrag.py anne --upto t --mode mix`;
- the assertion inventory and sample of a cell:
  `assertion_inventory.py S --upto t` and `assertion_precision.py S --upto t --n 40 --population all`;
- disclosure candidates:
  `m4_tree.py S --upto t`;
- the lexical screen:
  `artifact_exposure.py S`;
- the pair rule and the timeline citations applied to a cell's labels:
  `apply_pair_rule.py S B5`;
- table values:
  `paper_numbers.py`; their spread over cutoffs:
  `summary_stats.py`;
- cost of the cells on disk:
  `run_cost.py S --final`.

Release. An anonymized archive provides the submission materials; the repository address is https://anonymous.4open.science/r/NarrativeWiki-Anon-341E/. It contains the code, configuration, dependency specification and freeze records; prompt templates and logged exchange excerpts; gold facts with evidence identifiers and reveal volumes; and AI evaluation label files (recall, annotated precision samples, citation sufficiency, disclosure verdicts with the sentences assessed, and audit corrections). It also includes per-run cost summaries, every system's generated wikis at every cutoff, both builds of NARRATIVEWIKI, and the human-review package (554 items with source context: every gold fact and samples of the recall, precision and citation labels), plus the two reviewers' label files, accompanying records, provenance manifest, aligned decision audit and recomputed agreement. The reviewer labels are entirely human-produced. The source

texts are public-domain and are fetched from Project Gutenberg by identifier.

N Prompts and Model Exchanges

Every generative stage uses a shared client that records the system prompt, user prompt, and raw response. For each stage, we show the first successful call from the latest run underlying the reported results that sent calls to the provider. The exhibits cover each NARRATIVEWIKI stage (prose by its appearance section), the B1, B2, B3, X1 and X2 pages, the treatment and the recognition probe; B4's page prompt, the other prose sections and the shared-page summary check are in the release only. The exchanges retain the logged wording, with middle elisions that state the number of omitted characters and typographic characters folded to ASCII for typesetting. All calls shown used Gemini 3.6 Flash (Vertex AI, temperature 0.4, `thinking_budget` 0). The release contains the complete prompts and call logs (Appendix M). Evaluation labels were not produced by these stages; the annotation workflow is described in Appendix B.

The excerpts retain defects in the prompts and responses used for the reported runs. The notes below identify these defects without rewriting the logged exchanges or claiming that the pipeline has been repaired (Appendix D).

Entity typing

Types each mined name candidate (NARRATIVEWIKI, gazetteer). Model `gemini-3.6-flash`; 518 input and 39 output tokens; run `anne@v2/20261004T193719-gazetteer-v1-5`.

Note on this log. One prompt serves every series the pipeline processes, so the type list includes types unused here (TECH). The example sentences are logged as sent: one sentence appears three times.

System prompt

```
You are typing candidate names mined from a
  novel. Each candidate is a capitalised
  phrase that occurs in the text; most are
  real entities but some are sentence
  fragments, honorific-only phrases, or
  common words that happened to be
  capitalised.

Classify the candidate into exactly one of
  these types, or say it is not an entity at
   all:
- CHARACTER
- FACTION
- LOCATION
- EVENT
- TECH

If the candidate is not a named entity -- a
  stray common word, part of a longer name
  cut short, a rank or honorific with no
  name attached -- respond with entity_type
  "NOT_ENTITY". This is a correct and
  expected answer for a large share of
  candidates; do not force a fit.

Respond with JSON only: {"entity_type":
  "...", "confidence": 0.0-1.0, "notes": "
  short reason"}
```

User prompt (input)

```
Candidate surface: "Anne"
Seen 3904 time(s), first in volume 1.
Mining signals: capitalised_token, honorific,
   vocative
Example sentences it appears in:
- ""Anne Shirley," reluctantly faltered
  forth the owner of that name, "but, oh,
  please do call me Cordelia. It can't
  matter much to you what you call me if I'm
   only going to be here a little while, can
   it? And Anne is such "
- ""Unromantic fiddlesticks!" said the
  unsympathetic Marilla. "Anne is a real
  good plain sensible name. You've no need
  to be ashamed of it.""
- ""Oh, I'm not ashamed of it," explained
  Anne, "only I like Cordelia better. I've
  always imagined that my name was Cordelia--
  at least, I always have of late years.
  When I was young I used to imagine it was
  Geraldine, but I "
- ""Oh, I'm not ashamed of it," explained
  Anne, "only I like Cordelia better. I've
  always imagined that my name was Cordelia--
  at least, I always have of late years.
  When I was young I used to imagine it was
  Geraldine, but I "
- ""Oh, I'm not ashamed of it," explained
  Anne, "only I like Cordelia better. I've
  always imagined that my name was Cordelia--
  at least, I always have of late years.
  When I was young I used to imagine it was
  Geraldine, but I "

What is this?
```

Model output

```
{"entity_type": "CHARACTER", "confidence":
  1.0, "notes": "Anne (Anne Shirley) is the
  main character of the novel Anne of Green
  Gables."}
```

Alias adjudication

Decides whether two surface forms are one entity (NARRATIVEWIKI, gazetteer). Model `gemini-3.6-flash`; 548 input and 50 output tokens; run `anne@v2/20261004T193719-gazetteer-v1-5`.

System prompt

```
You are deciding whether two surface forms
  mined from a novel refer to the SAME
  entity (e.g. a full name and a nickname, a
   call sign and a real name, a title and a
  bare surname) or to two DIFFERENT entities
   that merely look similar.

Leaving two different surface forms unmerged
   is the SAFE error -- a human reviewer can
   merge them in five seconds. Merging two
  different people is the COSTLY error -- it
   silently mixes their facts on one page
  and is hard to catch later. When genuinely
   unsure, say they are different.

Decide from the quoted passages alone.
  Anything you may know about this book or
  its series from elsewhere is not evidence:
   the reader of this page knows only the
  text so far, and a merge the passages do
  not show can reveal a later twist or join
  two different people.

Respond with JSON only: {"same_entity": true
  /false, "confidence": 0.0-1.0, "notes": "
  short reason"}
```

User prompt (input)

```
Form A: "Charlie Sloane" (CHARACTER, seen 38
   time(s), first vol 1):
  - "in half a dozen take-notices. "It's
  only meant as a joke. And don't you be too
   sure your name won't ever be written up.
  Charlie Sloane is dead gone on you. He
  told his mother--his mother, mind you--
  that you were the smartest girl in school.
   That's better than being good-looking.""
  - ""No, it isn't," said Anne, feminine to
  the core. "I'd rather be pretty than
  clever. And I hate Charlie Sloane, I can't
   bear a boy with goggle eyes. If anyone
  wrote my name up with his I'd never get
  over it, Diana Barry. But it is nice to
  keep head of your class.""

Form B: "Carrie Sloane" (CHARACTER, seen 10
  time(s), first vol 1):
  - "der brothers and sisters who were going
   to take part. Everybody in school over
  nine years of age expected to go, except
  Carrie Sloane, whose father shared Marilla
  's opinions about small girls going out to
   night concerts. Carrie Sloane cried into
  her grammar all the afternoon and felt
  that life was n"
```

User prompt (input) (continued)

```
  - "a model pupil like Minnie Andrews. She
  hadn't anything on her conscience. The
  girls cried all the way home from school.
  Carrie Sloane kept saying every few
  minutes, 'The time has come for us to part
  ,' and that would start us off again
  whenever we were in any danger of cheering
   up. I do feel dreadful"

Are these the same entity?
```

Model output

```
{"same_entity": false, "confidence": 1.0, "
  notes": "Charlie Sloane (a male classmate
  described as a boy) and Carrie Sloane (a
  female classmate) are two distinct
  individuals/siblings within the same
  family."}
```

Claim extraction

Extracts dated, quoted claims about one character from one evidence window (NARRATIVEWIKI). Model `gemini-3.6-flash`; 8,884 input and 734 output tokens; run `anne@v2/20261005T070204-extract-v5-5`.

Note on this log. STATUS and APPEARANCE include internal revision labels, code paths, and implementation notes in the prompt's field descriptions. These entries are preserved as run evidence. Implementation metadata should be separated from semantic definitions in the prompt builder before future runs.

System prompt

```
You are extracting facts about ONE named
  character from passages of a novel. You
  will be told the character's name; extract
   facts ONLY about that character, never
  about anyone else named alongside them.

Three kinds of fact exist:

ATTRIBUTE (a scalar fact about the character
  ):
- AGE
- GENDER
- STATUS -- alive / deceased / missing in
  action / captured. Use polarity=presumed
  when the text only reports a belief. `
  default` (Phase 22 A5, U6): materialized
  by synth/assemble.py when zero STATUS
  claims exist -- 'alive' is the reader's
  safe default at any cutoff (a later death
  is itself a claim that only appears once
  the reader reaches it), marked inferred:
  true so it never masquerades as evidence.
- RANK -- A formal grade inside a named
  organisation or hierarchy: a military rank,
   a guild or adventurer grade, a noble or
```

System prompt (continued)

```
   church rank. Always a category, never a
   number. NOT a power level, a game level or
    any other statistic, NOT a job (
   OCCUPATION), NOT an honorific or epithet (
   TITLE).
- TITLE -- An honorific, epithet or office
   the text calls the character by (Supreme
   Being, the Wisewolf of Yoitsu, head of the
    branch). A grade in a hierarchy is RANK;
   a job is OCCUPATION.
- NICKNAME -- Includes call signs and code
   names. first_vol matters: an alias
   revealed in V3 must not appear on a V1
   page.
- ORIGIN -- Where the character comes from:
   a birthplace, homeland, village or people.
    Never a job or a past occupation (that is
    OCCUPATION or BACKGROUND).
- OCCUPATION -- What the character does in
   the world: their job, trade or standing
   role (merchant, maid, village chief, floor
    guardian). NOT a combat class or skill,
   NOT a species, NOT a rank.
- APPEARANCE -- subsume (Phase 22 A2): drop
   a value that is redundant next to a longer
    sibling ('hair' next to 'long brown hair
   ') or a bare single-word noun standing
   alone -- see graph/canonicalize.py::
   subsume_values. Deterministic, no embed
   call.

RELATION (a link to another character or
   entity actually named in the passage; "
   object" must be copied verbatim from a
   name that appears in the passage, not
   paraphrased or described):
- PARENT_OF -- An actual stated parent/child
    relationship -- never inferred from a
   shared surname, a title like 'son of', or
[... 9,813 characters elided ...]
BLING_OF, SPOUSE_OF, STUDENT_OF), not just
   the subject.

Respond with JSON only, shaped exactly like
   this worked example (a RELATION fact about
    a
character named "Shin", using null for the
   fields a TRAIT or ATTRIBUTE fact would
   instead need):

{"facts": [
  {"predicate": "AFFILIATED_WITH", "kind": "
  relation", "object": "Spearhead Squadron",
    "value": null, "qualifier": "captain", "
  para_id": "v01:c00:p0031", "quote": "the
  Spearhead Squadron's captain, code name
  Undertaker", "confidence": 0.92, "polarity
  ": "asserted"}
]}

Return {"facts": []} if this passage says
   nothing new about this character.
```

User prompt (input)

```
Character: "Anne Shirley" (aliases: Anne,
   Anne-girl, Mistress Blythe, Mrs. Blythe,
   Mrs. Doctor, Mrs. Doctor, dear, Mrs. Dr.
   dear, Queen Anne, the Anne-girl, young Mrs.
    Doctor)
Volume 5.
Other people/things named in these passages:
    Aunt Martha (also: old Martha), Avonlea (
   also: The Avonlea), Blythe, Carl, Cornelia
    Bryant (also: Bryant, Cornelia, Cornelia
   Elliott, Miss Bryant, Miss Cornelia, Mrs.
   Elliott, Mrs. Marshall Elliott, fair
   Cornelia), Europe, Faith (also: Faith
   Meredith, Red Rose), Four Winds, Four
   Winds Harbor (also: Four Winds Harbour),
   Glen, Green Gables, Harbour Head, Harrison,
    Ingleside, James A (also: James), Jem (
   also: Jem Blythe, Little Jem), Jerry
   Corcoran (also: Jerry), London, Maria,
   Marilla Cuthbert (also: Aunt Marilla,
   Cuthbert, Marilla, Miss Cuthbert), Mary
   Vance (also: Mary, Mary-creature),
   Methodist (also: Methodists, The
   Methodists), Paul Irving (also: Paul),
   Presbyterian (also: Presbyterians),
   Priscilla Grant (also: Grant, Pris,
   Priscilla, Prissy, Prissy Andrews), Rachel
    Lynde (also: Lynde, Mrs. Rachel, Rachel),
    Rainbow Valley, Rilla Blythe (also: Rilla
   ), Shirley, Susan (also: Susan Baker, old
   Susan, old Susan Baker), Taylor, Thomas
   Lynde (also: Rachel Lynde's husband,
   Thomas), Una Meredith (also: Una), Walter
   Blythe (also: Walter)

Passages (each paragraph labeled with its id
   ; a passage break means the text on either
    side comes from a different part of the
   volume and does not continue):
[v05:c01:p0000] It was a clear, apple-green
   evening in May, and Four Winds Harbour was
    mirroring back the clouds of the golden
   west between its softly dark shores. The
   sea moaned eerily on the sand-bar,
   sorrowful even in spring, but a sly,
   jovial wind came piping down the red
   harbour road along which Miss Cornelia's
   comfortable, matronly figure was making
   its wa
[... 18,642 characters elided ...]
ained untinged of charity. Susan smiled
   slyly.
[v05:c02:p0042] "They do say, Mrs. Marshall
   Elliott, that the Methodists and
   Presbyterians are talking of uniting," she
    said.
[v05:c02:p0043] "Well, all I hope is that I'
   ll be under the sod if that ever comes to
   pass," retorted Miss Cornelia. "I shall
   never have truck or trade with Methodists,
    and Mr. Meredith will find that he'd
   better steer clear of them, too. He is
   entirely too sociable with them, believe
   me. Why, he went to the Jacob Drews'
   silver-wedding supper and got into a nice
   scrape as a result."
```

User prompt (input) (continued)

```
Extract facts about "Anne Shirley" only.
```

Model output


```
{"facts": [
  {"predicate": "SPOUSE_OF", "kind": "
  relation", "object": "Blythe", "value":
  null, "qualifier": "husband", "para_id": "
  v05:c01:p0001", "quote": "Miss Cornelia
  was going up to Ingleside to see Dr. and
  Mrs. Blythe, who were just home from
  Europe.", "confidence": 0.95, "polarity":
  "asserted"},
  {"predicate": "PARENT_OF", "kind": "
  relation", "object": "Rilla Blythe", "
  value": null, "qualifier": "mother", "
  para_id": "v05:c01:p0003", "quote": "
  Behind her, in the hammock, Rilla Blythe
  was curled up, a fat, roly-poly little
  creature of six years, the youngest of the
   Ingleside children.", "confidence": 0.95,
   "polarity": "asserted"},
  {"predicate": "PARENT_OF", "kind": "
  relation", "object": "Shirley", "value":
  null, "qualifier": "mother", "para_id": "
  v05:c01:p0004", "quote": "After his birth
  Anne had been very ill for a long time,
  and Susan "mothered" the baby with a
  passionate tenderness which none of the
  other children, dear as they were to her,
  had ever called out.", "confidence": 0.95,
   "polarity": "asserted"},
  {"predicate": "PARENT_OF", "kind": "
  relation", "object": "Jem", "value": null,
   "qualifier": "mother", "para_id": "v05:
  c02:p0001", "quote": ""Shirley is in bed
  and Jem and Walter and the twins are down
  in their beloved Rainbow Valley," said
  Anne.", "confidence": 0.95, "polarity": "
  asserted"},
  {"predicate": "PARENT_OF", "kind": "
  relation", "object": "Walter Blythe", "
  value": null, "qualifier": "mother", "
  para_id": "v05:c02:p0001", "quote": ""
  Shirley is in bed and Jem and Walter and
  the twins are down in their beloved
  Rainbow Valley," said Anne.", "confidence":
   0.95, "polarity": "asserted"},
  {"predicate": "APPEARANCE", "kind": "
  attribute", "object": null, "value": "
  beautiful gray-green eyes", "qualifier":
  null, "para_id": "v05:c01:p0003", "quote":
   "and the beautiful gray-green eyes,
  gazing down the harbour road, were as full
   of unquenchable sparkle and dream as ever
  .", "confidence": 0.95, "polarity": "
  asserted"},
  {"predicate": "PERSONALITY", "kind": "
  trait", "object": null, "value": "loves
  gossip", "qualifier": null, "para_id": "
  v05:c01:p0009", "quote": "Do you know,
  Susan, I have a dreadful suspicion that I
  love gossip.", "confidence": 0.9, "
  polarity": "asserted"}
]}
```


Scene extraction

Records scenes, participants and events over a chapter span (NARRATIVEWIKI). Model `gemini-3.6-flash`; 5,729 input and 202 output tokens; run `anne@v2/20261004T195945-scenes-v5-5`.

System prompt

```
You are reading one FULL CHAPTER of a novel,
   span by span, to build a scene-level
  summary -- not fact-by-fact extraction.
  You are given a whole passage in reading
  order, possibly spanning multiple scenes
  or POV shifts (marked inline with a line
  reading "[SCENE BREAK]").

For this passage, report:

PARTICIPANTS: every character who takes part
   in this passage -- present in the scene,
  speaking, acting, or acted upon -- copy
  each name EXACTLY as it appears in "Known
  entities in this chapter" below, never
  invent a new name. A character who is only
   talked about, remembered, written to, or
  named in passing is NOT a participant: the
   wiki lists this scene on every
  participant's page.

LOCATION: where this passage takes place, if
   stated or clearly implied -- copy it
  EXACTLY from "Known entities in this
  chapter", or leave it null if not stated
  or not in that list.

BEAT_SUMMARY: 2-4 sentences paraphrasing
  what actually happens in this passage --
  this is the one field in the whole scene-
  extraction pass that does NOT need a
  verbatim quote; summarize freely, but only
   describe what this passage itself shows.

SUMMARY_PARA_IDS: the ids of the 1-4
  paragraphs that most directly show what
  your beat_summary says, copied exactly
  from their labels in the passage (e.g. "
  v01:c03:p0082"). A reader follows them to
  check the summary.

Rules:
- Only name a participant/location that is
  in "Known entities in this chapter" --
  never a name invented or paraphrased from
  elsewhere.
- Omitting something this passage does not
  support is correct -- do not force a fit.

Respond with JSON only, shaped exactly like
  this worked example:

{{"participants": ["Shin", "Spearhead
  Squadron"], "location": null,
"beat_summary": "Shin briefs the squadron
  before the next sortie, reminding them of
  the plan.",
```

System prompt (continued)

```
"summary_para_ids": ["v01:c03:p0082", "v01:
  c03:p0084"], "confidence": 0.85}}

Return {{"participants": [], "location":
  null, "beat_summary": "...", "
  summary_para_ids": [], "confidence": 0.5}}
   (with a short beat_summary even if
  nothing else was found) if this passage
  supports nothing more specific.
```

User prompt (input)

```
Volume 5, chapter 2.
Known entities in this chapter: Alec Davis (
  also: Kitty Alec), Anne Shirley (also:
  Anne, Anne-girl), Aunt Martha, Avonlea (
  also: The Avonlea), Canada, Carl, Cornelia
   Bryant (also: Bryant, Cornelia), Ellen
  West (also: Ellen), Episcopalians, Europe,
   Faith (also: Faith Meredith), Four Winds,
   Four Winds Harbor (also: Four Winds
  Harbour), Glen, Harbour Head, James A (
  also: James), Japan, Jem (also: Jem Blythe,
   Little Jem), Jerry Corcoran (also: Jerry),
   Joseph, Kenneth, Leslie Moore (also:
  Leslie), Lowbridge, Maria, Marilla
  Cuthbert (also: Aunt Marilla, Cuthbert,
  Marilla), Marshall Elliott (also: Marshall
  ), Martin Crawford (also: Martin), Mary
  Vance (also: Mary), Merediths (also: The
  Meredith), Methodist (also: Methodists,
  The Methodists), Moses, Owen Ford, Paul
  Irving (also: Paul), Presbyterian (also:
  Presbyterians), Priscilla Grant (also:
  Grant, Pris, Priscilla, Prissy, Prissy
  Andrews), Rainbow Valley, Rilla Blythe (
  also: Rilla), Rosemary West (also:
  Rosemary), Shirley, Susan (also: Susan
  Baker), Thomas Lynde (also: Thomas), Una
  Meredith (also: Una), Uncle Jim (also:
  Boyd, Jim, Jim Boyd), Walter Blythe (also:
   Walter)

Passage (each paragraph labeled with its id):

[v05:c02:p0000] "Where are the other
  children?" asked Miss Cornelia, when the
  first greetings--cordial on her side,
  rapturous on Anne's, and dignified on
  Susan's--were over.
[v05:c02:p0001] "Shirley is in bed and Jem
  and Walter and the twins are down in their
   beloved Rainbow Valley," said Anne. "They
   just came home this afternoon, you know,
  and they could hardly wait until supper
  was over before rushing down to the valley.
   They love it above every spot on earth.
  Even the maple grove doesn't rival it in
  their affections."
[v05:c02:p0002] "I am afraid they love it
  too well," said Susan gloomily. "L
[... 15,858 characters elided ...]
d see me soon. Tell them the doughnut jar is
   always full."
[v05:c02:p0061] "Oh, at supper they were
  planning a descent on you. They'll go soon
  ; but they must settle down to school
  again now. And the twins are going to take
   music lessons."
[v05:c02:p0062] "Not from the Methodist
  minister's wife, I hope?" said Miss
  Cornelia anxiously.
[v05:c02:p0063] "No--from Rosemary West. I
  was up last evening to arrange it with her.
   What a pretty girl she is!"
[v05:c02:p0064] "Rosemary holds her own well.
   She isn't as young as she once was."

Report participants, location, and a beat
  summary for this passage.
```

Model output

```
{
  "participants": [
    "Anne Shirley",
    "Cornelia Bryant",
    "Susan"
  ],
  "location": null,
  "beat_summary": "Cornelia Bryant and Susan
   visit Anne to welcome her back and catch
  her up on the local news, particularly
  regarding the new minister, Mr. Meredith,
  and his motherless children. They discuss
  the minister's well-meaning but absent-
  minded nature, his unruly family, and
  various church gossip before Miss Cornelia
   takes her leave.",
  "summary_para_ids": [
    "v05:c02:p0007",
    "v05:c02:p0011",
    "v05:c02:p0023",
    "v05:c02:p0054"
  ],
  "confidence": 0.95
}
```

Infobox pass

Long-context pass for gender, age and origin (NarrativeWiki). Model `gemini-3.6-flash`; 93,403 input and 490 output tokens; run `anne@v2/20261005T070216-infobox-v1-5`.

Note on this log. The response departs from two rules of its prompt: the `GENDER` quote does not contain Anne's name, and the `AGE` entries give two values (11 and 13). The code does not enforce these two prompt rules; it applies the evidence gates of Section 4. Two values of one attribute from one volume go to arbitration, shown next.

System prompt

```
You are filling in the infobox of ONE named
  character's wiki page, from passages of a
  novel. The passages are every part of one
  volume where this character appears, in
  reading order. Extract ONLY these fields,
```

System prompt (continued)

```
  and only about the named character:

- GENDER
- AGE
- ORIGIN -- Where the character comes from:
  a birthplace, homeland, village or people.
   Never a job or a past occupation (that is
   OCCUPATION or BACKGROUND).

Rules:
- Each field needs a "para_id" copied
  EXACTLY from a bracketed label, and a "
  quote" copied VERBATIM from that single
  paragraph (no added quotation marks) that
  shows the value.
- GENDER: "female" or "male". The quote MUST
   contain both the character's name (or a
  listed alias) AND a gendered word
  referring to them -- e.g. "Lena shook her
  head", "Shin said, and he laughed". Pick
  such a sentence even if a vaguer one ("
  said the girl") appears earlier; a quote
  without the name is discarded, and a quote
   without a gendered word does not show
  gender. Never infer gender from a name
  alone.
- AGE: a number or range only when the text
  states it or states something that fixes
  it.
- ORIGIN: where the character was born or
  comes from (homeland, hometown). NOT where
   they currently live, work, trade or are
  visiting.
- If the passages do not support a field,
  leave it out. Omitting is correct;
  guessing is not.
- polarity is "asserted", or "presumed" when
   the text only reports a belief or a claim
   the passage marks as untrue or uncertain.
   confidence is 0.0-1.0.
- You may give up to 3 entries per field,
  each with a different quote, so that at
  least one meets the evidence requirements
  below. Every entry for a field must give
  the same value.

EVIDENCE REQUIREMENTS -- a fact that fails
  any of these is discarded:
- "quote" must be at least 6 words long. A
  shorter quote cannot support a fact on its
   own and is thrown away -- quote the whole
   clause, not two words of it.
- The character's own name or a known alias
  MUST occur in the cited paragraph or
  within 1 paragraph(s) before or after it
  in the supplied passage. Cite and quote
  the paragraph that actually states the
  fact, even when it uses a pronoun; do not
  substitute a nearby paragraph merely
  because it names them. The antec
[... 402 characters elided ...]
of" is a label, not a fact.
- For these relations the cited paragraph
  must name BOTH people (CHILD_OF, COMMANDS,
   KILLED, MENTOR_OF, PARENT_OF, RELATIVE_OF,
   ROMANTIC_WITH, SAVED, SERVES_UNDER,
  SIBLING_OF, SPOUSE_OF, STUDENT_OF), not
  just the subject.
```

System prompt (continued)

```
Respond with JSON only, shaped exactly like
  this:
{"facts": [
  {"predicate": "GENDER", "kind": "attribute
  ", "object": null, "value": "female", "
  qualifier": null, "para_id": "v01:c02:
  p0040", "quote": "She pulled her hood
  lower over her ears", "confidence": 0.95,
  "polarity": "asserted"}
]}

Return {"facts": []} if none of these fields
   is supported.
```

User prompt (input)

```
Character: "Anne Shirley" (aliases: Anne,
  Anne-girl, Mistress Blythe, Mrs. Blythe,
  Mrs. Doctor, Mrs. Doctor, dear, Mrs. Dr.
  dear, Queen Anne, the Anne-girl, young Mrs.
   Doctor)
Volume 1.
Other people/things named in these passages:
   Adella, Aid Society (also: Aid, Aids),
  Allan, American (also: Americans), Anne of
   Green Gables, Avenue (also: White Way,
  White Way of Delight), Avonlea (also: The
  Avonlea), Barry, Beechwood, Ben Hur,
  Bentley, Bertha Shirley, Billy Andrews (
  also: Billy, Billy Booth), Bingen, Birch
  Path, Blewett, Blythe, Bolingbroke, Bonny,
   Boston, Bright River, Camelot, Canada,
  Carmody, Carrie Sloane, Charlie Sloane (
  also: Goggle-eyes), Charlottetown, Chester
   Ross, Conservative (also: Conservatives,
  Tory), Cuthberts, Debating Club, Diana
  Barry (also: Di, Diana, Diana Wright),
  Dryad's Bubble (also: Bubble, Dryad),
  Edward Island, Elaine, Emily (also: the
  Fair Unknown), Entrance, Evans, Exhibition,
   Faith (also: Faith Meredith, Red Rose),
  Flora Jane, Frank Stockley, Geraldine,
  Gertie Pye (also: Gertie), Gilbert Blythe
  (also: Gil, Gilbert), God, Green Gables,
  Grit (also: Grits), Guinevere, Hammond,
  Harmon Andrews (also: Harmon), Haunted
  Wood (also: The Haunted Wood), Idlewild,
  Island, Jane Andrews (also: Jane), Jerry,
  Josephine Barry (also: Aunt Josephine,
  Miss Barry, Old Miss Barry), Josie Pye (
  also: Josie), Julia Bell, Lake of Shining
  Waters (also: Shining Waters), Lancelot,
  Lavendar Lewis (also: Lavendar, Lewis),
  Liberal, Lover (also: Lover's Lane),
  Marilla Cuthbert (also: Aunt Marilla,
  Cuthbert, Marilla, Miss Cuthbert), Martin,
   Mary Joe (also: Aunt Mary, Mary, Young
  Mary Joe), Marysville, Matthew Cuthbert (
  also: Matthew), Merry Christmas (also:
  Christmas), Minnie, Minnie Andrews, Minnie
   May, Moody Spurgeon MacPherson (also:
  Moody Spurgeon), New Brunswick, Newbri
[... 351,617 characters elided ...]
he," answered Anne, vexed to find herself
  blushing. "I met him on Barry's hill."
```

User prompt (input) (continued)

```
--- new passage, not continuous with the
  text above ---

[v01:c38:p0061] Anne sat long at her window
  that night companioned by a glad content.
  The wind purred softly in the cherry
  boughs, and the mint breaths came up to
  her. The stars twinkled over the pointed
  firs in the hollow and Diana's light
  gleamed through the old gap.

--- new passage, not continuous with the
  text above ---

[v01:c38:p0063] "'God's in his heaven, all's
   right with the world,'" whispered Anne
  softly.

Extract facts about "Anne Shirley" only.
```

Model output


```
{"facts": [
  {"predicate": "GENDER", "kind": "attribute
  ", "object": null, "value": "female", "
  qualifier": null, "para_id": "v01:c03:
  p0045", "quote": "With a sob she hastily
  discarded her garments, put on the skimpy
  nightgown and sprang into bed where she
  burrowed face downward into the pillow and
   pulled the clothes over her head.", "
  confidence": 1.0, "polarity": "asserted"},
  {"predicate": "AGE", "kind": "attribute",
  "object": null, "value": 11, "qualifier":
  null, "para_id": "v01:c05:p0011", "quote":
   ""I was eleven last March," said Anne,
  resigning herself to bald facts with a
  little sigh.", "confidence": 1.0, "
  polarity": "asserted"},
  {"predicate": "AGE", "kind": "attribute",
  "object": null, "value": 11, "qualifier":
  null, "para_id": "v01:c06:p0017", "quote":
   ""Anne Shirley," faltered the shrinking
  child, not daring to make any stipulations
   regarding the spelling thereof, "and I'm
  eleven years old."", "confidence": 1.0, "
  polarity": "asserted"},
  {"predicate": "AGE", "kind": "attribute",
  "object": null, "value": 13, "qualifier":
  null, "para_id": "v01:c26:p0004", "quote":
   ""Just think, Diana, I'm thirteen years
  old today," remarked Anne in an awed voice
  .", "confidence": 1.0, "polarity": "
  asserted"},
  {"predicate": "ORIGIN", "kind": "attribute
  ", "object": null, "value": "Bolingbroke,
  Nova Scotia", "qualifier": null, "para_id":
   "v01:c05:p0011", "quote": ""And I was
  born in Bolingbroke, Nova Scotia.", "
  confidence": 1.0, "polarity": "asserted"}
]}
```


Backstory pass

Long-context pass for background facts (NARRATIVEWIKI). Model `gemini-3.6-flash`; 135,267 input and 309 output tokens; run `anne@v2/20261005T070229-backstory-v1-5`.

System prompt

```
You are writing the background of ONE named
  character's wiki page, from passages of a
  novel. The passages are every part of one
  volume where this character appears, with
  nearby context, in reading order. Extract
  ONLY this kind of fact, and only about the
   named character:

- BACKGROUND -- A biographical fact, not a
  narrative. 'Orphaned in the First
  Offensive' -- the prose stage joins these.

What counts: the character's life BEFORE the
   story's present, or lasting facts about
  their past that the text reveals --
  upbringing, family, where they lived or
  grew up, earlier work, how they came to be
   where they are, a formative event. What
  does NOT count: things they do during the
  story's present, personality, appearance,
  or their current job.

Rules:
- "value" is a short phrase of at most 20
  words, not a sentence, in the PAST tense,
  describing something that happened or was
  true before the story's present: "raised
  in an almshouse attached to an abbey", "
  apprenticed to a relative at twelve". If
  it cannot be phrased that way, it is not
  backstory -- leave it out.
- Never return: an age; a current job, title,
   employer or backer; who they work with
  now; health complaints; where they are
  from, as a bare place name (a separate
  field covers that).
- The character's own first-person account
  of their past counts; so does another
  character or the narrator stating it as
  fact. A rumour, a boast or a guess is "
  presumed", not "asserted".
- Each fact needs a "para_id" copied EXACTLY
   from a bracketed label and a "quote"
  copied VERBATIM from that single paragraph
   (no added quotation marks).
- Give each distinct fact once, at most 8
  facts. Omitting is correct; guessing is
  not.

EVIDENCE REQUIREMENTS -- a fact that fails
  any of these is discarded:
- "quote" must be at least 6 words long. A
  shorter quote cannot support a fact on its
   own and is thrown away -- quote the whole
   clause, not two words of it.
- The character's own name or a known alias
  MUST occur in the cited paragraph or
  within 1 paragraph(s) before or after it
  in the supplied passage. Cite and quote
```

System prompt (continued)

```
  the paragraph that actually states the
  fact, even when it uses a pronoun; do not
  substitute a nearby paragraph merely
  because it names
[... 482 characters elided ...]
raph must name BOTH people (CHILD_OF,
  COMMANDS, KILLED, MENTOR_OF, PARENT_OF,
  RELATIVE_OF, ROMANTIC_WITH, SAVED,
  SERVES_UNDER, SIBLING_OF, SPOUSE_OF,
  STUDENT_OF), not just the subject.

Respond with JSON only, shaped exactly like
  this:
{"facts": [
  {"predicate": "BACKGROUND", "kind": "trait
  ", "object": null, "value": "set out on
  his own at eighteen", "qualifier": null, "
  para_id": "v01:c01:p0006", "quote": "This
  year made the seventh since he'd struck
  out on his own", "confidence": 0.9, "
  polarity": "asserted"}
]}

Return {"facts": []} if the passages reveal
  nothing about this character's past.
```

User prompt (input)

```
Character: "Marilla Cuthbert" (aliases: Aunt
   Marilla, Cuthbert, Marilla, Miss Cuthbert
  )
Volume 1.
Other people/things named in these passages:
   Adam, Adella, Aid Society (also: Aid,
  Aids), Alexander Spencer, Allan, Almighty,
   American (also: Americans), Anne Shirley
  (also: Anne, Anne-girl, Mistress Blythe,
  Mrs. Blythe, Mrs. Doctor, Mrs. Doctor,
  dear, Mrs. Dr. dear, Queen Anne, the Anne-
  girl, young Mrs. Doctor), Anne of Green
  Gables, Avenue (also: White Way, White Way
   of Delight), Avonlea (also: The Avonlea),
   Barry, Beechwood, Ben Hur, Bentley,
  Bertha Shirley, Bertram, Billy Andrews (
  also: Billy, Billy Booth), Bingen, Birch
  Path, Blewett, Blythe, Blythes (also: The
  Blythe), Bolingbroke, Bonny, Bright River,
   Camelot, Canada, Carmody, Carrie Sloane,
  Charlie Sloane (also: Goggle-eyes),
  Charlottetown, Chester Ross, Conservative
  (also: Conservatives, Tory), Cuthberts,
  Daniel, Debating Club, Diana Barry (also:
  Di, Diana, Diana Wright), Dryad's Bubble (
  also: Bubble, Dryad), Edward Island,
  Elaine, Emily (also: the Fair Unknown),
  England, Entrance, Europe, Evans,
  Exhibition, Faith (also: Faith Meredith,
  Red Rose), Flora Jane, Fourth, Frank
  Stockley, Geraldine, German, Germany,
  Gertie Pye (also: Gertie), Gilbert Blythe
  (also: Gil, Gilbert), God, Green Gables,
  Grit (also: Grits), Hammond, Harmon
  Andrews (also: Harmon), Harris, Haunted
  Wood (also: The Haunted Wood), Hopeton (
  also: Hopetown), Idlewild, Island, James A
   (also: James), Jane Andrews (also: Jane),
   Jerry, Josephine Barry (also: Aunt
```

User prompt (input) (continued)

```
  Josephine, Miss Barry, Old Miss Barry),
  Josie Pye (also: Josie), Julia Bell, Katie
   Maurice, Lake of Shining Waters (also:
  Shining Waters), Lauretta, Liberal, London,
   Lover (also: Lover's Lane), Lynde's
  Hollow, Marshall, Martin, Mary Joe (also:
  Aunt Mary, Mary, Young Mary Joe),
  Marysville, Matthew
[... 488,087 characters elided ...]
med through the old gap.
[v01:c38:p0062] Anne's horizons had closed
  in since the night she had sat there after
   coming home from Queen's; but if the path
   set before her feet was to be narrow she
  knew that flowers of quiet happiness would
   bloom along it. The joy of sincere work
  and worthy aspiration and congenial
  friendship were to be hers; nothing could
  rob her of her birthright of fancy or her
  ideal world of dreams. And there was
  always the bend in the road!
[v01:c38:p0063] "'God's in his heaven, all's
   right with the world,'" whispered Anne
  softly.

Extract facts about "Marilla Cuthbert" only.
```

Model output

```
{"facts": [
  {"predicate": "BACKGROUND", "kind": "trait
  ", "object": null, "value": "grown up when
   the new house was built", "qualifier":
  null, "para_id": "v01:c01:p0031", "quote":
   "Matthew and Marilla were grown up when
  the new house was built", "confidence":
  0.9, "polarity": "asserted"},
  {"predicate": "BACKGROUND", "kind": "trait
  ", "object": null, "value": "heard an aunt
   call her a dark, homely little thing", "
  qualifier": null, "para_id": "v01:c09:
  p0044", "quote": "She had been a very
  small child when she had heard one aunt
  say of her to another, "What a pity she is
   such a dark, homely little thing."", "
  confidence": 0.9, "polarity": "asserted"},
  {"predicate": "BACKGROUND", "kind": "trait
  ", "object": null, "value": "quarreled
  with John Blythe and refused to forgive
  him", "qualifier": null, "para_id": "v01:
  c37:p0040", "quote": "We had a quarrel. I
  wouldn't forgive him when he asked me to.",
   "confidence": 0.9, "polarity": "asserted"}

]}
```

Arbitration

Resolves a same-volume conflict between two values (NARRATIVEWIKI). Model `gemini-3.6-flash`; 258 input and 55 output tokens; run `anne@v2/20261005T070243-graph_build-v1-5`.

Handling of flagged conflicts. A `flag` resolution keeps the higher-confidence value provisionally (here 11), so the interval sequence has no gap, and records the conflict in the build's conflict report; the page is rendered from the provisional value.

System prompt

```
You are arbitrating a contradiction found in
   facts extracted about a character from a
  novel. Two facts were extracted from the
  SAME volume and disagree, which means one
  is an extraction error -- the source text
  does not actually contradict itself within
   one volume. You will be shown both facts
  and the exact passage each was drawn from.
   Decide which is correct, or whether both
  are legitimately true at once (e.g. two
  compatible phrasings of the same fact), or
   whether neither passage clearly supports
  a value (flag for human review). Base your
   decision only on the quoted evidence,
  never on outside knowledge of the series.
```

User prompt (input)

```
Character: anne-shirley
Attribute: AGE
Volume: 1

Fact A: value="11", confidence=1.00,
  evidence: "I was eleven last March," said
  Anne"
Fact B: value="13", confidence=0.99,
  evidence: "It's such a solemn thing to be
  almost fourteen, Marilla."; ""Just think,
  Diana, I'm thirteen years old today,"
  remarked Anne in an awed voice."

Which fact is correct? resolution must be
  one of keep_a, keep_b, keep_both, flag,
  plus a one-sentence rationale citing the
  evidence.
```

Model output

```
{
  "resolution": "flag",
  "rationale": "Fact A states Anne was
  eleven based on an earlier passage, while
  Fact B shows her turning thirteen later in
   the same volume, indicating a progression
   of time rather than a single static age."
}
```

Verification

Checks stored facts against their own cited evidence (NARRATIVEWIKI). Model `gemini-3.6-flash`; 2,833 input and 5 output tokens; run `anne@v2/20261005T053635-verify-upto5`. This run precedes the extraction runs shown above because those later runs replayed the call cache, producing the same claims, and the final verification run (`20261005T070323`) made no call: every fact of the final graph had a stored verdict, which is reused only while the fact's identity and cited evidence are unchanged.

Note on this log. The supplied definition of APPEARANCE is a canonicalization instruction, rather than a semantic definition of a character's physical features. Because the verifier is explicitly told to judge by that definition, this is a defect in the verification input, even though the exhibited claim is accepted. The example alone does not quantify the defect's impact.

System prompt

```
You are fact-checking one entry on a
  character's page on a wiki generated from
  a novel series. You will be shown a single
   fact extracted about this character,
  together with the exact quoted evidence it
   was extracted from. Three known failure
  patterns to watch for: (1) a fact that
  actually belongs to a DIFFERENT character
  whose name is similar or who appears in
  the same passage (two people conflated as
  one); (2) a relationship or membership
  claim the quoted evidence does not
  actually support (for example, evidence
  describing an enemy or a captor does not
  support "member of" or "friend of"); (3) a
   family relationship (parent/child/sibling
  /spouse/relative) whose "evidence" is
  really a boast, a joke, a false identity
  given to a stranger, or someone invoking a
   respected name for effect (e.g. "I'm X,
  son of the great Y" as bravado or name-
  dropping, not a literal claim of parentage
  ) -- treat this the same as pattern (2):
  the quoted line does not actually support
  the relationship. Judge the fact ONLY
  against its OWN quoted evidence: never
  reject it because it is surprising, or
  because you know the story from outside
  sources. Judge only the fact shown. The
  character may appear under any of the
  names listed after "also called": evidence
   about any of those names is evidence
  about this character, not about someone
  else. For a GENDER fact, a gendered
  pronoun or noun that clearly refers to the
   character ("she", "his", "the girl") is
  sufficient evidence. Nearby paragraphs,
  when supplied, are context for the quote,
```

System prompt (continued)

```
not additional cited evidence. Use them to
 distinguish literal statements from
banter, figurative kinship, and false
identities. Base your judgement solely on
the supplied quote and context. When the
fact comes with a definition of its label,
 judge it by that definition: the evidence
 must show that specific relationship or
quality (a friendship, a mentorship, a
membership), not merely a meeting, a
business dealing, a single helpful act,
being in the same scene, or being paid by
someone. The description in parentheses
must be supported too; if the label holds
but the description does not, the fact is
not supported.
```

User prompt (input)

```
Character: Anne Shirley (also called: Anne,
  Anne-girl, the Anne-girl, Queen Anne,
  Mistress Blythe, young Mrs. Doctor, Mrs.
  Doctor, dear, Mrs. Doctor)

Fact: APPEARANCE = "little pale face with
  seven freckles on the nose" -- evidence: [
  v02:c27:p0041] "When she looked in the
  glass all she saw was a little pale face
  with seven freckles on the nose thereof.";
   [v02:c20:p0017] "There were those seven
  freckles on her nose, more rampant than
  ever, or so it seemed in the glare of
  light from the unshaded window."
Definition of APPEARANCE: subsume (Phase 22
  A2): drop a value that is redundant next
  to a longer sibling ('hair' next to 'long
  brown hair') or a bare single-word noun
  standing alone -- see graph/canonicalize.
  py::subsume_values. Deterministic, no
  embed call.

Nearby paragraph context (interpretation
  only, not additional citations):
[v02:c27:p0037] Anne and Charlotta the
  Fourth accordingly betook themselves back
  to Mr. Kimball's pasture, a green remote
  place where the air was as soft as velvet
  and fragrant as a bed of violets and
  golden as amber.
[v02:c27:p0038] "Oh, isn't it sweet and
  fresh back here?" breathed Anne. "I just
  feel as if I were drinking in the sunshine
  ."
[v02:c27:p0039] "Yes, ma'am, so do I. That's
   just exactly how I feel too, ma'am,"
  agreed Charlotta the Fourth, who would
  have said precisely the same thing if Anne
   had remarked that she felt like a pelican
   of the wilderness. Always after Anne had
  visited Echo Lodge Charlotta the Fourth
  mounted to her little room over the
  kitchen and tried before her looking glass
   to speak and look and move like Anne.
  Charlotta could never flatter herself that
   she quite succeeded; but practice makes
  perfect, as Charlotta had learned at
  school, and she fondly hoped that in time
```

User prompt (input) (continued)

```
  she might catch the trick of that dainty
  uplift
[... 6,974 characters elided ...]
d with a veritable halo of feathers. At this
   auspicious moment a knock sounded at the
  kitchen door.
[v02:c20:p0021] "That must be Mr. Shearer,"
  thought Anne. "I'm in a dreadful mess but
  I'll have to run down as I am, for he's
  always in a hurry."

Does the quoted evidence actually support
  this fact? If it does not, give a one-
  sentence rationale citing what the
  evidence actually shows.

Respond with JSON only, shaped exactly like
  this:
{"supported": false, "rationale": "The quote
   shows Shin hiring the man, not being
  related to him."}

Return {"supported": true} if the evidence
  supports the fact.
```

Model output

```
{"supported": true}
```

Page prose: physical appearance

Writes a physical description from the cutoff-filtered claims (NARRATIVEWIKI). Model `gemini-3.6-flash`; 1,045 input and 174 output tokens; run `anne@v2/20261005T070347-synthesize-upto5`.

This logged prompt requests 3–4 sentences, while the intended character-page template specifies 2–4. The four-sentence response satisfies both; the prompts express different minimum lengths.

System prompt

```
You are writing a physical description of a
  character from a novel, for a wiki page a
  reader is viewing at one specific point in
   the story. You are given ONLY the
  attributes extracted so far, each with the
   exact passage it came from. Write 3-4
  sentences, third person, encyclopedic tone,
   no meta-commentary. Do not mention any
  name, number, place, relationship or event
   that is not stated in the facts you were
  given -- the reader has not read past this
   point in the story, and a detail you add
  or infer from outside knowledge of the
  series would spoil it. If the facts
  describe a change over time, you may
  mention that in passing, but never state
  or imply what happens after the given
  facts.

Every line you are given starts with a key
  such as [F1] or [S2]. In "cited", list the
```

System prompt (continued)

```
   keys of the lines your text actually
  rests on, and no others.

Respond with JSON only: {"text": "...", "
  cited": ["F1"]}
```

User prompt (input)

```
Character: Anne Shirley
As known through Volume 1.

[F1] Appearance: solemn gray eyes (since v1)
   -- "Her pointed freckled face and solemn
  gray eyes peered back at her."
[F2] Appearance: long red braids (since v1)
  -- "now Anne, with a toss of her long red
  braids, spelled him down"; "Gilbert
  reached across the aisle, picked up the
  end of Anne's long red braid, held it out
  at arm's length and said in a piercing
  whisper"; "Gilbert reached across the
  aisle, picked up the end of Anne's long
  red braid"
[F3] Appearance: auburn hair (since v1) -- "
  people are nice enough to tell me my hair
  is auburn now--all but Josie Pye."
[F4] Appearance: red hair (since v1) -- "
  Redheaded people can't wear pink, not even
   in imagination."; ""You'd find it easier
  to be bad than good if you had red hair,"
  said Anne reproachfully."; "It's bad
  enough to have red hair myself, but I
  positively couldn't endure it in a bosom
  friend."; "My hair is red and I'm freckled
   and skinny and ugly."; "She should look
  at him, that red-haired Shirley girl with
  the little pointed chin and the big eyes
  that weren't like the eyes of any other
  girl in Avonlea school."; "I'm perfectly
  happy--yes, in spite of my red hair."; "A
  minister mightn't mind my red hair because
   he wouldn't be thinking of such worldly
  things."; "Josie says she thinks a red-
  haired fairy is just as ridiculous as a
  fat one"; "I thought nothing could be as
  bad as red hair."; "You'd find it easier
  to be bad than good if you had red hair,"
  said Anne reproachfully. "People who haven
  't red hair don't know what trouble is.
  Mrs. Thomas told me that God made my hair
  red on purpose"; "Who is that girl on the
  platform with the splendid Titian hair?"
[F5] Appearance: thin legs (since v1) -- "
  below which her thin legs seemed
  ungracefully long."
[F6] Appearance: sho
[... 776 characters elided ...]
oroughly and it had been necessary to
  shingle the hair as closely as possible."
[F11] Appearance: cheeks faintly flushed
  with pink (since v1) -- "A series of
  staccato taps on the west window brought
  Anne flying in from the yard, eyes shining,
   cheeks faintly flushed with pink,
  unbraided hair streaming behind her in a
  torrent of brightness."
[F12] Appearance: pale, big-eyed style (
```

User prompt (input) (continued)

```
  since v1) -- "She's a real pretty girl got
   to be, though I can't say I'm overly
  partial to that pale, big-eyed style
  myself."
[F13] Appearance: taller than Miss Barry (
  since v1) -- "You're taller than I am, I
  declare."
```

Model output

```
{"text": "Anne is a skinny girl with a
  pointed freckled face, a little pointed
  chin, and solemn, big gray eyes. She has
  red hair that she wears in long braids,
  which Streams behind her in a bright
  torrent when unbraided, though some
  consider it auburn or Titian. At various
  points, her hair is dyed green, closely
  shingled, and eventually grows back into
  short, silky curls. She has ungracefully
  long, thin legs, stands taller than Miss
  Barry, and displays a pale style with
  cheeks that flush faintly pink.", "cited":
   ["F1", "F2", "F3", "F4", "F5", "F6", "F7",
   "F8", "F9", "F10", "F11", "F12", "F13"]}
```

Codex summary

Writes the one-sentence summary of a shared codex entry (NARRATIVEWIKI). Model `gemini-3.6-flash`; 1,974 input and 69 output tokens; run `anne@v2/20261005T070527-site_build-upto5`.

Paragraph-ID normalization. The prompt requests input-line keys such as `W1`, but the response returns `v01:c27:p0000`, a paragraph ID. The parser normalizes returned paragraph IDs during citation resolution, handling this departure from the requested format. The excerpt elides the input lines; the complete call is in the released log. Normalization maps an identifier to a paragraph; it does not check that the paragraph supports the sentence.

System prompt

```
You are writing a short encyclopedia
  definition of a faction or organization
  from a novel, for a wiki page a reader is
  viewing at one specific point in the story.
   You are given ONLY the passages that
  mention it so far. Write exactly 1
  sentence, third person, encyclopedic tone,
   no meta-commentary. Do not mention any
  name, number, place or event that is not
  stated in the passages you were given --
  the reader has not read past this point in
   the story.

Every line you are given starts with a key
  such as [F1] or [S2]. In "cited", list the
   keys of the lines your text actually
```

System prompt (continued)

```
  rests on, and no others.

Respond with JSON only: {"text": "...", "
  cited": ["W1"]}
```

User prompt (input)

```
Faction: Aid Society
As known through Volume 1.

[W1] [v01:c26:p0023] "But we're so careful
  to put a moral into them all, Marilla,"
  explained Anne. "I insist upon that. All
  the good people are rewarded and all the
  bad ones are suitably punished. I'm sure
  that must have a wholesome effect. The
  moral is the great thing. Mr. Allan says
  so. I read one of my stories to him and
  Mrs. Allan and they both agreed that the
  moral was excellent. Only they laughed in
  the wrong places. I like it better when
  people cry. Jane and Ruby almost always
  cry when I come to the pathetic parts.
  Diana wrote her Aunt Josephine about our
  club and her Aunt Josephine wrote back
  that we were to send her some of our
  stories. So we copied out four of our very
   best and sent them. Miss Josephine Barry
  wrote back that she had never read
  anything so amusing in her life. That kind
   of puzzled us because the stories were
  all very pathetic and almost everybody
  died. But I'm glad Miss Barry liked them.
  It shows our club is doing some good in
  the world. Mrs. Allan says that ought to
  be our object in everything. I do really
  try to make it my object but I forget so
  often when I'm having fun. I hope I shall
  be a little like Mrs. Allan when I grow up.
   Do you think there is any prospect of it,
   Marilla?"
[v01:c26:p0024] "I shouldn't say there was a
   great deal" was Marilla's encouraging
  answer. "I'm sure Mrs. Allan was never
  such a silly, forgetful little girl as you
   are."
[v01:c26:p0025] "No; but she wasn't always
  so good as she is now either," said Anne
  seriously. "She told me so herself--that
  is, she said she was a dreadful mischief
  when she was a girl and was always getting
   into scrapes. I felt so encouraged when I
   heard that. Is it very wicked of me,
  Marilla, to feel encouraged when I hear
  that other people have be
[... 4,833 characters elided ...]
But I'm bringing her up, not you."
[v01:c27:p0006] It was dark when supper was
  ready, and still no sign of Anne, coming
  hurriedly over the log bridge or up Lover'
  s Lane, breathless and repentant with a
  sense of neglected duties. Marilla washed
  and put away the dishes grimly. Then,
  wanting a candle to light her way down the
   cellar, she went up to the east gable for
   the one that generally stood on Anne's
  table. Lighting it, she turned around to
```

User prompt (input) (continued)

```
  see Anne herself lying on the bed, face
  downward among the pillows.
[v01:c27:p0007] "Mercy on us," said
  astonished Marilla, "have you been asleep,
   Anne?"
```

Model output

```
{"text": "The Aid Society, also known as the
   Aids, is a community organization whose
  members assemble at regular meetings to
  attend to church affairs, such as
  providing a new carpet for the vestry room,
   and manage charitable initiatives like
  their missionary box.", "cited": ["v01:c27:
  p0000"]}
```

B1 page

Long-context baseline: one character page from the whole prefix. Model `gemini-3.6-flash`; 559,824 input and 5,688 output tokens; run `anne@b1/20261001T043209-baseline-b1-v4`.

System prompt

```
You write one character's page for a spoiler-
  safe wiki of a novel series. The reader
  has
read up to a stated volume and nothing later.


Return JSON with these keys (omit or leave
  empty what the passages do not support):
- age, gender, status, rank, origin,
  occupation: {"text": short value, "
  evidence": [paragraph ids]}
- titles, nicknames: lists of {"text", "
  evidence"}
- appearance: {"text": 2-4 sentences, "
  evidence": [...]}
- personality: {"text": 2-6 sentences, "
  evidence": [...]}
- traits (personality traits and fears),
  abilities (skills), goals (motivations),
  background (facts about the character's
  past): lists of {"text": one short phrase,
   "evidence": [...]}
- history: {"text": 3-12 sentences, a
  biography of what the character did and
  experienced, "evidence": [...]}
- quotes: up to 5 of {"text": the character'
  s own words copied exactly, "para_id": id}
- affiliations: list of {"name": group, "
  role": short, "evidence": [...]}
- relationships: list of {"name": another
  character, "predicate": one of PARENT_OF,
  CHILD_OF, SIBLING_OF, RELATIVE_OF,
  SPOUSE_OF, ROMANTIC_WITH, FRIEND_OF,
  RIVAL_OF, ENEMY_OF, MENTOR_OF, STUDENT_OF,
   COMMANDS, SERVES_UNDER, COMRADE_OF, "note
  ": short, "evidence": [...]}

Rules:
```

System prompt (continued)

```
- Use only the passages given. Every item
  cites the ids of the paragraphs that
  support it, copied
  exactly as they appear in brackets, e.g.
  v01:c06:p0003.
- State nothing a reader of the stated
  volumes could not know.
- Write in the third person, in plain
  encyclopaedic English. JSON only.
```

User prompt (input)

```
Passages from a novel series, volumes 1-4 (
  the reader has read exactly these volumes):


[v01:c01:p0000] MRS. Rachel Lynde lived just
   where the Avonlea main road dipped down
  into a little hollow, fringed with alders
  and ladies' eardrops and traversed by a
  brook that had its source away back in the
   woods of the old Cuthbert place; it was
  reputed to be an intricate, headlong brook
   in its earlier course through those woods,
   with dark secrets of pool and cascade;
  but by the time it reached Lynde's Hollow
  it was a quiet, well-conducted little
  stream, for not even a brook could run
  past Mrs. Rachel Lynde's door without due
  regard for decency and decorum; it
  probably was conscious that Mrs. Rachel
  was sitting at her window, keeping a sharp
   eye on everything that passed, from
  brooks and children up, and that if she
  noticed anything odd or out of place she
  would never rest until she had ferreted
  out the whys and wherefores thereof.
[v01:c01:p0001] There are plenty of people,
  in Avonlea and out of it, who can attend
  closely to their neighbors' business by
  dint of neglecting their own; but Mrs.
  Rachel Lynde was one of those capable
  creatures who can manage their own
  concerns and those of other folks into the
   bargain. She was a notable housewife; her
   work was always done and well done; she "
  ran" the Sewing Circle, helped run the
  Sunday-school, and was the strongest prop
  of the Church Aid Society and Foreign
  Missions Auxiliary. Yet with all this Mrs.
   Rachel found abundant time to sit for
  hours at her kitchen window, knitting "
  cotton warp" quilts--she had knitted
  sixteen of them, as Avonlea housekeepers
  were wont to tell in awed voices--and
  keeping a sharp eye on the main road that
  crossed the hollow and wound up the steep
  red hill beyond. Since Avonlea occupied a
  little triangular peni
[... 1,993,961 characters elided ...]
ves would still call from the red rock-coves.

[v04:c40:p0062] "But we will be gone," said
  Anne through her tears.
[v04:c40:p0063] She went out, closing and
  locking the door behind her. Gilbert was
  waiting for her with a smile. The
```

User prompt (input) (continued)

```
  lighthouse star was gleaming northward.
  The little garden, where only marigolds
  still bloomed, was already hooding itself
  in shadows.
[v04:c40:p0064] Anne knelt down and kissed
  the worn old step which she had crossed as
   a bride.
[v04:c40:p0065] "Good-bye, dear little house
   of dreams," she said.

Write the page for the character "Anne
  Shirley" as known after volume 4.
```

Model output


```
{
  "age": {
    "text": "21 years old (turned 20 in
  March before starting her final year at
  Redmond, and turned 21 during her final
  year)",
    "evidence": [
      "v03:c01:p0000",
      "v03:c01:p0016",
      "v03:c19:p0000",
      "v03:c30:p0006"
    ]
  },
  "gender": {
    "text": "Female",
    "evidence": [
      "v01:c01:p0029",
      "v01:c03:p0019"
    ]
  },
  "status": {
    "text": "Married",
    "evidence": [
      "v04:c04:p0015",
      "v04:c05:p0008"
    ]
  },
  "rank": null,
  "origin": {
    "text": "Bolingbroke, Nova Scotia",
    "evidence": [
      "v01:c05:p0011",
      "v02:c04:p0034"
    ]
  },
  "occupation": {
    "text": "Housewife, former schoolteacher,
   and writer",
    "evidence": [
      "v02:c01:p0002",
      "v02:c06:p0003",
      "v03:c36:p0003",
      "v04:c05:p0008"
    ]
  },
  "titles": [
    {
      "text": "B.A. (Bachelor of Arts)",
      "evidence": [
        "v03:c34:p0027",
        "v03:c37:p0031"
      ]
```

Model output (continued)

```
    },
    {
      "text": "Teacher",
      "evidence": [
        "v02:c05:p0020",
        "v02:c15:p0004"
      ]
    }
  ],
  "nicknames": [
    {
      "text": "Cordelia",
      "evidence": [
        "v01:c03:p0015",
        "v01:c08:p0054"
      ]
    },
    {
      "text": "Anne of Green Gables",
      "evidence": [
        "v01:c08:p0056",
        "v01:c19:p0079"
      ]
    },
    {
      "text": "Carrots",
      "evidence": [
        "v01:c15:p0034",
        "v01:c15:p0041"
      ]
    },
    {
      "text": "Queen Anne",
      "evidence": [
        "v03:c05:p0006",
        "v03:c06:p0006"
      ]
    }
  ],
  "appearance": {
    "text": "Anne is a tall, slender woman
  with a milk-white, freckled complexion,
  luminous gray eyes that appear green in
  some lights, and thick hair that darkened
  from plain red in her youth to a
[... 11,273 characters elided ...]
ed spirit",
      "evidence": [
        "v02:c05:p0008",
        "v02:c11:p0038",
        "v04:c03:p0032"
      ]
    },
    {
      "name": "James Matthew Blythe",
      "predicate": "PARENT_OF",
      "note": "Son",
      "evidence": [
        "v04:c34:p0006",
        "v04:c34:p0021"
      ]
    },
    {
      "name": "Joyce Blythe",
      "predicate": "PARENT_OF",
      "note": "Deceased infant daughter",
      "evidence": [
        "v04:c19:p0010",
        "v04:c19:p0021"
      ]
    }
  ]
}
```

B2 page

Prefix-retrieval baseline: one character page from retrieved passages. Model `gemini-3.6-flash`; 24,083 input and 2,477 output tokens; run `anne@b2/20261002T095544-baseline-b2-v1`.

System prompt

```
You write one character's page for a spoiler-
  safe wiki of a novel series. The reader
  has
read up to a stated volume and nothing later.


Return JSON with these keys (omit or leave
  empty what the passages do not support):
- age, gender, status, rank, origin,
  occupation: {"text": short value, "
  evidence": [paragraph ids]}
- titles, nicknames: lists of {"text", "
  evidence"}
- appearance: {"text": 2-4 sentences, "
  evidence": [...]}
- personality: {"text": 2-6 sentences, "
  evidence": [...]}
- traits (personality traits and fears),
  abilities (skills), goals (motivations),
  background (facts about the character's
  past): lists of {"text": one short phrase,
   "evidence": [...]}
- history: {"text": 3-12 sentences, a
  biography of what the character did and
  experienced, "evidence": [...]}
- quotes: up to 5 of {"text": the character'
  s own words copied exactly, "para_id": id}
- affiliations: list of {"name": group, "
  role": short, "evidence": [...]}
- relationships: list of {"name": another
  character, "predicate": one of PARENT_OF,
  CHILD_OF, SIBLING_OF, RELATIVE_OF,
  SPOUSE_OF, ROMANTIC_WITH, FRIEND_OF,
  RIVAL_OF, ENEMY_OF, MENTOR_OF, STUDENT_OF,
   COMMANDS, SERVES_UNDER, COMRADE_OF, "note
  ": short, "evidence": [...]}

Rules:
- Use only the passages given. Every item
  cites the ids of the paragraphs that
  support it, copied
  exactly as they appear in brackets, e.g.
  v01:c06:p0003.
- State nothing a reader of the stated
  volumes could not know.
- Write in the third person, in plain
  encyclopaedic English. JSON only.
```

User prompt (input)

```
Passages from a novel series, volumes 1-1 (
  the reader has read exactly these volumes):


[v01:c01:p0002] She was sitting there one
  afternoon in early June. The sun was
  coming in at the window warm and bright;
  the orchard on the slope below the house
  was in a bridal flush of pinky-white bloom,
   hummed over by a myriad of bees. Thomas
  Lynde--a meek little man whom Avonlea
  people called "Rachel Lynde's husband"--
  was sowing his late turnip seed on the
  hill field beyond the barn; and Matthew
  Cuthbert ought to have been sowing his on
  the big red brook field away over by Green
   Gables. Mrs. Rachel knew that he ought
  because she had heard him tell Peter
  Morrison the evening before in William J.
  Blair's store over at Carmody that he
  meant to sow his turnip seed the next
  afternoon. Peter had asked him, of course,
   for Matthew Cuthbert had never been known
   to volunteer information about anything
  in his whole life.
[v01:c01:p0003] And yet here was Matthew
  Cuthbert, at half-past three on the
  afternoon of a busy day, placidly driving
  over the hollow and up the hill; moreover,
   he wore a white collar and his best suit
  of clothes, which was plain proof that he
  was going out of Avonlea; and he had the
  buggy and the sorrel mare, which betokened
   that he was going a considerable distance.
   Now, where was Matthew Cuthbert going and
   why was he going there?
[v01:c01:p0005] "I'll just step over to
  Green Gables after tea and find out from
  Marilla where he's gone and why," the
  worthy woman finally concluded. "He doesn'
  t generally go to town this time of year
  and he never visits; if he'd run out of
  turnip seed he wouldn't dress up and take
  the buggy to go for more; he wasn't
  driving fast enough to be going for a
  doctor. Yet something must have happened
  since last night to start him off. I'm
  clean puzzled
[... 82,377 characters elided ...]
like a deer, and disappeared in the firry
  shadows of the Haunted Wood. Mrs. Lynde
  looked after her indulgently.
[v01:c38:p0043] "There's a good deal of the
  child about her yet in some ways."
[v01:c38:p0044] "There's a good deal more of
   the woman about her in others," retorted
  Marilla, with a momentary return of her
  old crispness.
[v01:c38:p0045] But crispness was no longer
  Marilla's distinguishing characteristic.
  As Mrs. Lynde told her Thomas that night.
[v01:c38:p0046] "Marilla Cuthbert has got
  mellow. That's what."

Write the page for the character "Marilla
  Cuthbert" as known after volume 1.
```

Model output


```
{
  "age": null,
  "gender": {
    "text": "Female",
    "evidence": [
      "v01:c01:p0013"
    ]
  },
  "status": null,
  "rank": null,
  "origin": null,
  "occupation": {
    "text": "Homemaker and farmer",
    "evidence": [
      "v01:c01:p0009",
      "v01:c06:p0036",
      "v01:c14:p0018"
    ]
  },
  "titles": [
    {
      "text": "Miss Cuthbert",
      "evidence": [
        "v01:c06:p0004",
        "v01:c08:p0011"
      ]
    }
  ],
  "nicknames": [],
  "appearance": {
    "text": "Marilla is a tall, thin woman
  with angular lines and no soft curves. Her
   dark hair, which exhibits some gray
  streaks, is twisted up in a tight knot
  secured aggressively by two wire hairpins.
   She possesses a mouth that suggests a
  hidden sense of humor, though it remains
  largely undeveloped. As she ages, her hair
   grows grayer, but she retains a gaunt
  frame and angular stature, with her face
  softening in expression over time.",
    "evidence": [
      "v01:c01:p0013",
      "v01:c33:p0015"
    ]
  },
  "personality": {
    "text": "Marilla is a woman of narrow
  experience, rigid conscience, and firm,
  unsentimental principles who prefers
  practical duty over imagination. She is
  neat, precise, and highly disciplined,
  maintaining an exceptionally clean home
  and yard. Though initially strict, stern,
  and undemonstrative, she possesses a deep
  capacity for love and grows deeply
  attached to Anne. Over time, her hard
  exterior mellows, revealing a soft and
  compassionate heart despite her struggle
  to express affection openly.",
    "evidence": [
      "v01:c01:p0008",
      "v01:c01:p0009",
      "v01:c01:p0013",
      "v01:c05:p0021",
      "v01:c06:p0019",
      "v01:c08:p0013",
```

Model output (continued)

```
      "v01:c08:p0017",
      "v01:c30:p0003",
      "v01:c33:p0015",
      "v01:c38:p0046"
    ]
  },
  "traits": [

[... 4,359 characters elided ...]
01:c01:p0006"
      ]
    },
    {
      "name": "Anne Shirley",
      "predicate": "PARENT_OF",
      "note": "Adoptive guardian who raises
  her at Green Gables",
      "evidence": [
        "v01:c06:p0031",
        "v01:c06:p0037",
        "v01:c08:p0007",
        "v01:c19:p0089"
      ]
    },
    {
      "name": "Rachel Lynde",
      "predicate": "FRIEND_OF",
      "note": "Longtime neighbor and friend
  despite their differences",
      "evidence": [
        "v01:c01:p0012"
      ]
    }
  ]
}
```

B3 index (LightRAG)

LightRAG's own entity and relation extraction while building its index. Model `gemini-3.6-flash`; 3,243 input and 1,022 output tokens; run `anne@b3/20260929T225346-baseline-b3-v5`.

System prompt

```
---Role---
You are a Knowledge Graph Specialist
  responsible for extracting entities and
  relationships from the `---Input Text---`
  section of user prompt.

---Instructions---
1. **Entity Extraction:**
  - Identify clearly defined and meaningful
  entities only in the current user prompt's
   fenced `---Input Text---` section.
  - For each entity, extract:
    - `entity_name`: The name of the entity.
   If the entity name is case-insensitive,
  capitalize the first letter of each
  significant word (title case). Ensure **
  consistent naming** across the entire
  extraction process.
    - `entity_type`: Categorize the entity
  using the type guidance provided in the
```

System prompt (continued)

```
  `---Entity Types---` section below. If
  none of the provided entity types apply,
  classify it as `Other`.
    - `entity_description`: Provide a
  concise yet comprehensive description of
  the entity's attributes and activities,
  based *solely* on the information present
  in the input text.

2. **Relationship Extraction:**
  - Identify direct, clearly stated, and
  meaningful relationships between
  previously extracted entities.
  - If a single statement describes a
  relationship involving more than two
  entities, decompose it into multiple
  binary relationships.
  - For each binary relationship, extract:
    - `source_entity`: The name of the
  source entity. Ensure **consistent naming
  ** with entity extraction. Capitalize the
  first letter of each significant word (
  title case) if the name is case-
  insensitive.
    - `target_entity`: The name of the
  target entity. Ensure **consistent naming
  ** with entity extraction. Capitalize the
  first letter of each significant word (
  title case) if the name is case-
  insensitive.
    - `relationship_keywords`: One or more
  high-level keywords summarizing the
  relationship. Multiple keywords within
  this field must be separated by a comma
  `,`. **DO NOT use `<|#|>` for separating
  multiple keywords within this field.**
    - `relationship_description`: A concise
  explanation of the nature of the
  relationship between the source and target
   entities.

3. **Record Types:**
  - `entity` is used only for entity rows
  and those rows always contain exactly 4
  tuple parts total.
  - `relation` is used only for relationship
[... 4,217 characters elided ...]
: Quantitative or structured information (
  statistics, datasets, measurements)
- Artifact: Physical or digital objects
  created by humans (tools, software,
  devices)
- NaturalObject: Natural non-living objects
  (minerals, celestial bodies, chemical
  compounds)

---Output Format Template---
The following content is an output format
  template only. It is not source text and
  must never be used as extraction content.

entity<|#|><entity_name><|#|><entity_type
  ><|#|><entity_description>
relation<|#|><source_entity><|#|><
  target_entity><|#|><relationship_keywords
  ><|#|><relationship_description>
<|COMPLETE|>
```

User prompt (input)

```
---Task---
Extract entities and relationships from the
  `---Input Text---` section below.

---Instructions---
1. **Strict Adherence to Format:** Strictly
  adhere to all format requirements for
  entity and relationship lists, including
  output order, field delimiters, and proper
   noun handling, as specified in the system
   prompt.
2. **Quantity Limits:** In this response,
  output at most 100 total rows and at most
  40 entity rows. Output fewer rows if fewer
   high-value items are present. Only output
   relationship rows whose source and target
   entities are both included in this
  response.
3. **Output Content Only:** Output *only*
  the extracted list of entities and
  relationships. Do not include any
  introductory or concluding remarks,
  explanations, or additional text before or
   after the list.
4. **Completion Signal:** Output `<|COMPLETE
  |>` as the final line after all relevant
  entities and relationships have been
  extracted and presented. If the row limit
  is reached, output `<|COMPLETE|>`
  immediately after the last allowed row.
5. **Output Language:** Ensure the output
  language is English. Proper nouns (e.g.,
  personal names, place names, organization
  names) must be kept in their original
  language and not translated.

---Input Text---
```
[v05:c02:p0000] "Where are the other
  children?" asked Miss Cornelia, when the
  first greetings--cordial on her side,
  rapturous on Anne's, and dignified on
  Susan's--were over.
[v05:c02:p0001] "Shirley is in bed and Jem
  and Walter and the twins are down in their
   beloved Rainbow Valley," said Anne. "They
   just came home this afternoon, you know,
  and they could hardly wait until supper
  was over before rushing down to the valley.
   They love it above every spot on earth.
  Even the maple grove doesn't rival it in
  their affections."
[v05:c02:p0002] "I am afraid they lo
[... 3,392 characters elided ...]
d about the worst candidating text there is
  in the Bible--'Curse ye Meroz.'"
[v05:c02:p0020] "Whenever he got stuck for
  an idea, he would bang the Bible and shout
   very bitterly, 'Curse ye Meroz.' Poor
  Meroz got thoroughly cursed that day,
  whoever he was, Mrs. Dr. dear," said Susan.

[v05:c02:p0021] "The minister who is
  candidating can't be too careful what text
   he chooses," said Miss Cornelia solemnly.
   "I believe Mr. Pierson would have got the
   call if he had picked a different text.
```

**User prompt (input) (continued)**

```
  But when he announced 'I will lift my eyes
   to the hills' he was done for. Every one
  grinned, for
```
```

---Output---
```

**Model output**

```
entity<|#|>Miss Cornelia<|#|>Person<|#|>A
  resident of Glen St. Mary who visits Anne
  and provides news about the local church
  and new minister candidates.
entity<|#|>Anne<|#|>Person<|#|>Also referred
   to as Mrs. Dr. dear, she is the mother of
   Shirley, Jem, Walter, and the twins, and
  has recently returned home.
entity<|#|>Susan<|#|>Person<|#|>A member of
  Anne's household who frequently speaks in
  tandem with Miss Cornelia, addressing Anne
   as "Mrs. Dr. dear."
entity<|#|>Shirley<|#|>Person<|#|>One of
  Anne's children, who is in bed after
  returning home.
entity<|#|>Jem<|#|>Person<|#|>Also known as
  Little Jem, one of Anne's children who
  loves Rainbow Valley and is doted on by
  Marilla.
entity<|#|>Walter<|#|>Person<|#|>One of Anne
  's children who enjoys spending time in
  Rainbow Valley.
entity<|#|>Rainbow Valley<|#|>Location<|#|>A
   beloved valley near the home of Anne's
  family that the children adore visiting.
entity<|#|>Avonlea<|#|>Location<|#|>The
  place where the children recently visited
  Marilla.
entity<|#|>Marilla Cuthbert<|#|>Person<|#|>
  An eighty-five-year-old lady, also called
  Miss Cuthbert, living in Avonlea who
  spoils Anne's children, especially Jem.
entity<|#|>Glen St. Mary<|#|>Location<|#|>
  The village where Miss Cornelia and Susan
  live, home to the local church.
entity<|#|>Glen St. Mary Church<|#|>
  Organization<|#|>The local church in Glen
  St. Mary that recently called a new
  minister.
entity<|#|>John Knox Meredith<|#|>Person
  <|#|>The newly settled minister at Glen St.
   Mary church, described as learned,
  spiritual, comely, and absent-minded.
entity<|#|>Mr. Folsom<|#|>Person<|#|>A
  minister candidate for Glen St. Mary
  church who was rejected for being too dark
   and sleek.
entity<|#|>Mr. Rogers<|#|>Person<|#|>A
  minister candidate whose sermon was
  disrupted by a stray sheep entering
[... 1,112 characters elided ...]
illa lives in Avonlea where the children
  visited her.
relation<|#|>John Knox Meredith<|#|>Glen St.
   Mary Church<|#|>employment, leadership
  <|#|>John Knox Meredith was called as the
  new minister for the Glen St. Mary church.
```
```

Model output (continued)

```
relation<|#|>Miss Cornelia<|#|>Glen St. Mary
  <|#|>residence<|#|>Miss Cornelia resides
  in Glen St. Mary and attends its church.
relation<|#|>Caleb Ramsay<|#|>Mr. Rogers
  <|#|>disruption<|#|>Caleb Ramsay's stray
  sheep interrupted Mr. Rogers's candidate
  sermon at church.
<|COMPLETE|>
```

B3 page

LightRAG baseline: one character page from LightRAG context. Model `gemini-3.6-flash`; 17,438 input and 2,191 output tokens; run `anne@b3/20261001T142328-baseline-b3-v5`.

System prompt

```
You write one character's page for a spoiler-
  safe wiki of a novel series. The reader
  has
read up to a stated volume and nothing later.


Return JSON with these keys (omit or leave
  empty what the passages do not support):
- age, gender, status, rank, origin,
  occupation: {"text": short value, "
  evidence": [paragraph ids]}
- titles, nicknames: lists of {"text", "
  evidence"}
- appearance: {"text": 2-4 sentences, "
  evidence": [...]}
- personality: {"text": 2-6 sentences, "
  evidence": [...]}
- traits (personality traits and fears),
  abilities (skills), goals (motivations),
  background (facts about the character's
  past): lists of {"text": one short phrase,
   "evidence": [...]}
- history: {"text": 3-12 sentences, a
  biography of what the character did and
  experienced, "evidence": [...]}
- quotes: up to 5 of {"text": the character'
  s own words copied exactly, "para_id": id}
- affiliations: list of {"name": group, "
  role": short, "evidence": [...]}
- relationships: list of {"name": another
  character, "predicate": one of PARENT_OF,
  CHILD_OF, SIBLING_OF, RELATIVE_OF,
  SPOUSE_OF, ROMANTIC_WITH, FRIEND_OF,
  RIVAL_OF, ENEMY_OF, MENTOR_OF, STUDENT_OF,
   COMMANDS, SERVES_UNDER, COMRADE_OF, "note
  ": short, "evidence": [...]}

Rules:
- Use only the passages given. Every item
  cites the ids of the paragraphs that
  support it, copied
  exactly as they appear in brackets, e.g.
  v01:c06:p0003.
- State nothing a reader of the stated
  volumes could not know.
- Write in the third person, in plain
  encyclopaedic English. JSON only.
```

User prompt (input)

```
Passages from a novel series, volumes 1-5 (
  the reader has read exactly these volumes):


LightRAG graph context:
- Land Of The Maple: The country or region
  where Jem and thousands of young people
  like him live.
- Marilla: Marilla Cuthbert, frequently
  referred to simply as Marilla or Miss
  Cuthbert, is a central character, maternal
   figure, and the mistress of the Green
  Gables estate in Avonlea, Prince Edward
  Island, where she has resided for sixty
  years. A gaunt woman with graying hair,
  Marilla is defined by her practical
  outlook, firm adherence to traditional
  decorum, and strong moral principles.
  Though stern, strict, and prone to
  headaches, she possesses profound
  resilience, a dry sense of humor, and a
  deep emotional warmth. Over the nine years
   following Anne Shirley's arrival at Green
   Gables, Marilla grows noticeably softer,
  gentler, and more expressive. She takes
  immense pride in her immaculate household,
   her fine china, her culinary crafts--such
   as yellow plum preserves and Christmas
  delicacies--and domestic activities like
  making round, braided mats.

Originally living with her brother, Matthew
  Cuthbert, Marilla intended to adopt an
  orphan boy to help with farm work, but
  instead took in the imaginative Anne
  Shirley. Marilla serves as a steady,
  sensible foil to Anne, guiding her through
   domestic duties, funding her education,
  and ultimately forming an indelible bond
  with her. Throughout Anne's upbringing,
  Marilla offers practical guidance and
  manages household dynamics, including
  inquiring about local news, discussing
  neighborhood events like Miss Josephine
  Barry's passing alongside Mrs. Rachel
  Lynde, expressing concern when Anne
  returns tired from visiting friends like
  Ruby, and leaving Anne alone with Gilbert
  Blythe during his visits. When Marilla
  later faces failing
[... 68,594 characters elided ...]
ms. She really looks upon boys as good
  comrades, and she is pleased when she has
  dozens of them tagging round, simply
  because she likes to be popular and to be
  thought popular. Even Alex and Alonzo--I'
  ll never be able to think of those two
  names separately after this--are to her
  just two playfellows who want her to play
  with them all their lives. I'm glad we met
   her, and I'm glad we went to Old St. John
  's. I believe I've put forth a tiny soul-
  root into Kingsport soil this afternoon. I
   hope so. I hate to feel transplanted."

Write the page for the character "Anne
  Shirley" as known after volume 5.
```

Model output


```
{
  "age": null,
  "gender": {
    "text": "Female",
    "evidence": [
      "v01:c35:p0001",
      "v01:c35:p0004",
      "v04:c01:p0000"
    ]
  },
  "status": null,
  "rank": null,
  "origin": null,
  "occupation": {
    "text": "Schoolteacher and student",
    "evidence": [
      "v03:c31:p0001",
      "v04:c01:p0000",
      "v04:c01:p0004"
    ]
  },
  "titles": [
    {
      "text": "Miss Shirley",
      "evidence": [
        "v03:c04:p0056"
      ]
    }
  ],
  "nicknames": [],
  "appearance": {
    "text": "Anne has gray eyes that are
  compared to a morning sky and bold red
  hair, which she considers auburn. She
  possesses a very nice nose.",
    "evidence": [
      "v03:c31:p0003",
      "v03:c31:p0004",
      "v03:c04:p0056",
      "v04:c01:p0000"
    ]
  },
  "personality": {
    "text": "Anne is a thoughtful,
  imaginative, and ambitious individual with
   a blithe, irresistible laugh. Possessing
  a natural genius for friendship, she
  values comradeship and views intellectual
  discussions with deep appreciation. Though
   prone to romanticism, she maintains a
  sense of humor and warmth that endears her
   to others.",
    "evidence": [
      "v01:c35:p0002",
      "v01:c35:p0003",
      "v01:c35:p0004",
      "v03:c04:p0060",
      "v04:c01:p0005",
      "v04:c01:p0008"
    ]
  },
  "traits": [
    {
      "text": "Thoughtful and imaginative",
      "evidence": [
        "v01:c35:p0004"
      ]
```


Model output (continued)


```
    },
    {
      "text": "Ambitious",
      "evidence": [
        "v01:c35:p0004"
      ]
    },
    {
      "text": "Genius for friendship",
      "evidence": [
        "v01:c35:p0003"
      ]
    },
    {
      "text": "Dislikes geometry",
      "evidence": [
        "v04:c01:p0000",
        "v04:c01:p0003"
      ]
    }
  ],
  "abilities": [
    {
      "text": "Teaching",
      "
[... 3,313 characters elided ...]
 Green Gables.",
      "evidence": [
        "v04:c01:p0005"
      ]
    },
    {
      "name": "Philippa Gordon",
      "predicate": "FRIEND_OF",
      "note": "Intimate college friend and
  correspondent.",
      "evidence": [
        "v03:c04:p0060",
        "v03:c31:p0000"
      ]
    },
    {
      "name": "Priscilla Grant",
      "predicate": "FRIEND_OF",
      "note": "Close friend and fellow
  student.",
      "evidence": [
        "v01:c35:p0004",
        "v03:c04:p0068"
      ]
    }
  ]
}
```

X1 page

Closed-book diagnostic: title and character name only. Model `gemini-3.6-flash`; 451 input and 1,087 output tokens; run `anne@x1/20260930T214444-baseline-x1-v5`.

System prompt

```
You write one character's page for a spoiler-
  safe wiki of a novel series. The reader
  has
read up to a stated volume and nothing later.


Return JSON with these keys (omit or leave
  empty what the passages do not support):
- age, gender, status, rank, origin,
  occupation: {"text": short value, "
  evidence": [paragraph ids]}
- titles, nicknames: lists of {"text", "
  evidence"}
- appearance: {"text": 2-4 sentences, "
  evidence": [...]}
- personality: {"text": 2-6 sentences, "
  evidence": [...]}
- traits (personality traits and fears),
  abilities (skills), goals (motivations),
  background (facts about the character's
  past): lists of {"text": one short phrase,
   "evidence": [...]}
- history: {"text": 3-12 sentences, a
  biography of what the character did and
  experienced, "evidence": [...]}
- quotes: up to 5 of {"text": the character'
  s own words copied exactly, "para_id": id}
- affiliations: list of {"name": group, "
  role": short, "evidence": [...]}
- relationships: list of {"name": another
  character, "predicate": one of PARENT_OF,
  CHILD_OF, SIBLING_OF, RELATIVE_OF,
  SPOUSE_OF, ROMANTIC_WITH, FRIEND_OF,
  RIVAL_OF, ENEMY_OF, MENTOR_OF, STUDENT_OF,
   COMMANDS, SERVES_UNDER, COMRADE_OF, "note
  ": short, "evidence": [...]}

Rules:
- No passages are given: write what you know
   of this character from the novels up to
  the stated
  volume. Leave every evidence list empty.
- State nothing a reader of the stated
  volumes could not know.
- Write in the third person, in plain
  encyclopaedic English. JSON only.
```

User prompt (input)

```
The novels: Anne of Green Gables series,
  volumes 1-5 (the reader has read exactly
  these volumes).

Write the page for the character "Matthew
  Cuthbert" as known after volume 5.
```

Model output


```
{
  "age": {
    "text": "Sixty years old at the
  beginning of the series; died at sixty-
  eight.",
    "evidence": []
  },
  "gender": {
    "text": "Male",
    "evidence": []
  },
  "status": {
    "text": "Deceased",
    "evidence": []
  },
  "rank": null,
  "origin": {
    "text": "Avonlea, Prince Edward Island,
  Canada",
    "evidence": []
  },
  "occupation": {
    "text": "Farmer",
    "evidence": []
  },
  "titles": [],
  "nicknames": [],
  "appearance": {
    "text": "Matthew was an awkwardly shaped
   man with stooped shoulders and dark hair
  turning gray. He wore a full, soft brown
  beard that he had kept since his twenties.
   He dressed plainly in farm clothes and
  was known for his shy, diffident posture,
  especially in the presence of women.",
    "evidence": []
  },
  "personality": {
    "text": "Matthew was extraordinarily shy,
   quiet, and reclusive, famously terrified
  of women and young girls other than his
  sister and Anne. Beneath his silent
  demeanor lay a gentle, deeply affectionate
   heart and an intuitive understanding of
  Anne's imaginative nature. He was generous,
   quiet in his devotion, and almost
  incapable of refusing Anne anything she
  set her heart on.",
    "evidence": []
  },
  "traits": [
    "Extremely shy",
    "Gentle and soft-hearted",
    "Fear of women and girls",
    "Quietly supportive",
    "Industrious"
  ],
  "abilities": [
    "Farming and livestock care",
    "Quiet listening and unspoken empathy"
  ],
  "goals": [
    "To provide a loving home for Anne and
  ensure her happiness",
    "To keep Green Gables running smoothly
  alongside his sister Marilla"
  ],
```

Model output (continued)

```
  "background": [
    "Lived his entire life at Green Gables
  in Avonlea with his family.",
    "Never married due to his intense
  shyness around women.",
    "Took over the farm duties alongsid
[... 1,820 characters elided ...]
 co-owner of Green Gables; she managed the
  household while he ran the farm.",
      "evidence": []
    },
    {
      "name": "Anne Shirley",
      "predicate": "PARENT_OF",
      "note": "Adoptive father figure who
  loved her unconditionally from their first
   meeting.",
      "evidence": []
    },
    {
      "name": "Rachel Lynde",
      "predicate": "FRIEND_OF",
      "note": "Neighbor and long-time family
   friend, though her blunt manner often
  intimidated him.",
      "evidence": []
    }
  ]
}
```

X2 page

Instructed full-text diagnostic: all five volumes and the cutoff instruction. Model `gemini-3.6-flash`; 689,967 input and 2,449 output tokens; run `anne@x2/20260930T222548-baseline-x2-v1`.

System prompt

```
You write one character's page for a spoiler-
  safe wiki of a novel series. The reader
  has
read up to a stated volume and nothing later.


Return JSON with these keys (omit or leave
  empty what the passages do not support):
- age, gender, status, rank, origin,
  occupation: {"text": short value, "
  evidence": [paragraph ids]}
- titles, nicknames: lists of {"text", "
  evidence"}
- appearance: {"text": 2-4 sentences, "
  evidence": [...]}
- personality: {"text": 2-6 sentences, "
  evidence": [...]}
- traits (personality traits and fears),
  abilities (skills), goals (motivations),
  background (facts about the character's
  past): lists of {"text": one short phrase,
   "evidence": [...]}
- history: {"text": 3-12 sentences, a
  biography of what the character did and
  experienced, "evidence": [...]}
- quotes: up to 5 of {"text": the character'
  s own words copied exactly, "para_id": id}
```

System prompt (continued)

```
- affiliations: list of {"name": group, "
  role": short, "evidence": [...]}
- relationships: list of {"name": another
  character, "predicate": one of PARENT_OF,
  CHILD_OF, SIBLING_OF, RELATIVE_OF,
  SPOUSE_OF, ROMANTIC_WITH, FRIEND_OF,
  RIVAL_OF, ENEMY_OF, MENTOR_OF, STUDENT_OF,
   COMMANDS, SERVES_UNDER, COMRADE_OF, "note
  ": short, "evidence": [...]}

Rules:
- Use only the passages given. Every item
  cites the ids of the paragraphs that
  support it, copied
  exactly as they appear in brackets, e.g.
  v01:c06:p0003.
- State nothing a reader of the stated
  volumes could not know.
- Write in the third person, in plain
  encyclopaedic English. JSON only.
```

User prompt (input)

```
Passages from a novel series, volumes 1-5.
  The reader has read ONLY volumes 1-1:
  write for that reader and do not reveal
  anything that happens after volume 1.

[v01:c01:p0000] MRS. Rachel Lynde lived just
   where the Avonlea main road dipped down
  into a little hollow, fringed with alders
  and ladies' eardrops and traversed by a
  brook that had its source away back in the
   woods of the old Cuthbert place; it was
  reputed to be an intricate, headlong brook
   in its earlier course through those woods,
   with dark secrets of pool and cascade;
  but by the time it reached Lynde's Hollow
  it was a quiet, well-conducted little
  stream, for not even a brook could run
  past Mrs. Rachel Lynde's door without due
  regard for decency and decorum; it
  probably was conscious that Mrs. Rachel
  was sitting at her window, keeping a sharp
   eye on everything that passed, from
  brooks and children up, and that if she
  noticed anything odd or out of place she
  would never rest until she had ferreted
  out the whys and wherefores thereof.
[v01:c01:p0001] There are plenty of people,
  in Avonlea and out of it, who can attend
  closely to their neighbors' business by
  dint of neglecting their own; but Mrs.
  Rachel Lynde was one of those capable
  creatures who can manage their own
  concerns and those of other folks into the
   bargain. She was a notable housewife; her
   work was always done and well done; she "
  ran" the Sewing Circle, helped run the
  Sunday-school, and was the strongest prop
  of the Church Aid Society and Foreign
  Missions Auxiliary. Yet with all this Mrs.
   Rachel found abundant time to sit for
  hours at her kitchen window, knitting "
  cotton warp" quilts--she had knitted
  sixteen of them, as Avonlea housekeepers
  were wont to tell in awed voices--and
```

User prompt (input) (continued)

```
  keeping a sharp eye on the main road that
  crossed the hollow and wound up th
[... 2,458,388 characters elided ...]
05:c35:p0017] The girls shivered.
[v05:c35:p0018] "You know you're only
  pretending," protested Mary Vance, "and I
  wish you wouldn't. You make it too real. I
   hate that old Piper of yours."
[v05:c35:p0019] But Jem sprang up with a gay
   laugh. He stood up on a little hillock,
  tall and splendid, with his open brow and
  his fearless eyes. There were thousands
  like him all over the land of the maple.
[v05:c35:p0020] "Let the Piper come and
  welcome," he cried, waving his hand. "I'll
   follow him gladly round and round the
  world."

Write the page for the character "Gilbert
  Blythe" as known after volume 1.
```

Model output

```
{
  "age": {
    "text": "Nearly fourteen (in autumn of
  Volume 1) / Around fifteen to sixteen",
    "evidence": [
      "v01:c15:p0024"
    ]
  },
  "gender": {
    "text": "Male",
    "evidence": [
      "v01:c15:p0016"
    ]
  },
  "status": {
    "text": "Single",
    "evidence": [
      "v01:c15:p0028"
    ]
  },
  "rank": null,
  "origin": {
    "text": "Avonlea, Prince Edward Island",
    "evidence": [
      "v01:c15:p0016"
    ]
  },
  "occupation": {
    "text": "Student",
    "evidence": [
      "v01:c15:p0024",
      "v01:c17:p0037"
    ]
  },
  "titles": [],
  "nicknames": [
    {
      "text": "Gil",
      "evidence": [
        "v01:c15:p0024"
      ]
    }
  ],
  "appearance": {
```

Model output (continued)

```
    "text": "Gilbert is a tall boy with an
  ungainly, athletic build and hazel eyes.
  He has curly brown hair and a teasing,
  roguish smile. He is widely considered
  very handsome by his peers.",
    "evidence": [
      "v01:c15:p0016",
      "v01:c15:p0028"
    ]
  },
  "personality": {
    "text": "Gilbert is confident,
  mischievous, and fond of teasing girls.
  Despite his mischievous streak, he is
  stout-hearted, honorable, and quick to
  admit his mistakes when he realizes he has
   offended someone. He is academically
  ambitious, competitive, and good-natured
  in rivalry.",
    "evidence": [
      "v01:c15:p0016",
      "v01:c15:p0028",
      "v01:c15:p0042",
      "v01:c15:p0049",
      "v01:c17:p0036"
    ]
  },
  "traits": [
    {
      "text": "Handsome",
      "evidence": [
        "v01:c15:p0016"
      ]
    },
    {
      "text": "Mischievous and teasing",
      "evidence": [
        "v01:c15:p0016",
        "v01:c15:p0028"
      ]
    },
    {
      "text": "Contrite and honorable when
  wrong",
      "evidence": [
        "v01:c15:p0042",
        "v01:c15:p0049"
      ]
    },
    {

[... 4,248 characters elided ...]
. Phillips",
      "predicate": "SERVES_UNDER",
      "note": "Schoolmaster at Avonlea.",
      "evidence": [
        "v01:c15:p0027"
      ]
    },
    {
      "name": "Ruby Gillis",
      "predicate": "FRIEND_OF",
      "note": "Classmate at Avonlea School.",

      "evidence": [
        "v01:c15:p0028"
      ]
    },
```

Model output (continued)

```
    {
      "name": "Charlie Sloane",
      "predicate": "RIVAL_OF",
      "note": "Classmate and fellow student
  .",
      "evidence": [
        "v01:c17:p0036"
      ]
    }
  ]
}
```

Decontamination paraphrase

Paraphrases one renamed paragraph. Model `gemini-3.6-flash`; 385 input and 209 output tokens; run `anne-decon/20261003T165238-decontaminate-v5`.

Note on this log. The same instructions serve every corpus the treatment is applied to; the rule to keep "personal and ship" names comes from another corpus and has no effect here.

System prompt

```
You rewrite passages of fiction in new words
   for a research corpus. You never add,
  remove or explain anything.
```

User prompt (input)

```
Rewrite the paragraph below in different
  words and different sentence structure.

Rules:
- Keep every fact, event, number, date and
  place, and keep them in the same order.
- Keep every personal and ship name exactly
  as written. Do not introduce any name that
   is not in the paragraph.
- Dialogue stays dialogue, spoken by the
  same person. Use the same quotation marks
  as the original (" " stay " "). Only
  spoken words go inside them; a speech tag
  such as "said I" stays outside.
- Keep the narrator's person (first person
  stays first person).
- Do not summarise, shorten substantially,
  or add commentary.

Return only the rewritten paragraph, nothing
   else.

Paragraph:
It was a clear, apple-green evening in May,
  and Seven Gulls Harbour was mirroring back
   the clouds of the golden west between its
   softly dark shores. The sea moaned eerily
   on the sand-bar, sorrowful even in spring,
   but a sly, jovial wind came piping down
  the red harbour road along which Miss
  Winifred's comfortable, matronly figure
  was making its way towards the village of
```

User prompt (input) (continued)

```
  Glen St. Agnes. Miss Winifred was
  rightfully Mrs. Ambrose Kerr, and had been
   Mrs. Ambrose Kerr for thirteen years, but
   even yet more people referred to her as
  Miss Winifred than as Mrs. Kerr. The old
  name was dear to her old friends, only one
   of them contemptuously dropped it.
  Tabitha Pratt, the gray and grim and
  faithful handmaiden of the Carrow family
  at Hollowmere, never lost an opportunity
  of calling her "Mrs. Ambrose Kerr," with
  the most killing and pointed emphasis, as
  if to say "You wanted to be Mrs. and Mrs.
  you shall be with a vengeance as far as I
  am concerned."
```

Model output

```
The May evening was transparent and apple-
  green, as Seven Gulls Harbour reflected
  the clouds from the golden west amidst its
   gently darkened banks. On the sand-bar,
  the ocean uttered an uncanny mournfulness,
   melancholic despite the spring, yet a
  cunning, merry breeze whistled down the
  crimson harbour road where the cozy,
  motherly form of Miss Winifred traveled
  toward the village of Glen St. Agnes.
  Legally, Miss Winifred was Mrs. Ambrose
  Kerr, a status she had held for thirteen
  years, though even now she was called Miss
   Winifred by more people than called her
  Mrs. Kerr. Her former name remained
  cherished by her longtime companions, with
   a single contemptuous exception. Tabitha
  Pratt, who served as the gray, austere,
  and loyal servant to the Carrow household
  at Hollowmere, seized every chance to
  address her as "Mrs. Ambrose Kerr," using
  the most devastating and deliberate stress,
   as though implying "You desired to be a
  Mrs., so a Mrs. you will certainly be to
  the absolute extreme where I am concerned
  ."
```

Memorization probe

Name cloze / title identification on one paragraph. Model `gemini-3.6-flash`; 227 input and 9 output tokens; run `anne-decon/20261003T165318-probe-memorization-v1-5`.

User prompt (input)

```
You have seen the following passage in your
  training data. What is the proper name
  that fills in the [MASK] token in it? This
   name is exactly one word long, and is a
  proper name (not a pronoun or any other
  word). You must make a guess, even if you
  are uncertain.

Example:

Input: Stay gold, [MASK], stay gold.
```

User prompt (input) (continued)

```
Output: <name>Ponyboy</name>

Input: The door opened, and [MASK], dressed
  and hatted, entered with a cup of tea.
Output: <name>Gerty</name>

Input: "Pretty? Oh, pretty doesn't seem the
  right word to use. Nor beautiful, either.
  They don't go far enough. Oh, it was
  wonderful--wonderful. It's the first thing
   I ever saw that couldn't be improved upon
   by imagination. It just satisfied me here
  "--she put one hand on her breast--"it
  made a queer funny ache and yet it was a
  pleasant ache. Did you ever have an ache
  like that, Mr. [MASK]?"
Output:
```

Model output

```
<name>Cuthbert</name>
```