

LAB REPORT-01

Course Title: Web Engineering Lab

Course Code: CSE416

Submitted To:

Ms. Nishat Sadaf Lira

Lecturer

Department of CSE

Daffodil International University

Submitted By:

Name : Zunaid Hasan Id : 221-15-6033

Section : 61_K1 Department of CSE

Daffodil International University

Submission Date: 27/05/2025

Lab Title: Exploring 30 HTML Tags and Their Applications

Objective:

To learn and demonstrate the use of 30 essential HTML tags by writing code snippets, identifying their attributes, and showcasing the output of each tag or group of tags within a small integrated website layout.

Tags, Descriptions, Code Snippets, and Outcomes-----

Below is the detailed list of 30 HTML tags, including their purpose, attributes, example code, and the observed output.

<html>

Description: Defines the root of an HTML document.

Attributes: lang

Code Example:

<html lang="en">

Outcome: Wraps the entire HTML content.

<head>

Description: Contains meta-information about the document.

Code Example:

<head> <title>My HTML Tag Lab</title> </head>

Outcome: Does not display content directly on the page.

<title>

Description: Defines the document title shown in the browser tab.

Code Example:

<title>HTML Lab Report</title>

Outcome: Displays "HTML Lab Report" in the browser tab.

<meta>

Description: Defines metadata.

Attributes: charset, name, content Code

Example:

```
<meta charset="UTF-8">
```

Outcome: Ensures proper character encoding.

<body>

Description: Defines the document's body containing visible content.

Code Example:

```
<body>
...
</body>
```

Outcome: Holds the structure and visible elements of the website.

<header>

Description: Defines the introductory section.

Code Example:

```
<header> <h1>Welcome to My Lab Website</h1> </header>
```

Outcome: Adds a header with a headline.

<nav>

Description: Defines navigation links.

Code Example:

```
<nav> <a href="#about">About</a> <a href="#contact">Contact</a> </nav>
```

Outcome: Displays navigation links horizontally.

<main>

Description: Defines the main content of the document.

Code Example:

<main> Main content goes here. </main>

Outcome: Separates the central content.

<section>

Description: Defines a section in the document.

Code Example:

```
<section id="about"> <h2>About Me</h2> </section>
```

Outcome: Helps organize content into meaningful sections.

<article>

Description: Defines independent content.

Code Example:

```
<article> <h3>My Blog</h3> This is an article block. </article>
```

Outcome: Suitable for blog posts or news feeds.

<aside>

Description: Defines content aside from the main content.

Code Example:

```
<aside> Related links go here. </aside>
```

Outcome: Adds complementary info like sidebars.

<footer>

Description: Defines the footer section.

Code Example:

```
<footer> &copy; 2025 Nasimul Elahi </footer>
```

Outcome: Marks the page end.

```
<h1> to <h6>
```

Description: Define headings.

Code Example:

```
<h1>Heading 1</h1> <h2>Heading 2</h2> ... <h6>Heading 6</h6>
```

Outcome: Hierarchical headings for content structure.

>

Description: Defines a paragraph.

Code Example:

```
This is a paragraph of text.
```

Outcome: Creates readable content blocks.

<a>

Description: Defines a hyperlink.

Attributes: href, target

Code Example:

```
<a href="https://www.google.com" target="_blank">Visit Google</a>
```

Outcome: Creates a clickable link.

Description: Embeds an image. Attributes:

src, alt, width, height

Code Example:

```
<img src="logo.png" alt="Logo" width="100">
```

Outcome: Displays an image.

Description: Define lists.

Code Example:

Outcome: Creates unordered and ordered lists.

```
, , ,  Description:
```

Define tables.

Code Example:

```
 NameAgeNasimul23
```

Outcome: Displays tabular data.

```
<form>, <input>, <label> Description:
```

Define forms.

Code Example:

```
<form> <label for="name">Name:</label> <input type="text" id="name" name="name"></form>
```

Outcome: Captures user input.

Description: Creates a clickable button.

Code Example:

```
<button>Submit</button>
```

Outcome: Adds interactivity.

Description: Inserts a line break. Code

Example:

*Line one
Line two*

Outcome: Breaks the line.

<hr>

Description: Inserts a horizontal rule.

Code Example:

<hr>

Outcome: Visually separates sections.

,

Description: Applies emphasis.

Code Example:

Important Note

Outcome: Applies bold or italic style.

Description: Inline container for styling.

Code Example:

Red text

Outcome: Useful for styling inline text.

<div>

Description: Generic container for layout.

Code Example:

<div class="container">Content Block</div>

Outcome: Wraps content for layout control.

<iframe>

Description: Embeds another page.

Code Example:

<iframe src="https://example.com"></iframe>

Outcome: Embeds external content.

<code>,

Description: Displays code snippets.

Code Example:

<code><h1>Code Example</h1></code>

Outcome: Preserves formatting for code.

<mark>

Description: Highlights text.

Code Example:

<mark>Highlighted</mark>

Outcome: Applies a background color.

<abbr>

Description: Defines an abbreviation.

Code Example:

<abbr title="HyperText Markup Language">HTML</abbr>

Outcome: Provides a tooltip with full form.

<time>

Description: Defines a time or date.

Attributes: datetime

Code Example:

<time datetime="2025-05-27">May 27, 2025</time>

Outcome: Semantic display of dates/times.

Conclusion:

All 30 HTML tags showcased above are vital in structuring a semantic and interactive website. Using tags like <section>, <article>, and <nav> improved readability and organization. Forms and buttons allowed interaction. Display tags like , , and <iframe> enhanced visual elements. The site structure became clearer and more functional by combining them meaningfully.

Submitted by:

Zunaid Hasan

ID: 221-15-6033

CSE, DIU