



Task 1: Explore the users and groups, and inspect policies

4.



5.



6.

Users (3) Info

An IAM user is an identity with long-term credentials that is used to interact with AWS in an account.

☐	User name	Path	Group	Last activity	MFA	Password age	Console last sign-in
☐	user-1	/spl66/	0	-	-	1 hour	-
☐	user-2	/spl66/	0	-	-	1 hour	-
☐	user-3	/spl66/	0	-	-	1 hour	-

7.

user-1 Info

Summary

ARN: [arn:aws:iam::933384276096:user/spl66/user-1](#)

Console access: [Enabled without MFA](#)

Access key 1: [Create access key](#)

Created: October 01, 2025, 20:16 (UTC+05:00)

Last console sign-in: [Never](#)

Permissions Groups Tags (1) Security credentials Last Accessed

Permissions policies (0)

Permissions are defined by policies attached to the user directly or through groups.

Filter by Type: All types

☐	Policy name	Type	Attached via
No resources to display			

8.

The screenshot shows the AWS IAM console interface. The left sidebar contains the 'Identity and Access Management (IAM)' menu with options like Dashboard, Access management, Access reports, and CloudShell. The main content area displays the 'user-1' user page. The 'Summary' section shows the user's ARN, creation date, and console access status. The 'Groups' tab is selected, showing 'User groups membership' with a message that the user does not belong to any groups. The bottom of the page includes a footer with copyright information and links to Privacy, Terms, and Cookie preferences.

user-1 Info [Delete](#)

Summary

ARN
[arn:aws:iam:933384276096:user/spl66/user-1](#)

Console access
Enabled without MFA

Access key 1
[Create access key](#)

Created
October 01, 2025, 20:16 (UTC+05:00)

Last console sign-in
Never

Permissions Groups Tags (1) Security credentials Last Accessed

User groups membership [Remove](#) [Add user to groups](#)

A user group is a collection of IAM users. Use groups to specify permissions for a collection of users. A user can be a member of up to 10 groups at a time.

Group name	Attached policies
No resources This user does not belong to any groups.	

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

9.

The screenshot shows the AWS IAM console interface, similar to the previous one, but with the 'Security credentials' tab selected. The 'Summary' section remains the same. The 'Security credentials' section shows the 'Console sign-in' link and the 'Console password' which was updated 1 hour ago. The 'Multi-factor authentication (MFA)' section shows 0 MFA devices and provides an option to 'Assign MFA device'. The bottom of the page includes a footer with copyright information and links to Privacy, Terms, and Cookie preferences.

user-1 Info [Delete](#)

Summary

ARN
[arn:aws:iam:933384276096:user/spl66/user-1](#)

Console access
Enabled without MFA

Access key 1
[Create access key](#)

Created
October 01, 2025, 20:16 (UTC+05:00)

Last console sign-in
Never

Permissions Groups Tags (1) **Security credentials** Last Accessed

Console sign-in [Manage console access](#)

Console sign-in link
[https://933384276096.signin.aws.amazon.com/console](#)

Console password
Updated 1 hour ago (2025-10-01 20:17 GMT+5)

Last console sign-in
Never

Multi-factor authentication (MFA) (0) [Remove](#) [Resync](#) [Assign MFA device](#)

Use MFA to increase the security of your AWS environment. Signing in with MFA requires an authentication code from an MFA device. Each user can have a maximum of 8 MFA

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

10.

User groups (3) Info

A user group is a collection of IAM users. Use groups to specify permissions for a collection of users.

☐	Group name	Users	Permissions	Creation time
☐	EC2-Admin	0	Defined	1 hour ago
☐	EC2-Support	0	Defined	1 hour ago
☐	S3-Support	0	Defined	1 hour ago

11.

EC2-Support Info

Summary

User group name: EC2-Support

Creation time: October 01, 2025, 20:16 (UTC+05:00)

ARN: arn:aws:iam::933384276096:group/spl66/EC2-Support

Users in this group (0)

An IAM user is an entity that you create in AWS to represent the person or application that uses it to interact with AWS.

☐	User name	Groups	Last activity	Creation time
No resources to display				

12.

The screenshot shows the AWS IAM console interface. The left sidebar contains the 'Identity and Access Management (IAM)' menu with options like Dashboard, Access management, User groups, Users, Roles, Policies, Identity providers, Account settings, Root access management, Access reports, Access Analyzer, Resource analysis, Unused access, Analyzer settings, and Credential report. The main content area is titled 'EC2-Support' and includes a 'Summary' section with details: User group name (EC2-Support), Creation time (October 01, 2025, 20:16 (UTC+05:00)), and ARN (arn:aws:iam::933384276096:group/spl66/EC2-Support). Below the summary, the 'Permissions' tab is active, showing 'Permissions policies (1)' and a table with one policy: 'AmazonEC2ReadOnlyAccess' (AWS managed, 1 attached entity). The bottom of the console shows the footer with '© 2025, Amazon Web Services, Inc. or its affiliates.' and links for Privacy, Terms, and Cookie preferences.

13.

The screenshot shows the AWS IAM console interface for the 'AmazonEC2ReadOnlyAccess' policy. The left sidebar is the same as in the previous screenshot. The main content area is titled 'AmazonEC2ReadOnlyAccess' and includes a 'Policy details' section with details: Type (AWS managed), Creation time (February 06, 2015, 23:40 (UTC+05:00)), Edited time (December 27, 2024, 15:07 (UTC+05:00)), and ARN (arn:aws:iam::aws:policy/AmazonEC2ReadOnlyAccess). Below the details, the 'Permissions' tab is active, showing 'Permissions defined in this policy' and a table with two services: 'CloudWatch' and 'EC2', both with 'Limited: List, Read' access level and 'All resources' as the resource. The bottom of the console shows the footer with '© 2025, Amazon Web Services, Inc. or its affiliates.' and links for Privacy, Terms, and Cookie preferences.

14.

Permissions defined in this policy [Info](#) [Copy](#) [Summary](#) [JSON](#)

Permissions defined in this policy document specify which actions are allowed or denied. To define permissions for an IAM identity (user, user group, or role), attach a policy to it

```

1 {
2   "Version": "2012-10-17",
3   "Statement": [
4     {
5       "Effect": "Allow",
6       "Action": [
7         "ec2:Describe*",
8         "ec2:GetSecurityGroupsForVpc"
9       ],
10      "Resource": "*"
11    },
12    {
13      "Effect": "Allow",
14      "Action": "elasticloadbalancing:Describe*",
15      "Resource": "*"
16    },
17    {
18      "Effect": "Allow",
19      "Action": [
20        "cloudwatch:listMetrics",
21        "cloudwatch:GetMetricStatistics",
22        "cloudwatch:Describe*"
23      ],
24      "Resource": "*"
25    },
26    {
27      "Effect": "Allow",
28      "Action": "autoscaling:Describe*",
29      "Resource": "*"
30    }
31  ]
32 }
  
```

15.

User groups (3) [Info](#) [Delete](#) [Create group](#)

A user group is a collection of IAM users. Use groups to specify permissions for a collection of users.

Search

☐	Group name	Users	Permissions	Creation time
☐	EC2-Admin	0	Defined	1 hour ago
☐	EC2-Support	0	Defined	1 hour ago
☐	S3-Support	0	Defined	1 hour ago

16.

The screenshot shows the AWS IAM console interface. On the left is a navigation sidebar with sections for 'Identity and Access Management (IAM)' and 'Access management'. The main content area is titled 'S3-Support' and includes a 'Summary' section with details like 'User group name', 'Creation time', and 'ARN'. Below this, the 'Users' tab is active, displaying 'Users in this group (0)' and a search bar. The bottom of the page features a footer with 'CloudShell', 'Feedback', and copyright information.

17.

This screenshot shows the same AWS IAM console page but with the 'Permissions' tab selected. The 'Summary' section remains the same. The 'Permissions policies (1)' section now shows a table with one policy attached: 'AmazonS3ReadOnlyAccess', which is 'AWS managed'. The table has columns for 'Policy name', 'Type', and 'Attached entities'. The bottom footer is identical to the previous screenshot.

18.

The screenshot shows the AWS IAM console interface. On the left is a navigation sidebar with sections: Identity and Access Management (IAM), Access management, and Access reports. The main content area is titled 'AmazonS3ReadOnlyAccess' and includes a description: 'Provides read only access to all buckets via the AWS Management Console.' Below this is a 'Policy details' section with a table showing Type (AWS managed), Creation time (February 06, 2015, 23:40 (UTC+05:00)), Edited time (August 11, 2023, 02:31 (UTC+05:00)), and ARN (arn:aws:iam::aws:policy/AmazonS3ReadOnlyAccess). There are tabs for Permissions, Entities attached, Policy versions, and Last Accessed. The 'Permissions' tab is active, showing 'Permissions defined in this policy' with a search bar and a table of allowed services. The table lists 'S3' and 'S3 Object Lambda' with 'Full: List, Read' access level and 'All resources' as the resource. A 'Show remaining 447 services' link is also present.

Service	Access level	Resource	Request condition
S3	Full: List, Read	All resources	None
S3 Object Lambda	Full: List, Read	All resources	None

19.


This screenshot shows the same AWS IAM console page as the previous one, but with the 'JSON' tab selected for the 'Permissions defined in this policy' section. The JSON policy document is displayed, showing the version '2012-10-17' and a statement that allows 's3:List*', 's3:Describe*', 's3-object-lambda:Get*', and 's3-object-lambda:List*' actions on all resources. The interface elements like the sidebar and policy details section are identical to the previous screenshot.

```

1- {
2-   "Version": "2012-10-17",
3-   "Statement": [
4-     {
5-       "Effect": "Allow",
6-       "Action": [
7-         "s3:List*",
8-         "s3:Describe*",
9-         "s3-object-lambda:Get*",
10-        "s3-object-lambda:List*"
11-       ],
12-       "Resource": "*"
13-     }
14-   ]
15- }
16-

```



20.



The screenshot shows the AWS IAM console's 'User groups' page. The left sidebar contains navigation links for Identity and Access Management (IAM), Access management, and Access reports. The main content area displays a table of user groups. The table has columns for Group name, Users, Permissions, and Creation time. Three groups are listed: EC2-Admin, EC2-Support, and S3-Support. Each group has 0 users and is defined. The 'Create group' button is visible in the top right corner.

Group name	Users	Permissions	Creation time
EC2-Admin	0	Defined	1 hour ago
EC2-Support	0	Defined	1 hour ago
S3-Support	0	Defined	1 hour ago

21.



The screenshot shows the AWS IAM console's 'EC2-Admin' user group details page. The left sidebar contains navigation links for Identity and Access Management (IAM), Access management, and Access reports. The main content area displays the 'Summary' section, which includes the user group name, creation time, and ARN. The 'Users' tab is selected, showing no users in the group. The 'Add users' button is visible in the top right corner.

Summary

User group name: EC2-Admin

Creation time: October 01, 2025, 20:16 (UTC+05:00)

ARN: [arn:aws:iam::933384276096:group/spl66/EC2-Admin](#)

Users in this group (0)

An IAM user is an entity that you create in AWS to represent the person or application that uses it to interact with AWS.

Search:

1

No resources to display

22.

The screenshot shows the AWS IAM console interface. The left sidebar contains navigation links for Identity and Access Management (IAM), Access management, and Access reports. The main content area displays the details for the 'EC2-Admin' user group. The 'Summary' section shows the user group name 'EC2-Admin', creation time 'October 01, 2025, 20:16 (UTC+05:00)', and ARN 'arn:aws:iam::933384276096:group/spl66/EC2-Admin'. The 'Permissions' tab is selected, showing a table of permissions policies. The table has columns for Policy name, Type, and Attached entities. One policy, 'EC2-Admin-Policy', is listed with a Type of 'Customer inline' and 0 attached entities. Buttons for 'Delete', 'Edit', 'Simulate', 'Remove', and 'Add permissions' are visible.

Policy name	Type	Attached entities
EC2-Admin-Policy	Customer inline	0


23 and 24.

The screenshot shows the 'Modify permissions in EC2-Admin-Policy' step in the AWS IAM console. The left sidebar shows the navigation path: IAM > User groups > EC2-Admin > Edit policy. The main content area displays the 'Policy editor' with a JSON editor and a list of actions. The JSON editor shows the following code:

```
1 {
2   "Version": "2012-10-17",
3   "Statement": [
4     {
5       "Condition": {
6         "ForAllValues:StringLikeIfExists": {
7           "ec2:InstanceType": [
8             "*.nano",
9             "*.micro"
10          ]
11        }
12      },
13      "Action": [
14        "ec2:Describe*",
15        "ec2:StartInstances",
16        "ec2:StopInstances"
17      ],
18      "Resource": [
19        "*"
20      ],
21      "Effect": "Allow"
22    }
23  ]
24 }
```

The right sidebar shows the 'Add actions' section with a search bar and a list of services. The 'Included' section lists 'EC2'. The 'Available' section lists 'AI Operations', 'AMP', 'API Gateway', 'API Gateway V2', 'ARC Region switch', and 'ARC Zonal Shift'.


25.



Task 2: Add users to groups

Task 2.1: Add user-1 to the S3-Support group

26, 27.



28 and 29.

The screenshot shows the AWS IAM console interface. The left sidebar contains the 'Identity and Access Management (IAM)' menu with options like Dashboard, Access management, Access reports, and Access Analyzer. The main content area displays the 'S3-Support' user group details. A green notification bar at the top indicates '1 user added to this group.' The 'Summary' section shows the group name 'S3-Support', creation time 'October 01, 2025, 20:16 (UTC+05:00)', and ARN 'arn:aws:iam::933384276096:group/spl66/S3-Support'. The 'Users' tab is active, showing a table with one user, 'user-1', added 1 hour ago. The table has columns for User name, Groups, Last activity, and Creation time.

User name	Groups	Last activity	Creation time
user-1	1	None	1 hour ago

Task 2.2: Add user-2 to the EC2-Support group


30.

The screenshot shows the AWS IAM console interface for the 'EC2-Support' user group. A green notification bar at the top indicates '1 user added to this group.' The 'Summary' section shows the group name 'EC2-Support', creation time 'October 01, 2025, 20:16 (UTC+05:00)', and ARN 'arn:aws:iam::933384276096:group/spl66/EC2-Support'. The 'Users' tab is active, showing a table with one user, 'user-2', added 1 hour ago. The table has columns for User name, Groups, Last activity, and Creation time.

User name	Groups	Last activity	Creation time
user-2	1	None	1 hour ago

Task 2.3: Add user-3 to the EC2-Admin group

31.



The screenshot shows the AWS IAM console interface. At the top, a green banner indicates "1 user added to this group." The main heading is "EC2-Admin" with an "Info" link and "Delete" and "Edit" buttons. Below this is a "Summary" section with details: "User group name: EC2-Admin", "Creation time: October 01, 2025, 20:16 (UTC+05:00)", and "ARN: arn:aws:iam::933384276096:group/sp166/EC2-Admin". The "Users" tab is selected, showing "Users (1)". A table lists the user "user-3" with 1 group, no last activity, and a creation time of 1 hour ago. The left sidebar shows the "Access management" section with "User groups" selected. The bottom footer includes "CloudShell", "Feedback", and copyright information for Amazon Web Services.

1 user added to this group.

EC2-Admin [Info](#)

[Delete](#) [Edit](#)

Summary

User group name EC2-Admin	Creation time October 01, 2025, 20:16 (UTC+05:00)	ARN arn:aws:iam::933384276096:group/sp166/EC2-Admin
------------------------------	--	--

Users (1)


[Remove](#) [Add users](#)

An IAM user is an entity that you create in AWS to represent the person or application that uses it to interact with AWS.

☐	User name ?	Groups	Last activity	Creation time
☐	user-3	1	None	1 hour ago

© 2025, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

32.



The screenshot shows the AWS IAM console interface with the "User groups" page selected. The heading is "User groups (3)" with an "Info" link, "Delete", and "Create group" buttons. A description states: "A user group is a collection of IAM users. Use groups to specify permissions for a collection of users." Below this is a search bar and a table listing three user groups: "EC2-Admin", "EC2-Support", and "S3-Support". Each group has 1 user, "Defined" permissions, and was created 1 hour ago. The left sidebar shows the "Access management" section with "User groups" selected. The bottom footer includes "CloudShell", "Feedback", and copyright information for Amazon Web Services.

User groups (3) [Info](#)

[Delete](#) [Create group](#)

A user group is a collection of IAM users. Use groups to specify permissions for a collection of users.


☐	Group name	Users	Permissions	Creation time
☐	EC2-Admin	1	Defined	1 hour ago
☐	EC2-Support	1	Defined	1 hour ago
☐	S3-Support	1	Defined	1 hour ago

© 2025, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

Task 3: Sign in and test user permissions


Task 3.1: Get the console sign-in URL

33, 34.




Task 3.2: Test user-1 permissions


35.



36.



37.



38, 39.

The screenshot shows the Amazon S3 console interface. On the left, there is a navigation menu with options like 'General purpose buckets', 'Directory buckets', 'Table buckets', 'Vector buckets', 'Access Grants', 'Access Points (General Purpose Buckets, FSx file systems)', 'Access Points (Directory Buckets)', 'Object Lambda Access Points', 'Multi-Region Access Points', 'Batch Operations', 'IAM Access Analyzer for S3', 'Block Public Access settings for this account', 'Storage Lens', 'Dashboards', 'Storage Lens groups', and 'AWS Organizations settings'. The main content area is titled 'General purpose buckets (1)' and includes a search bar, a table with one bucket, and several informational panels on the right.

Name	AWS Region	Creation date
c182747a4707434111903928t1w933384276096-s3bucket-422wsb6zqc2d	US East (N. Virginia) us-east-1	October 1, 2025, 20:16:49 (UTC+05:00)

Right-hand panels include 'Account snapshot' (Updated daily, View dashboard) and 'External access summary - new' (Updated daily, Info).


40, 41.

The screenshot shows the Amazon EC2 console 'Instances' page. A red error banner is displayed at the top of the instance list, stating: 'You are not authorized to perform this operation. User: arn:aws:iam::933384276096:user/spl66/user-1 is not authorized to perform: ec2:DescribeInstances because no identity-based policy allows the ec2:DescribeInstances action'. Below the error, the 'Select an instance' section is visible but empty.


42. Logged out now

Task 3.3: Test user-2 permissions

43-46.



47, 48.



49.

The screenshot displays the AWS Management Console interface for the 'Instances' page in the 'us-east-1' region. The left sidebar shows navigation options like 'Dashboard', 'EC2 Global View', 'Events', 'Instances', 'Instance Types', 'Launch Templates', 'Spot Requests', 'Savings Plans', 'Reserved Instances', 'Dedicated Hosts', 'Capacity Reservations', 'Images', 'AMI Catalog', and 'Elastic Block Store'. The main content area shows a list of instances, with one instance selected. A 'Stop instance' dialog box is open, displaying the instance ID 'i-003ee8dee157ef4d7' and its state 'Off (Can stop instance)'. The dialog includes a warning about billing for associated resources and a section for 'Associated resources' with a 'Skip OS shutdown' option. Below the dialog, a red error message is displayed, stating 'Failed to stop the instance i-003ee8dee157ef4d7' and providing a detailed error message: 'You are not authorized to perform this operation. User: arn:aws:iam::933384276096:user/spl66/user-2 is not authorized to perform: ec2:StopInstances on resource: arn:aws:ec2:us-east-1:933384276096:instance/i-003ee8dee157ef4d7 because no identity-based policy allows the ec2:StopInstances action. Encoded authorization failure message: EUfeb6y8z6G0RW8hVguxDVKGve-MAqhMif7rYemyEMt_kpXBghSjpwzP1E-HT_OjzmYMCvN7IISNSRrOVNpRWVjBA4N_be8pxHCLON2gK8F2wEvhvC-wX9UESYK3AAQg_QxiCKMuLSRXupCYfkZJ8IIK6Xvnu6IEbkyGCA7wBX0Z1_F06BtOrmyjxBewCutORgFM84mt9ln2zaR7vQjfp9oyZ2xp9glB-SMeQyHAIUPAIpyQoTL1zdGYZaurNVFKVOMJxw3Evr7X_3Mbidenu0zx7ITRM17zqy9ThMvCt1V2nmjJ9AExY3fI3XNTSjGkiY4zRzGhOUvmf-jzT94emPKONg4kxll2TqhXZ2w6P7Q-WizCHpVzS8B3Uru3_qnGnVdBUHEJM7YwM8NzYIPxz7B6fxG9Wn9IbQDTVTThMuoo7plOOD82ymt4ymvQdqAYYk85ohyA38FIVQ2HvWADfwt-krD9o1gnlqr_LIKVLK575Fmg6Glp_Tp0hOQwBVmStuYOMERiwjBHaEP3NP1HXD4ogNCa_Mby_p8eWRjwvbi_6lurv8c7Nvg6KJdyMvNvWk_7egsfSOS1NHptBvVJOBTfVzLUeeKNXtiCWfwl5kpkPEKtAGr5GPFRWJHwC31KCaE6U7gk2-QLvxxKTTUkppqQpV6OzquZCgiiLUX3k1wNhqERbRmMmaCQGV38JFmsth5_SbRf4h62GeJ9gwMnwAJlflhIBgl8VO1UalsEtz9_M-MMoeDTyb1znY32QsxpweJ-IW8FTpdmdPCbNANTmPk0qwOtBEZzAm7b_HYVvjCCzm_sn7UxJRGzRP8u9ZLyW4XsTUHzRWBeaaDOn_4O2vbb2j9O3vFscQzPOMuJLM57'. The instance details for 'i-003ee8dee157ef4d7' are shown below the error message, including its ID, IP addresses, and state.

Stop instance

Stopping your instance allows you to reduce costs, modify settings, and troubleshoot problems.

Instance ID: [i-003ee8dee157ef4d7](#) | Stop protection: [Off \(Can stop instance\)](#)

You will be billed for associated resources
After you stop the instance, you are no longer charged usage or data transfer fees for it. However, you will still be billed for associated Elastic IP addresses and EBS volumes.

Associated resources
You will continue to incur charges for these resources while the instance is stopped

Skip OS shutdown
This option skips the graceful OS shutdown process. Use only when your instance must be stopped immediately, such as during an emergency or failover.
☐ Skip OS shutdown

[Cancel](#) [Stop](#)

Failed to stop the instance i-003ee8dee157ef4d7

You are not authorized to perform this operation. User: arn:aws:iam::933384276096:user/spl66/user-2 is not authorized to perform: ec2:StopInstances on resource: arn:aws:ec2:us-east-1:933384276096:instance/i-003ee8dee157ef4d7 because no identity-based policy allows the ec2:StopInstances action. Encoded authorization failure message: EUfeb6y8z6G0RW8hVguxDVKGve-MAqhMif7rYemyEMt_kpXBghSjpwzP1E-HT_OjzmYMCvN7IISNSRrOVNpRWVjBA4N_be8pxHCLON2gK8F2wEvhvC-wX9UESYK3AAQg_QxiCKMuLSRXupCYfkZJ8IIK6Xvnu6IEbkyGCA7wBX0Z1_F06BtOrmyjxBewCutORgFM84mt9ln2zaR7vQjfp9oyZ2xp9glB-SMeQyHAIUPAIpyQoTL1zdGYZaurNVFKVOMJxw3Evr7X_3Mbidenu0zx7ITRM17zqy9ThMvCt1V2nmjJ9AExY3fI3XNTSjGkiY4zRzGhOUvmf-jzT94emPKONg4kxll2TqhXZ2w6P7Q-WizCHpVzS8B3Uru3_qnGnVdBUHEJM7YwM8NzYIPxz7B6fxG9Wn9IbQDTVTThMuoo7plOOD82ymt4ymvQdqAYYk85ohyA38FIVQ2HvWADfwt-krD9o1gnlqr_LIKVLK575Fmg6Glp_Tp0hOQwBVmStuYOMERiwjBHaEP3NP1HXD4ogNCa_Mby_p8eWRjwvbi_6lurv8c7Nvg6KJdyMvNvWk_7egsfSOS1NHptBvVJOBTfVzLUeeKNXtiCWfwl5kpkPEKtAGr5GPFRWJHwC31KCaE6U7gk2-QLvxxKTTUkppqQpV6OzquZCgiiLUX3k1wNhqERbRmMmaCQGV38JFmsth5_SbRf4h62GeJ9gwMnwAJlflhIBgl8VO1UalsEtz9_M-MMoeDTyb1znY32QsxpweJ-IW8FTpdmdPCbNANTmPk0qwOtBEZzAm7b_HYVvjCCzm_sn7UxJRGzRP8u9ZLyW4XsTUHzRWBeaaDOn_4O2vbb2j9O3vFscQzPOMuJLM57

i-003ee8dee157ef4d7

Instance summary

Instance ID: [i-003ee8dee157ef4d7](#)

Public IPv4 address: [34.207.183.71](#) | [open address](#)


Private IPv4 addresses: [10.1.11.210](#)

Instance state: [Running](#)

Public DNS: [ec2-34-207-183-71.compute-1.amazonaws.com](#) | [open address](#)

IPV6 address: -


50.



51. Signed out

Task 3.4: Test user-3 permissions

52-55.



56-59.

The image displays two screenshots of the AWS Management Console, illustrating the steps to stop an EC2 instance.

Top Screenshot: Stop Instance Dialog

The "Stop instance" dialog box is shown, providing information about the instance `i-003ee8dee157ef4d7`. The instance state is `Off (Can stop instance)`. A warning message states: "You will be billed for associated resources. After you stop the instance, you are no longer charged usage or data transfer fees for it. However, you will still be billed for associated Elastic IP addresses and EBS volumes." The dialog also lists associated resources and provides options for **Skip OS shutdown** (checked) and **Skip OS shutdown** (unchecked). Buttons for **Cancel** and **Stop** are visible.

Bottom Screenshot: Instance Stopping Status

The console shows the instance `i-003ee8dee157ef4d7` in the `Stopping` state. A green banner at the top indicates "Successfully initiated stopping of i-003ee8dee157ef4d7". The instance details page shows the instance summary, including the instance ID `i-003ee8dee157ef4d7`, the public IPv4 address `34.207.183.71`, the private IPv4 addresses `10.1.11.210`, and the public DNS `ec2-34-207-183-71.compute-1.amazonaws.com`. The instance state is `Stopping`.

60.

awsacademy.instructure.com/courses/140296/assignments/1630620

School

Home

Discussions

Grades

Lucid (Whiteboard)

Assignments

Due No Due Date

Points 56

Submitting an external tool

01:22

Start Lab

End Lab

AWS Details

Details

Submit

Submission Report

Grades

EN_US

Lab complete

Congratulations! You have completed the lab.

63. To confirm that you want to end the lab, at the top of this page, choose **End Lab**, and then choose **Yes**.

A message appears: *Ended AWS Lab Successfully*

Your feedback is welcome and appreciated.

If you would like to share any suggestions or corrections, please provide the details in the [AWS Training and Certification Contact Form](#).

Total score

15/15

[Task 2A] Check user-1 iam group

5/5

[Task 2B] Check user-2 iam group

5/5

[Task 2C] Check user-3 iam group

5/5

Previous

Next