


A business request for the café: Launching a static website (challenge 1)

Task 1: Extracting the files that you need for this lab 4, 5.



Task 2: Creating an S3 bucket to host your static website

6, 7.

The image shows two screenshots of the AWS Management Console. The top screenshot is the 'Create bucket' page, and the bottom screenshot is the 'Buckets' list page.

Top Screenshot: Create bucket

The 'Create bucket' page shows the following configuration:

- General configuration**
 - AWS Region:** US East (N. Virginia) us-east-1
 - Bucket type:** General purpose (selected). Directory is unselected.
 - Bucket name:** lab-02-bsse23058
 - Copy settings from existing bucket - optional:** Choose bucket (button). Format: s3://bucket/prefix.
- Object Ownership**
 - Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

Bottom Screenshot: Buckets

The 'Buckets' page shows a list of buckets under the 'General purpose buckets' tab. A green notification bar at the top states: 'Successfully created bucket "lab-02-bsse23058"'. Below the notification, there are tabs for 'General purpose buckets' and 'Directory buckets'. The 'General purpose buckets' tab shows a list of buckets:

Name	AWS Region	Creation date
c182747a470741811205619211w921197030717-htmlbucket-r5h7okstdpbl	US East (N. Virginia) us-east-1	October 13, 2025, 02:12:14 (UTC+05:00)
lab-02-bsse23058	US East (N. Virginia) us-east-1	October 13, 2025, 02:18:44 (UTC+05:00)

On the right side of the 'Buckets' page, there are two sections: 'Account snapshot' and 'External access summary - new'. Both sections have a 'View dashboard' button.

8.

The screenshot displays two screenshots of the AWS Management Console. The top screenshot shows the 'Edit static website hosting' page for the bucket 'lab-02-bsse23058'. The 'Static website hosting' section is enabled. The 'Hosting type' is set to 'Host a static website'. A notification states: 'For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see Using Amazon S3 Block Public Access'. The 'Index document' is 'index.html' and the 'Error document - optional' is 'error.html'.

The bottom screenshot shows the 'Properties' tab for the bucket 'lab-02-bsse23058'. A green notification bar at the top says 'Successfully edited static website hosting.' The 'Bucket overview' section shows: AWS Region: US East (N. Virginia) us-east-1; Amazon Resource Name (ARN): arn:aws:s3::lab-02-bsse23058; Creation date: October 13, 2025, 02:18:44 (UTC+05:00). The 'Bucket Versioning' section shows 'Bucket Versioning' is Disabled. The 'Multi-factor authentication (MFA) delete' section shows 'MFA delete' is Disabled.

Task 3: Uploading content to your S3 bucket

9.

Lab01 - IAM

Course Invitation - bsse23058

Challenge (Cafe) lab: Creating

Upload objects - S3 bucket lab

us-east-1.console.aws.amazon.com/s3/upload/lab-02-bsse23058?region=us-east-1&bucketType=general

aws

Search

[Alt+S]

United States (N. Virginia)

Account ID: 9211-9703-0717
voclabs/user4454514--bsse23058@itu.edu.pk

Upload succeeded
For more information, see the Files and folders table.

Files and folders (10 total, 21.7 MB)

Find by name

Name	Folder	Type	Size	Status	Error
Cafe-Owners.png	images/	image/png	2.7 MB	Succeeded	-
Cafe-Vitrine.png	images/	image/png	3.8 MB	Succeeded	-
Coffee-and-Pastries.png	images/	image/png	3.1 MB	Succeeded	-
Coffee-Shop.png	images/	image/png	726.8 KB	Succeeded	-
Cookies.png	images/	image/png	1.4 MB	Succeeded	-
Cup-of-Hot-Chocolate.png	images/	image/png	3.6 MB	Succeeded	-
Strawberry-&-Blueberry-Tarts.p...	images/	image/png	2.9 MB	Succeeded	-
Strawberry-Tarts.png	images/	image/png	3.4 MB	Succeeded	-
styles.css	css/	text/css	541.0 B	Succeeded	-
index.html	-	text/html	2.9 KB	Succeeded	-

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

18°C
Clear

Search

2:24 AM
13-Oct-2025

10.

Lab01 - IAM

Course Invitation - bsse23058

Challenge (Cafe) lab: Creating

lab-02-bsse23058 - S3 bucket

403 Forbidden

lab-02-bsse23058.s3-website-us-east-1.amazonaws.com

403 Forbidden

- Code: AccessDenied
- Message: Access Denied
- RequestId: NQV6XOM08510R8T8
- HostId: Z8wGxVK3QYNxQxESAGTAR2jBencgga+u1KtD9pdjbbxdXoRfEo65MyVH0Q2r7U5rJRgCMAso=

An Error Occurred While Attempting to Retrieve a Custom Error Document


- Code: AccessDenied
- Message: Access Denied

18°C
Clear

Search

2:32 AM
13-Oct-2025

Answering questions about the lab




AWS Academy Cloud Architecting - Module 3 Challenge Lab Questions

View questions in: [English](#)

Question 1: When viewing the website after Task 3, do you see the page in the browser?

- ☐ Yes, everything looks great!
- ☒ No, the files are not publicly accessible.

Submit



Answer to question 1 submitted successfully.

Use the browser back button to return to the question list to submit an answer to any other question.

Task 4: Creating a bucket policy to grant public read access

14.

The screenshot shows the AWS Policy Generator console in a web browser. The browser's address bar displays `awspolicygen.s3.amazonaws.com/policygen.html`. The page has a dark theme. At the top, there are several tabs: 'Lab01 - IAM', 'Course Invitation - b...', 'Challenge (Cafe) lab:', 'zqmau0vb9f.execut...', 'Edit bucket policy - 1', 'AWS Policy Generat...', and '403 Forbidden'. The main content area is divided into sections. The 'Actions' section has a checkbox for 'All Actions (*)' and a dropdown menu showing '--Select Actions--'. The 'Amazon Resource Name (ARN)' section has a checkbox for 'All Resources (*)' and a text input field. Below this, a note states: 'ARN should follow the following format: arn:aws:s3::\$(BucketName)/\$(KeyName). Use a comma to separate multiple values.' There is a section titled 'Add conditions (optional)' with a button 'Add Statement'. Below that, a section titled 'Statements added (1)' shows a table with one statement. The table has columns: 'Principal(s)', 'Effect', 'Action', 'Resource(s)', 'Condition(s)', and 'Remove'. The statement in the table has a principal of '*', an effect of 'Allow', an action of 's3:GetObject', a resource of 'arn:aws:s3::lab-02-bsse23058/*', and no conditions. At the bottom, there is a section titled 'Step 3: Generate policy' with a subtext: 'A policy is a document (written in the [Access Policy Language](#)) that acts as a container for one or more statements.' and a button 'Generate Policy'. The Windows taskbar is visible at the bottom, showing the time as 2:39 AM on 13-Oct-2023.

Actions

☐ All Actions (*)

--Select Actions--

Amazon Resource Name (ARN)

☐ All Resources (*)

ARN should follow the following format: arn:aws:s3::\$(BucketName)/\$(KeyName). Use a comma to separate multiple values.

► Add conditions (optional)

Add Statement

Statements added (1)

You added the following statements. Click the button below to Generate a policy.

Principal(s)	Effect	Action	Resource(s)	Condition(s)	Remove
*	Allow	s3:GetObject	arn:aws:s3::lab-02-bsse23058/*	None	Remove

Step 3: Generate policy

A policy is a document (written in the [Access Policy Language](#)) that acts as a container for one or more statements.

Generate Policy

Lab01 - IAM x Course Invitation - b: x Challenge (Cafe) lab: x zqmau0vb9f.executi: x Edit bucket policy - x AWS Policy Generati: x 403 Forbidden x +

us-east-1.console.aws.amazon.com/s3/bucket/lab-02-bsse23058/property/policy/edit?region=us-east-1&bucketType=general

aws Search [Alt+S] United States (N. Virginia) Account ID: 9211-9703-0717 voclabs/user4454514-bsse23058@itu.edu.pk

Amazon S3 Buckets lab-02-bsse23058 Edit bucket policy

Bucket policy

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. [Learn more](#)

Policy examples **Policy generator**

Bucket ARN
arn:aws:s3:::lab-02-bsse23058

Policy

```
1 {
2   "Version": "2012-10-17",
3   "Statement": [
4     {
5       "Sid": "Statement1",
6       "Effect": "Allow",
7       "Principal": "*",
8       "Action": [
9         "s3:GetObject"
10      ],
11       "Resource": "arn:aws:s3:::lab-02-bsse23058/*"
12     }
13   ]
14 }
```

Edit statement

Select a statement

Select an existing statement in the policy or add a new statement.

[+ Add new statement](#)

Lab01 - IAM x Course Invitation - b: x Challenge (Cafe) lab: x zqmau0vb9f.executi: x lab-02-bsse23058 - x AWS Policy Generati: x 403 Forbidden x +

us-east-1.console.aws.amazon.com/s3/buckets/lab-02-bsse23058?region=us-east-1&bucketType=general&tab=permissions

aws Search [Alt+S] United States (N. Virginia) Account ID: 9211-9703-0717 voclabs/user4454514-bsse23058@itu.edu.pk

Amazon S3 Buckets lab-02-bsse23058

Successfully edited bucket policy.

Bucket policy

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. [Learn more](#)


Edit **Delete**

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "Statement1",
      "Effect": "Allow",
      "Principal": "*",
      "Action": "s3:GetObject",
      "Resource": "arn:aws:s3:::lab-02-bsse23058/*"
    }
  ]
}
```

[Copy](#)

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences 18°C Clear 2:41 AM 13-Oct-2025

15.



New business requirement: Protecting website data (challenge 2)

Task 5: Enabling versioning on the S3 bucket

16.

us-east-1.console.aws.amazon.com/s3/buckets/lab-02-bsse23058?regi...

Account ID: 9211-9703-0717
voclabs/user4454514=bsse23058@itu.ed...

Amazon S3 > Buckets > lab-02-bsse23058

Successfully edited Bucket Versioning
To transition, archive, or delete older object versions, [configure lifecycle rules](#) for this bucket.

lab-02-bsse23058 [Info](#)

< Objects Metadata **Properties** Permissions Metrics Manage >

Bucket overview

AWS Region
US East (N. Virginia) us-east-1

Amazon Resource Name (ARN)
[arn:aws:s3:::lab-02-bsse23058](#)

Creation date
October 13, 2025, 02:18:44 (UTC+05:00)


Bucket Versioning [Edit](#)

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

Bucket Versioning

CloudShell Feedback Privacy Terms Cookie preferences

17.



```
<!DOCTYPE html>
<html>
<head>
  <meta charset="ISO-8859-1">
  <title>Welcome to the Caf  acute;!</title>
  <link rel="stylesheet" href="css/styles.css">
</head>
<body class="bodyStyle">
  <div id="header" class="mainHeader">
    <hr>
    <div class="center">Caf  acute;</div>
  </div>
  <div id="mainContent">
    <hr>
    <div id="mainPictures" class="center">
      <table>
        <tr>
          <td></td>
          <td></td>
        </tr>
      </table>
    </div>
    <p>>The Caf  acute; offers an assortment of delicious and delectable pastries and coffees that will put a smile on your face. From cookies to croissants, tarts and cakes, each treat is specially prepared to excite your taste buds and brighten your day!</p>
    <div>
      <table>
        <tr>
          <td bgcolor="aquamarine">
            <div class="cursiveText">Frank bakes a rich variety of cookies. Try them all!</div>
          </td>
        </tr>
      </table>
    </div>
  </div>
</body>
</html>
```

Ln 1, Col 1 | 2,882 characters | Plain text | 100% | Windows (CRLF) | UTF-8

3 items | 1 item selected 2,91 KB |

18°C Clear | Search | ENG US | 2:46 AM 13-Oct-2023

18, 19, 20, 21.

Lab0CourChallzqmc

AWSWelc

us-east-1.console.aws.amazon.com/s3/upload/lab-02-bsse23058?regi...

aws

Unite

Account ID: 9211-9703-0717
voclabs/user4454514=bsse23058@itu.ed...

Upload succeeded
For more information, see the Files and folders table.

Summary

Destination
s3://lab-02-bsse23058

Succeeded
1 file, 2.9 KB (100.00%)

Failed
0 files, 0 B (0%)

Files and folders

Configuration

Files and folders (1 total, 2.9 KB)

Find by name

< 1 >

Name	Folder	Type	Size	Status	Error
index.html	-	text/html	2.9 KB	Succeeded	-

CloudShell

Feedback

Privacy

Terms

Cookie preferences

© 2025 Amazon Web Services, Inc. or its affiliates.

Lab01 - IAMCourse Invitation - bChallenge (Cafe) labzqmau0vtr9f.exeuculab-02-bsse23058AWS Policy GeneratWelcome to the Cal

us-east-1.console.aws.amazon.com/s3/buckets/lab-02-bsse23058?region=us-east-1&bucketType=general&tab=objects&showversions=true

Account ID: 9211-9703-0717voclabs/user4454514-bsse23058@itu.edu.pk

Search

[Alt+S]

United States (N. Virginia)

Amazon S3

Buckets

lab-02-bsse23058

lab-02-bsse23058

info

Objects

Metadata

Properties

Permissions

Metrics

Management

Access Points

Objects (4)

Copy S3 URI

Copy URL

Download

Open

Delete

Actions

Create folder

Upload

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

Show versions

☐	Name	Type	Version ID	Last modified	Size	Storage class
☐	css/	Folder	-	-	-	-
☐	images/	Folder	-	-	-	-
☐	index.html	html	hJJ0pwnij87xjQfd8bDyXN9xtLOH3e9i	October 13, 2025, 02:50:11 (UTC+05:00)	2.9 KB	Standard
☐	index.html	html	null	October 13, 2025, 02:23:53 (UTC+05:00)	2.9 KB	Standard

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

18°C

Clear

Search

ENG

US

2:51 AM

13-Oct-2025

22.

Question 2: What is another way to ensure maximum protection and prevent the accidental deletion of a preserved version?

- ☐ Cross-Region replication
- ☒ Multi-factor authentication
- ☐ Cross-Origin Resource Sharing (CORS)
- ☐ Bucket policy

Submit

▼

Lab0 | Cour | Chall | z x

lab-C | AWS | Welc | +

— □ ×

← → ↻

z qmau0vb9f.execute-api.us-east-1.amazonaws.com/RecordAnswers

☆ ⬇️ z ⋮

Answer to question 2 submitted successfully.

Use the browser back button to return to the question list to submit an answer to any other question.

New business requirement: Optimizing costs of Amazon S3 object storage (challenge 3)

Task 6: Setting lifecycle policies

23.

The first screenshot shows the AWS Management Console for the bucket 'lab-02-bsse23058'. A green notification bar at the top states: 'The rule "after30days" has been successfully added and the lifecycle configuration has been updated. It may take some time for the configuration to be updated. Refresh the lifecycle rules list if changes to the configuration aren't displayed.'

The 'Lifecycle configuration' section explains that lifecycle rules define actions for objects, such as transitioning to another storage class or deleting them after a specified period. The default minimum object size for transitions is 128K.

The 'Lifecycle rules (1)' section shows a single rule named 'after30days' with a status of 'Enabled'. The rule's scope is 'Entire bucket', and it includes transitions to 'Standard-IA' for both current and noncurrent versions. The 'Expired object deletion' and 'Incomplete multipart uploads' sections are empty.

The second screenshot shows the same console after adding a second rule. The notification bar now states: 'The rule "365days" has been successfully added and the lifecycle configuration has been updated. It may take some time for the configuration to be updated. Refresh the lifecycle rules list if changes to the configuration aren't displayed.'

The 'Lifecycle rules (2)' section now shows two rules. The first rule, 'after30days', remains unchanged. The second rule, '365days', is also 'Enabled' and has the same scope. Its transitions are set to 'Permanently delete' for both current and noncurrent versions. The 'Expired object deletion' and 'Incomplete multipart uploads' sections are empty.

New business requirement: Enhancing durability and planning for DR (challenge 4)

Task 7: Enabling cross-Region replication

24.

us-east-2.console.aws.amazon.com/s3/buckets?region=us-east-2&bucketType=general

Successfully created bucket "lab2-destinationbucket-bsse23058"
To upload files and folders, or to configure additional bucket settings, choose [View details](#).

General purpose buckets (3) [Info](#) [Copy ARN](#) [Empty](#) [Delete](#) [Create bucket](#)

Buckets are containers for data stored in S3.

Find buckets by name

Name	AWS Region	Creation date
c182747a470741811205619211w921197030717-htmlbucket-r5h7okstdpbl	US East (N. Virginia) us-east-1	October 13, 2025, 02:12:14 (UTC+05:00)
lab-02-bsse23058	US East (N. Virginia) us-east-1	October 13, 2025, 02:18:44 (UTC+05:00)
lab2-destinationbucket-bsse23058	US East (Ohio) us-east-2	October 13, 2025, 03:03:34 (UTC+05:00)

Account snapshot [Info](#) [View dashboard](#)
Updated daily
Storage Lens provides visibility into storage usage and activity trends.

External access summary - new [Info](#)
Updated daily
External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

CloudShell Feedback 18°C Clear 303 AM 13-Oct-2025

25.

us-east-1.console.aws.amazon.com/s3/management/lab-02-bsse23058/replication/create?region=us-east-1&bucketType=general

Amazon S3 > Buckets > lab-02-bsse23058 > Replication rules > Create replication rule

Destination

You can replicate objects across buckets in different AWS Regions (Cross-Region Replication) or you can replicate objects across buckets in the same AWS Region (Same-Region Replication). You can also specify a different bucket for each rule in the configuration. [Learn more](#) or see [Amazon S3 pricing](#).

☒ Choose a bucket in this account
☐ Specify a bucket in another account

Bucket name

Choose the bucket that will receive replicated objects.

lab2-destinationbucket-bsse23058 [Browse S3](#)

Destination Region

US East (Ohio) us-east-2

IAM role

Permission to access the specified resources

☐ Create new role
☒ Choose from existing IAM roles
☐ Enter IAM role ARN

IAM role

CafeRole [View](#)

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

18°C Clear

us-east-1.console.aws.amazon.com/s3/management/lab-02-bsse23058/replication?region=us-east-1&bucketType=general

Amazon S3 > Buckets > lab-02-bsse23058 > Replication rules

Replication configuration successfully updated
If changes to the configuration aren't displayed, choose the refresh button. Changes apply only to new objects. To replicate existing objects with this configuration, choose [Create replication job](#).

[Create replication job](#) [Edit](#)

Replication configuration settings

Configuration settings affect all replication rules in the bucket.

Source bucket
lab-02-bsse23058

Source Region
US East (N. Virginia) us-east-1

IAM role
[CafeRole](#)

[Create replication job](#) [Edit](#)

Replication rules (1)

Use replication rules to define options you want Amazon S3 to apply during replication such as server-side encryption, replica ownership, transitioning replicas to another storage class, and more. [Learn more](#)

[View details](#) [Edit rule](#) [Delete](#) [Actions](#) [Create replication rule](#)

Replication rule name	Status	Destination bucket	Destination Region	Priority	Scope	Storage class	Replica owner	Replication Time Control	KMS-encrypted objects (SSE-KMS or DSSE-KMS)	Replica modification sync
-----------------------	--------	--------------------	--------------------	----------	-------	---------------	---------------	--------------------------	---	---------------------------

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

18°C Clear


308 AM 13-Oct-2025

26.

Question 3: Do you see the objects from your source bucket in the destination bucket?

- ☐ Yes
☒ No


Submit



Answer to question 3 submitted successfully.

Use the browser back button to return to the question list to submit an answer to any other question.

27.



```
<!DOCTYPE html>
<html>
<head>
  <meta charset="ISO-8859-1">
  <title>Welcome to the Caf e! Zunaira</title>
  <link rel="stylesheet" href="css/styles.css">
</head>

<body class="bodyStyle">

  <div id="header" class="mainHeader">
    <hr>
    <div class="center">Caf e;</div>
  </div>
  <br>

  <div id="mainContent">
    <hr>
    <div id="mainPictures" class="center">
      <table>
        <tr>
          <td>
</td>
</tr>
</table>
</div>
</div>
</body>
</html>
```

Ln 5, Col 44 | 7 of 2,890 char | Plain text | 100% | Windows (CRLF) | UTF-8

28.

Objects (5)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix Show versions ☐

☐	Name	Type	Version ID	Last modified	Size	Storage class
☐	css/	Folder	-	-	-	-
☐	images/	Folder	-	-	-	-
☐	index.html	html	NCldG88jqnZnEwwvn7G_b5rphD1TZTtv	October 13, 2025, 03:12:59 (UTC+05:00)	2.9 KB	Standard
☐	index.html	html	hJJ0pwnji87xjQfd8BdyXN9xtLOH3e9i	October 13, 2025, 02:50:11 (UTC+05:00)	2.9 KB	Standard
☐	index.html	html	null	October 13, 2025, 02:23:53 (UTC+05:00)	2.9 KB	Standard

29.

Zunaira Café

The Café offers an assortment of delicious and delectable pastries and coffees that will put a smile on your face. From cookies to croissants, tarts and cakes, each treat is specially prepared to excite your tastebuds and brighten your day!

Frank bakes a rich variety of cookies. Try them all!

Tea Coffee Latte Hot

Our tarts are always a customer favorite!

30.

us-east-1.console.aws.amazon.com/s3/buckets/lab-02-bsse23058/object/delete?region=us-east-1&bucketType=general&showversions=true

Successfully deleted objects
View details below.

After you navigate away from this page, the following information is no longer available.

Summary

Source s3://lab-02-bsse23058	Successfully deleted 1 object, 2.9 KB	Failed to delete 0 objects
---------------------------------	--	-------------------------------

Failed to delete | Configuration

Failed to delete (0)

Find objects by name

Name	Folder	Version ID	Type	Last modified	Size	Error
No objects failed to delete.						

31.

Question 4: Was the version that you just deleted from your source bucket also deleted from your destination bucket?

☐ Yes

☒ No

Submit

Answer to question 4 submitted successfully.

Use the browser back button to return to the question list to submit an answer to any other question.

Grades

Lab01 - IAM x Course Invitation - b x Challenge (Cafe) lab: x zqmau0vb9f.executi x Delete objects - S3 x AWS Policy Generat x Welcome to the Caf x

awsacademy.instructure.com/courses/140296/assignments/1630596

ACAv3EN-US-LT113-140296 > Assignments > Challenge (Cafe) lab: Creating a Static Website for the Cafe > Challenge (Cafe) lab: Creating a Static Website for the Cafe

Home
Discussions
Grades
Lucid (Whiteboard)
Assignments

Challenge (Cafe) lab: Creating a Static Website for the Cafe

Due No Due Date Points 29 Submitting an external tool

AWS 00:51 Start Lab End Lab AWS Details Details

Submit Submission Report Grades

EN_US

Submit again. Your last submission is recorded for this lab.

34. To find detailed feedback on your work, choose **Submission Report**.

Lab complete

Congratulations! You have completed the lab.

35. At the top of this page, choose **End Lab**, and then choose **Yes** to confirm that you want to end the lab.

The following message briefly appears: *Ended AWS Lab Successfully*

© 2023 Amazon Web Services, Inc. and its affiliates. All rights reserved. This work may not be

Total score 29/29

[Answer 01]
[Answer 02]
[Answer 03]
[Answer 04]
[Task 2] S3 Bucket exists
[Task 2] S3 has a public bucket policy

18°C Clear

Lab01 - IAM x Course Invitation - b x Challenge (Cafe) lab: x zqmau0vb9f.executi x Delete objects - S3 x AWS Policy Generat x Welcome to the Caf x

awsacademy.instructure.com/courses/140296/assignments/1630596

ACAv3EN-US-LT113-140296 > Assignments > Challenge (Cafe) lab: Creating a Static Website for the Cafe > Challenge (Cafe) lab: Creating a Static Website for the Cafe

Home
Discussions
Grades
Lucid (Whiteboard)
Assignments

Challenge (Cafe) lab: Creating a Static Website for the Cafe

Due No Due Date Points 29 Submitting an external tool

AWS 00:51 Start Lab End Lab AWS Details Details

Submission Report

[Executed at: Sun Oct 12 15:21:10 PDT 2025]

[Answer 01] Correct, the files do not have any public permissions attached.
[Answer 02] Correct, adding Multi-factor authentication can add more protection and prevent the accidental deletion of objects.
[Answer 03] Correct, by default, Amazon S3 replicates objects that are created after you add a replication configuration.
[Answer 04] Correct, Amazon S3 doesn't delete the same object version from the destination bucket.

Testing report - S3 bucket configured as a website!
Testing report - S3 bucket has a public policy!
Testing report - S3 has versioning enabled
Testing report - S3 has a lifecycle policy attached with the required policies.

Congratulations! You have completed the lab.

35. At the top of this page, choose **End Lab**, and then choose **Yes** to confirm that you want to end the lab.

The following message briefly appears: *Ended AWS Lab Successfully*

[Answer 04]
[Task 2] S3 Bucket exists
[Task 2] S3 has a public bucket policy

18°C Clear