

Task 1: Creating a public subnet

4.

The screenshot shows the AWS Management Console interface for the VPC service in the us-east-1 region. The left sidebar contains navigation links for VPC dashboard, Virtual private cloud, Security, and PrivateLink and Lattice. The main content area displays 'Your VPCs (1/2)' with a table listing VPCs. The first VPC, 'Lab VPC', is selected and its details are shown in the bottom panel.

Virtual private cloud

- Your VPCs
- Subnets
- Route tables
- Internet gateways
- Egress-only internet gateways
- Carrier gateways
- DHCP option sets
- Elastic IPs
- Managed prefix lists
- NAT gateways
- Peering connections
- Route servers [New](#)

Security

- Network ACLs
- Security groups

PrivateLink and Lattice

- Getting started
- Endpoints

Your VPCs (1/2) Info

Last updated less than a minute ago

Find VPCs by attribute or tag

Name	VPC ID	State
Lab VPC	vpc-0fbd665b3139eae12	Available
-	vpc-0d3771bb582ec098a	Available

vpc-0fbd665b3139eae12 / Lab VPC

Details

VPC ID: vpc-0fbd665b3139eae12

State: Available

5.

The screenshot shows the AWS Management Console interface for the us-east-1 region, specifically the Subnets page. The left sidebar contains navigation links for VPC dashboard, AWS Global View, and various VPC resources. The main content area shows a list of subnets, with the 'Public Subnet' selected. Below the list, the details for the selected subnet are displayed, including its ID, ARN, IPv4 CIDR, and Availability Zone.

Subnets (1/7) Info Last updated 2 minutes ago [Actions](#) [Create subnet](#)

Find subnets by attribute or tag

	Name	Subnet ID	State
☐	-	subnet-07ddd173c90ccb6c3	Available
☐	-	subnet-07fdb65b34429ff8c	Available
☐	-	subnet-01ccaf60479dafb56	Available
☐	-	subnet-04ffc0c1155010045	Available
☐	-	subnet-0c015c549fe8fda17	Available
☐	-	subnet-01a9e846cb003fb90	Available
☒	Public Subnet	subnet-0b054ea70d785c43e	Available

subnet-0b054ea70d785c43e / Public Subnet

[Details](#) [Flow logs](#) [Route table](#) [Network ACL](#) [CIDR res](#)

Details

Subnet ID subnet-0b054ea70d785c43e	Subnet ARN arn:aws:ec2:us-east-1:244608429709:subnet/subnet-0b054ea70d785c43e
IPv4 CIDR 10.0.0.0/24	Available IPv4 addresses 251
Availability Zone us-east-1a	

CloudShell Feedback Privacy Terms Cookie preferences

© 2025, Amazon Web Services, Inc. or its affiliates.

6.

The screenshot shows the AWS Management Console interface for the us-east-1 region. The top navigation bar includes the AWS logo, a search bar, and account information (Account ID: 2446-0842-9709). The breadcrumb trail indicates the path: VPC > Internet gateways > igw-0d84211f66b8fbde5. A green notification banner at the top states: "Internet gateway igw-0d84211f66b8fbde5 successfully attached to vpc-0fbd665b3139eae12".

The left-hand navigation menu is expanded to show the "VPC dashboard" section, which includes links to "Virtual private cloud", "Subnets", "Route tables", "Internet gateways" (highlighted), "Egress-only internet gateways", "Carrier gateways", "DHCP option sets", "Elastic IPs", "Managed prefix lists", "NAT gateways", "Peering connections", and "Route servers". Below this, the "Security" and "PrivateLink and Lattice" sections are also visible.

The main content area displays the details for the Internet Gateway "igw-0d84211f66b8fbde5 / Gateway Lab VPC". The "Details" section includes the following information:

- Internet gateway ID:** igw-0d84211f66b8fbde5
- VPC ID:** vpc-0fbd665b3139eae12 | Lab VPC
- State:** Attached (indicated by a green checkmark)
- Owner:** 244608429709

The "Tags (1)" section shows a single tag with the key "Name" and the value "Gateway Lab VPC".

The footer of the console includes links to "CloudShell", "Feedback", "Privacy", "Terms", and "Cookie preferences", along with the copyright notice: "© 2025, Amazon Web Services, Inc. or its affiliates."

7.

Course Invitation - bsse23058@ x VPC | us-east-1 x +

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#EditRoutes:RouteTableId=rtb-0e9... ☆ z

aws

Search [Alt+S]

United States

Account ID: 2446-0842-9709
voclabs/user4454514-bsse23058@itu.edu.pk

VPC > Route tables > rtb-0e9cdc53811ea33c1 > Edit routes

Edit routes

Route 1
Destination
10.0.0.0/16

Target
local

Status
Active

Propagated
No

Route Origin
CreateRouteTable

Route 2
Destination
0.0.0.0/0

Target
Internet Gateway

Status
-

Propagated
No

Route Origin
CreateRoute

Remove

Add route

Cancel Preview Save changes

CloudShell Feedback

Privacy Terms Cookie preferences

© 2025, Amazon Web Services, Inc. or its affiliates.

Course Invitation - bsse23058@ x VPC | us-east-1

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#RouteTableDetails:RouteTableId=r...

Account ID: 2446-0842-9709
voclabs/user4454514=bsse23058@itu.edu.pk

VPC > Route tables > rtb-0e9cdc53811ea33c1

VPC dashboard

AWS Global View

Filter by VPC

▼ Virtual private cloud

- Your VPCs
- Subnets
- Route tables**
- Internet gateways
- Egress-only internet gateways
- Carrier gateways
- DHCP option sets
- Elastic IPs
- Managed prefix lists
- NAT gateways
- Peering connections
- Route servers [New](#)

▼ Security

- Network ACLs
- Security groups

▼ PrivateLink and Lattice

- Getting started
- Endpoints
- Endpoint services
- Service networks
- Lattice services

Updated routes for rtb-0e9cdc53811ea33c1 successfully

Details

rtb-0e9cdc53811ea33c1

Actions

Details Info

Route table ID	rtb-0e9cdc53811ea33c1	Main	Yes
VPC	vpc-0fbd665b3139eae12 Lab VPC	Owner ID	244608429709
Explicit subnet associations	–	Edge associations	–

< **Routes** Subnet associations Edge associations Route propagation >

Routes (2)

Both Edit routes

Filter routes

< 1 > ⚙

Destination	Target	Status	Propagated	Route Or...
0.0.0.0/0	igw-0d8421...	Active	No	Create Route
10.0.0.0/16	local	Active	No	Create Rout...

CloudShell Feedback

Privacy Terms Cookie preferences

© 2025, Amazon Web Services, Inc. or its affiliates.

Task 2: Creating a bastion host

8.

Course Invitation - bsse23058@

Launch an instance | EC2 | us-east-1

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

aws

Search [Alt+S]

United States

Account ID: 2446-0842-9709

voclabs/user4454514=bsse23058@itu.edu.pk

EC2

Instances

Launch an instance

Launch an instance Info

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags Info

Name

Bastion Host

[Add additional tags](#)

▼ Application and OS Images (Amazon Machine Image) Info

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose **Browse more AMIs**.

Quick Start

Amazon Linux

macOS

Ubuntu

Windows

Red Hat

SUSE Linux

Debian

[Browse more AMIs](#)

Including AMIs from AWS, Marketplace and the Community

Amazon Machine Image (AMI)

Amazon Linux 2023 kernel-6.1 AMI

Free tier eligible

ami-0cae6d6fe6048ca2c (64-bit (x86), uefi-preferred) / ami-023c74ebb71253ab4 (64-bit (Arm), uefi)

Virtualization: hvm ENA enabled: true Root device type: ebs

Description

Amazon Linux 2023 (kernel-6.1) is a modern, general purpose Linux-based OS that comes with 5 years of long term support. It is optimized for AWS and designed to provide a secure, stable and high-performance execution environment to develop and run your

CloudShell Feedback

Privacy Terms Cookie preferences

© 2025, Amazon Web Services, Inc. or its affiliates.

Course Invitation - bsse23058@ xLaunch an instance | EC2 | us-e

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

awsSearch [Alt+S]United StatesAccount ID: 2446-0842-9709voclabs/user4454514=bsse23058@itu.edu.pk

EC2 > Instances > Launch an instance

▼ Instance typeInfo | Get advice

Instance type

t2.micro

Family: t2 1 vCPU 1 GiB Memory Current generation: true

On-Demand Windows base pricing: 0.0162 USD per Hour

On-Demand Ubuntu Pro base pricing: 0.0134 USD per Hour

On-Demand SUSE base pricing: 0.0116 USD per Hour

On-Demand RHEL base pricing: 0.026 USD per Hour

On-Demand Linux base pricing: 0.0116 USD per Hour

All generations

Compare instance types

Additional costs apply for AMIs with pre-installed software

▼ Key pair (login)Info

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - required

vockey

Create new key pair

▼ Network settingsInfo

VPC - requiredInfo

vpc-0fbd665b3139eae12 (Lab VPC)

10.0.0.0/16

Create new VPC

SubnetInfo

subnet-0b054ea70d785c43e

Public Subnet

VPC: vpc-0fbd665b3139eae12 Owner: 244608429709

Availability Zone: us-east-1a (use1-az4) Zone type: Availability Zone

IP addresses available: 251 CIDR: 10.0.0.0/24

Create new subnet

Auto-assign public IPInfo

Enable

Additional charges apply when outside of free tier allowance

CloudShellFeedback

PrivacyTermsCookie preferences

© 2025, Amazon Web Services, Inc. or its affiliates.

Course Invitation - bsse23058

Launch an instance | EC2 | us-east-1

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

aws

Search

[Alt+S]

United States

Account ID: 2446-0842-9709

voclabs/user4454514=bsse23058@itu.edu.pk

EC2

Instances

Launch an instance

Firewall (security groups)

Info

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

Create security group

Select existing security group

Security group name - required

Bastion Host SG

This security group will be added to all network interfaces. The name can't be edited after the security group is created. Max length is 255 characters. Valid characters: a-z, A-Z, 0-9, spaces, and ._-:/()#,@[]+=&;{}!\$*

Description - required

Info

Allows SSH access to developers

Inbound Security Group Rules

Security group rule 1 (TCP, 22, 139.135.36.250/32)

Remove

Type

Info

ssh

Protocol

Info

TCP

Port range

Info

22

Source type

Info

My IP

Name

Info

Add CIDR, prefix list or security group

Description - optional

Info

e.g. SSH for admin desktop

139.135.36.250/32

Add security group rule

Advanced network configuration

Network interface 1

Device index

Info

0

Network interface

Info

New interface

Description

Info

Subnet

Info

subnet-0b054ea70d785c43e

IP addresses available: 251

Security groups

Info

New security group

Auto-assign public IP

Info

Enable

CloudShell

Feedback

Privacy

Terms

Cookie preferences

© 2025, Amazon Web Services, Inc. or its affiliates.

Course Invitation - bsse23058@ x Launch an instance | EC2 | us-e: x

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

aws Search [Alt+S] United States Account ID: 2446-0842-9709 voclabs/user4454514=bsse23058@itu.edu.pk

EC2 > Instances > Launch an instance

Success
Successfully initiated launch of instance (i-0f76ba48e5291b2fc)

► Launch log

Next Steps
What would you like to do next with this instance, for example "create alarm" < 1 2 3 4 5 6 7 8 >

Create billing and free tier usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing and free tier usage thresholds.
[Create billing alerts](#)

Connect to your instance
Once your instance is running, log into it from your local computer.
[Connect to instance](#)
[Learn more](#)

Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
[Connect an RDS database](#)
[Create a new RDS database](#)
[Learn more](#)

Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots
[Create EBS snapshot policy](#)

Manage detailed monitoring
Enable or disable detailed monitoring for the instance. If you enable detailed monitoring, the Amazon EC2 console displays monitoring graphs with a 1-minute period.

Create Load Balancer
Create an application, network gateway or classic Elastic Load Balancer
[Create Load Balancer](#)

Task 3: Testing the connection to the bastion host

9-13.

The screenshot shows the AWS Academy interface in a web browser. The browser's address bar displays the URL `awsacademy.instructure.com/courses/140296/assignments/1630599`. The page title is "ACAv3EN-US-LTI13-140296 > Assignments". The main heading is "Challenge (Cafe) lab: Creating a VPC Networking Environment for the Café".

On the left, a sidebar contains navigation links: Home, Discussions, Grades, Lucid (Whiteboard), and Assignments (which is highlighted). Below these links is a vertical toolbar with icons for a user profile, a clock, a document, a calendar, a printer, a clock, and a notification bell showing 10 alerts.

The main content area shows the lab details. At the top, it says "Due No Due Date", "Points 56", and "Submitting an external tool". Below this is a progress bar with a green dot and the text "AWS 02:35". To the right of the progress bar are buttons for "Start Lab", "End Lab", "AWS Details", "Details", and a close icon.

The lab instructions are displayed in a large text area. The first instruction is: "7. Edit the route table that was created in your VPC by adding the route 0.0.0.0/0. For the target, choose the internet gateway that you created in the previous step." A hint follows: "Hint: To successfully complete this task, you must create a few resources. If you get stuck, see the [AWS Documentation](#)."

The second instruction is: "8. From the Amazon EC2 console, create an EC2 instance in the public subnet of the Lab VPC. Configure the following options:"

Below the instructions is a section titled "Task 2: Creating a bastion host". The text reads: "In this task, you create a bastion host in the public subnet. In later tasks, you create an EC2 instance in a private subnet and connect to it from this bastion host."

On the right side of the lab instructions, there is a sidebar with a "Submit" button, a "Submission Report" tab, and a "Grades" tab. The "Submission Report" tab is active, showing the following information:

- Remaining session time: 02:35:01 (156 minutes)
- Session started at: 2025-11-17T01:59:10-0800
- Session to end at: 2025-11-17T04:59:10-0800
- Accumulated lab time: 03:24:00 (204 minutes)
- No running instance
- SSH key: [Show](#)
- [Download PEM](#)
- [Download PPK](#)
- AWS SSO
- [Download URL](#)
- URL: [Access the multiple choice questions](#)

Course Invitation - bsse23058@ x Instances | EC2 | us-east-1 x +

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#Instances:

Account ID: 2446-0842-9709
voclabs/user4454514=bsse23058@itu.edu.pk

EC2 > Instances

Instances (1/1) Info

Connect Instance state Actions Launch instances

Find Instance by attribute or tag (case-sensitive) All states

Instance ID	Instance state
i-0f76ba48e5291b2fc	Running

Monitoring Security Network

4 address copi

98.87.222.185 | open address

IPv6 address

Public DNS
ec2-98-87-222-185.compute-1.amazonaws.com | open address

Private IP DNS name (IPv4 only)
ip-10-0-0-110.ec2.internal

Private IPv4 addresses
10.0.0.110

Instance state
Running

Hostname type
IP name: ip-10-0-0-110.ec2.internal

PuTTY Configuration

Category:

- Selection
- Colours
- Connection
 - Data
 - Proxy
 - SSH
 - Kex
 - Host keys
 - Cipher
 - Auth
 - Credenti
 - GSSAPI
 - TTY
 - X11
 - Tunnels
 - Bugs
 - More bugs
 - Serial
 - Telnet
 - Rlogin
 - SUPDUP

Credentials to authenticate with

Public-key authentication

Private key file for authentication:
C:\Users\Zunaira\Downloads\labsuser.p Browse...

Certificate to use with the private key (optional):
Browse...

Plugin to provide authentication responses
Plugin command to run

About Help Open Cancel

CloudShell Feedback

Privacy Terms Cookie preferences

© 2025, Amazon Web Services, Inc. or its affiliates.

The screenshot shows a web browser window with the URL `awsacademy.instructure.com/courses/140296/assignments/1630599`. The page title is "Challenge (Cafe) lab: Creating a VPC Networking Environment for the Café". The page content includes a sidebar with links to "Home", "Discussions", "Grades", and "Lucid (Whiteboard)". The main content area displays the lab title and a list of assignments. A terminal window is open in the foreground, showing the login process for an EC2 instance. The terminal output includes the AWS Linux 2023 logo and the URL `https://aws.amazon.com/linux/amazon-linux-2023`. The terminal prompt is `[ec2-user@ip-10-0-0-110 ~]$`. To the right of the terminal, a sidebar contains a "Submit" button, a "Submission Report" button, and a "Grades" button. Below these buttons, the "Remaining session time" is shown as 02:35:01 (156 minutes). The "Session started at" is 2025-11-17T01:59:10-0800, and the "Session to end at" is 2025-11-17T04:59:10-0800. The "Accumulated lab time" is 03:24:00 (204 minutes). The status is "No running instance". There are buttons for "Download PEM", "Download PPK", "AWS SSO", and "Download URL". A "URL" field is also present with a link to "Access the multiple choice questions".

Challenge (Cafe) lab: Creating a VPC Networking Environment for the Café

14. In the Amazon VPC console, create a private subnet with the following options:

- **VPC ID:** Choose **Lab VPC**.
- **Subnet name:** Enter **Private Subnet**.
- **Availability Zone:** Choose the same Availability Zone that you choose for the **Public Subnet** in one of the previous tasks.

Task 4: Creating a private subnet

14.

The screenshot displays the AWS VPC console interface. At the top, a green notification bar states: "You have successfully created 1 subnet: subnet-03993ad6d85734f26". Below this, the "Subnets (1)" section is active, showing a table with one entry:

☐	Name	Subnet ID	State
☐	Private Subnet	subnet-03993ad6d85734f26	Available

The left sidebar contains a navigation menu with categories: "Virtual private cloud" (including VPCs, Subnets, Route tables, Internet gateways, Egress-only internet gateways, Carrier gateways, DHCP option sets, Elastic IPs, Managed prefix lists, NAT gateways, Peering connections, and Route servers), "Security" (including Network ACLs and Security groups), and "PrivateLink and Lattice" (including Getting started, Endpoints, Endpoint services, Service networks, and Lattice services). The bottom of the console shows a footer with "CloudShell", "Feedback", and copyright information for Amazon Web Services, Inc. or its affiliates.

Task 5: Creating a NAT gateway

15.

Course Invitation - bsse23058

VPC | us-east-1

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#CreateNatGateway:

aws

Search

[Alt+S]

United States

Account ID: 2446-0842-9709

voclabs/user4454514=bsse23058@itu.edu.pk

VPC

NAT gateways

Create NAT gateway

Elastic IP address 98.89.195.19 (eipalloc-08e26863469420967) allocated.

NAT gateway settings

Name - optional
Create a tag with a key of 'Name' and a value that you specify.

Lab NAT Gateway

The name can be up to 256 characters long.

Subnet
Select a subnet in which to create the NAT gateway.

subnet-0b054ea70d785c43e (Public Subnet)

Connectivity type
Select a connectivity type for the NAT gateway.

☒ Public
☐ Private

Elastic IP allocation ID [Info](#)
Assign an Elastic IP address to the NAT gateway.

eipalloc-08e26863469420967

Allocate Elastic IP

Additional settings

Info

Tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Key	Value - optional	
Name	Lab NAT Gateway	Remove

Add new tag

You can add 49 more tags.

Cancel

Create NAT gateway

CloudShell

Feedback

Privacy

Terms

Cookie preferences

© 2025, Amazon Web Services, Inc. or its affiliates.

Course Invitation - bsse23058@

VPC | us-east-1

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#NatGatewayDetails:natGate...

aws

Search

[Alt+S]

United States

Account ID: 2446-0842-9709

voclabs/user4454514=bsse23058@itu.edu.pk

VPC > NAT gateways > nat-05465a2c1289c3713

VPC dashboard

AWS Global View

Filter by VPC

Virtual private cloud

Your VPCs

Subnets

Route tables

Internet gateways

Egress-only internet gateways

Carrier gateways

DHCP option sets

Elastic IPs

Managed prefix lists

NAT gateways

Peering connections

Route servers

Security

Network ACLs

Security groups

PrivateLink and Lattice

Getting started

Endpoints

Endpoint services

Service networks

Lattice services

NAT gateway nat-05465a2c1289c3713 | Lab NAT Gateway was created successfully.

nat-05465a2c1289c3713 / Lab NAT Gateway

Actions

Details

NAT gateway ID

nat-05465a2c1289c3713

NAT gateway ARN

arn:aws:ec2:us-east-1:244608429709:natgateway/nat-05465a2c1289c3713

VPC

vpc-0fbd665b3139eae12 / Lab VPC

State

Pending

Primary private IPv4 address

Created

Monday, November 17, 2025 at 15:32:11 GMT+5

Connectivity type

Public

Primary public IPv4 address

Subnet

subnet-0b054ea70d785c43e / Public Subnet

State message

Info

Primary network interface ID

Deleted

Secondary IPv4 addresses

Monitoring

Tags

Secondary IPv4 addresses

Edit secondary IPv4 address associations

Search

< 1 >

Private IPv4 address

Network interface ID

Status

Secondary IPv4 addresses are not available for this nat gateway.

CloudShell

Feedback

Privacy

Terms

Cookie preferences

© 2025, Amazon Web Services, Inc. or its affiliates.

16-17.

The screenshot shows the AWS Management Console interface for a Private Route Table. The left sidebar contains navigation links for VPC, Route tables, and other AWS services. The main content area displays the details for the route table `rtb-05bc1c6bb57e41a57`. A green banner at the top indicates that the routes were updated successfully. The details section shows the route table ID, VPC, and owner information. The 'Routes' tab is selected, showing a table with two active routes.

Destination	Target	Status	Propagated	Route Or...
0.0.0.0/0	nat-05465a...	Active	No	Create Route
10.0.0.0/16	local	Active	No	Create Rout...

Task 6: Creating an EC2 instance in the private subnet

18.

Course Invitation - bsse23058@ x Key pairs | EC2 | us-east-1 x +

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#KeyPairs:

aws Search [Alt+S] vockey2.ppk 1,425 B • Done

EC2 > Key pairs

Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager [New](#)

▼ **Images**
AMIs
AMI Catalog

▼ **Elastic Block Store**
Volumes
Snapshots
Lifecycle Manager

▼ **Network & Security**
Security Groups
Elastic IPs
Placement Groups
[Key Pairs](#)
Network Interfaces

▼ **Load Balancing**
Load Balancers
Target Groups
Trust Stores

▼ **Auto Scaling**
Auto Scaling Groups

Successfully created key pair

Key pairs (2) [Info](#) [Actions](#) [Create key pair](#)

Find Key Pair by attribute or tag

☐	Name	Type	Created	Fingerprint
☐	vockey2	rsa	2025/11/17 15:38 GM...	f9:90:a8:71:53:d4:23:2
☐	vockey	rsa	2025/11/17 14:59 GM...	4e:95:47:fe:74:0c:94:2.

CloudShell Feedback Privacy Terms Cookie preferences

© 2025, Amazon Web Services, Inc. or its affiliates.

19.

The screenshot displays the AWS Management Console interface for an EC2 instance. The browser address bar shows the URL: `us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#InstanceDetails:instanceId=i-077c6c25c5460d996`. The console header includes the AWS logo, a search bar, and the account ID: 2446-0842-9709. The left sidebar shows the navigation menu with categories like EC2, Instances, Images, Elastic Block Store, and Network & Security. The main content area displays the 'Instance summary for i-077c6c25c5460d996 (Private Instance)'. The instance is in a 'Running' state. Key details include: Instance ID: i-077c6c25c5460d996, Private IPv4 address: 10.0.1.143, Instance type: t2.micro, Subnet ID: subnet-03993ad6d85734f26, and VPC ID: vpc-0fbd665b3139eae12. The instance is associated with the IAM Role 'ec2-instance-profile' and the Auto Scaling Group 'ec2-asg'.

Property	Value
Instance ID	i-077c6c25c5460d996
Private IPv4 addresses	10.0.1.143
Instance state	Running
Hostname type	IP name: ip-10-0-1-143.ec2.internal
Instance type	t2.micro
Auto-assigned IP address	-
AWS Compute Optimizer finding	Opt-in to AWS Compute Optimizer for recommendations. Learn more
Subnet ID	subnet-03993ad6d85734f26
IMDSv2	Required
Managed	false
Public IPv4 address	-
IPv6 address	-
Public DNS	-
Private IP DNS name (IPv4 only)	ip-10-0-1-143.ec2.internal
Answer private resource DNS name	-
Elastic IP addresses	-
VPC ID	vpc-0fbd665b3139eae12
IAM Role	-
Auto Scaling Group name	-
Instance ARN	arn:aws:ec2:us-east-1:244608429709:instance/i-077c6c25c5460d996
Operator	-

Task 7: Configuring your SSH client for SSH passthrough

20.

Challenge (Cafe) | x Download PuTTY: | x Cloud Computing v | x Google Gemini | x +

chiark.greenend.org.uk/~sgtatham/putty/latest.html

64-bit x86: [putty.exe](#) [\(signature\)](#)
 64-bit Arm: [putty.exe](#) [\(signature\)](#)
 32-bit x86: [putty.exe](#) [\(signature\)](#)

pscp.exe (an SCP client, i.e. command-line secure file copy)
 64-bit x86: [pscp.exe](#) [\(signature\)](#)
 64-bit Arm: [pscp.exe](#) [\(signature\)](#)
 32-bit x86: [pscp.exe](#) [\(signature\)](#)

psftp.exe (an SFTP client, i.e. general file transfer sessions much like FTP)
 64-bit x86: [psftp.exe](#) [\(signature\)](#)
 64-bit Arm: [psftp.exe](#) [\(signature\)](#)
 32-bit x86: [psftp.exe](#) [\(signature\)](#)

puttytel.exe (a Telnet-only client)
 64-bit x86: [puttytel.exe](#) [\(signature\)](#)
 64-bit Arm: [puttytel.exe](#) [\(signature\)](#)
 32-bit x86: [puttytel.exe](#) [\(signature\)](#)

plink.exe (a command-line interface to the PuTTY back ends)
 64-bit x86: [plink.exe](#) [\(signature\)](#)
 64-bit Arm: [plink.exe](#) [\(signature\)](#)
 32-bit x86: [plink.exe](#) [\(signature\)](#)

pageant.exe (an SSH authentication agent for PuTTY, PSCP, PSFTP, and Plink)
 64-bit x86: [pageant.exe](#) [\(signature\)](#)
 64-bit Arm: [pageant.exe](#) [\(signature\)](#)
 32-bit x86: [pageant.exe](#) [\(signature\)](#)


puttygen.exe (a RSA and DSA key generation utility)
 64-bit x86: [puttygen.exe](#) [\(signature\)](#)
 64-bit Arm: [puttygen.exe](#) [\(signature\)](#)
 32-bit x86: [puttygen.exe](#) [\(signature\)](#)

pterm.exe (a PuTTY-style wrapper for Windows command prompts)
 64-bit x86: [pterm.exe](#) [\(signature\)](#)
 64-bit Arm: [pterm.exe](#) [\(signature\)](#)
 32-bit x86: [pterm.exe](#) [\(signature\)](#)

putty.zip (a .ZIP archive of all the above except PuTTYtel and pterm)
 64-bit x86: [putty.zip](#) [\(signature\)](#)
 64-bit Arm: [putty.zip](#) [\(signature\)](#)
 32-bit x86: [putty.zip](#) [\(signature\)](#)


Documentation

21-25.




Task 8: Testing the SSH connection from the bastion host

36.



37-38.



```
ec2-user@ip-10-0-1-241:~  
[ec2-user@ip-10-0-1-241 ~]$ ping 8.8.8.8  
PING 8.8.8.8 (8.8.8.8) 56(84) bytes of data.  
64 bytes from 8.8.8.8: icmp_seq=1 ttl=116 time=1.51 ms  
64 bytes from 8.8.8.8: icmp_seq=2 ttl=116 time=0.955 ms  
64 bytes from 8.8.8.8: icmp_seq=3 ttl=116 time=0.933 ms  
64 bytes from 8.8.8.8: icmp_seq=4 ttl=116 time=0.951 ms  
64 bytes from 8.8.8.8: icmp_seq=5 ttl=116 time=0.978 ms  
^C  
--- 8.8.8.8 ping statistics ---  
5 packets transmitted, 5 received, 0% packet loss, time 4005ms  
rtt min/avg/max/mdev = 0.933/1.066/1.513/0.223 ms  
[ec2-user@ip-10-0-1-241 ~]$ wget https://www.amazon.com  
--2025-06-30 02:36:45-- https://www.amazon.com/  
Resolving www.amazon.com (www.amazon.com)... 3.171.52.214, 2600:9000:2501:8c00:7  
:49a5:5fd5:8a61, 2600:9000:2501:e800:7:49a5:5fd5:8a61, ...  
Connecting to www.amazon.com (www.amazon.com)|3.171.52.214|:443... connected.  
HTTP request sent, awaiting response... 503 Service Unavailable  
2025-06-30 02:36:45 ERROR 503: Service Unavailable.  
[ec2-user@ip-10-0-1-241 ~]$
```

Task 9: Creating a network ACL

40.

Course Invitation - bsse23058

Launch an instance | EC2 | us-e

VPC | us-east-1

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#acls:

aws

Search

[Alt+S]

United States

Account ID: 2446-0842-9709

voclabs/user4454514=bsse23058@itu.edu.pk

VPC > Network ACLs

VPC dashboard

AWS Global View

Filter by VPC

Virtual private cloud

Your VPCs

Subnets

Route tables

Internet gateways

Egress-only internet gateways

Carrier gateways

DHCP option sets

Elastic IPs

Managed prefix lists

NAT gateways

Peering connections

Route servers

Security

Network ACLs

Security groups

PrivateLink and Lattice

Getting started

Endpoints

Endpoint services

Service networks

Lattice services

You successfully created acl-021e5a535d83b8951 / Lab Network ACL.

Network ACLs (3)

Info

Actions

Create network ACL

Find Network ACLs by attribute or tag

< 1 >

☐	Name	Network ACL ID	Associated with
☐	-	acl-0905ea1f18f1233db	6 Subnets
☐	-	acl-03e12f043660f80f5	2 Subnets
☐	Lab Network ACL	acl-021e5a535d83b8951	-

Select a network ACL

CloudShell

Feedback

Privacy

Terms

Cookie preferences

© 2025, Amazon Web Services, Inc. or its affiliates.

Course Invitation - bsse23058

Launch an instance | EC2 | us-east-1

acls | VPC Console

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#acls:

aws

Search

[Alt+S]

United States

Account ID: 2446-0842-9709

voclabs/user4454514=bsse23058@itu.edu.pk

VPC > Network ACLs

Network ACLs (1/3) Info

Find Network ACLs by attribute or tag

	Name	Network ACL ID	Associated with
☐	-	acl-0905ea1f18f1233db	6 Subnets
☐	-	acl-03e12f043660f80f5	2 Subnets
☒	Lab Network ACL	acl-021e5a535d83b8951	-

acl-021e5a535d83b8951 / Lab Network ACL

Inbound rules (1)

Edit inbound rules

Filter inbound rules

Protocol	Port range	Source	Allow/Deny
All	All	0.0.0.0/0	Deny

CloudShell

Feedback

Privacy

Terms

Cookie preferences

© 2025, Amazon Web Services, Inc. or its affiliates.

4:44 PM

41.

The screenshot displays the AWS Management Console interface for the 'us-east-1' region. The left-hand navigation pane shows the 'VPC dashboard' with categories like 'Virtual private cloud', 'Security', and 'PrivateLink and Lattice'. The main content area is titled 'Network ACLs (1/3)' and shows a list of three Network ACLs. The 'Lab Network ACL' (ID: acl-021e5a535d83b8951) is selected, and its details are shown below, including two inbound rules that allow all traffic.

Network ACLs (1/3)

	Name	Network ACL ID	Associated with
☐	-	acl-0905ea1f18f1233db	6 Subnets
☐	-	acl-03e12f043660f80f5	2 Subnets
☒	Lab Network ACL	acl-021e5a535d83b8951	-

acl-021e5a535d83b8951 / Lab Network ACL

Inbound rules (2)

Rule number	Type	Protocol	Port range
200	All traffic	All	All
*	All traffic	All	All

Task 10: Testing your custom network ACL

42.

Course Invitation - bsse23058 x Launch an instance | EC2 | us-e VPC | us-east-1

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#acls:

Account ID: 2446-0842-9709
voclabs/user4454514-bsse23058@itu.edu.pk

VPC > Network ACLs

VPC dashboard

AWS Global View

Filter by VPC

▼ **Virtual private cloud**

- Your VPCs
- Subnets
- Route tables
- Internet gateways
- Egress-only internet gateways
- Carrier gateways
- DHCP option sets
- Elastic IPs
- Managed prefix lists
- NAT gateways
- Peering connections
- Route servers [New](#)

▼ **Security**

- [Network ACLs](#)
- Security groups

▼ **PrivateLink and Lattice**

- Getting started
- Endpoints
- Endpoint services
- Service networks
- Lattice services

Network ACLs (1/3) Info Actions Create network ACL

Find Network ACLs by attribute or tag

	Name	Network ACL ID	Associated with
☐	-	acl-0905ea1f18f1233db	6 Subnets
☐	-	acl-03e12f043660f80f5	subnet-0b054ea70d785c43e / Public S
☒	Lab Network ACL	acl-021e5a535d83b8951	subnet-03993ad6d85734f26 / Private !

acl-021e5a535d83b8951 / Lab Network ACL

Inbound rules Outbound rules **Subnet associations** Tags

Subnet associations (1) Edit subnet associations

Filter subnet associations

Name	Subnet ID	Associated with
Private Subnet	subnet-03993ad6d857...	acl-021e5a535d83b8951 / Lab

CloudShell Feedback Privacy Terms Cookie preferences

© 2025, Amazon Web Services, Inc. or its affiliates.

43.

	Instance ID	Instance state	Instance type	Status checks
ost				2/2 checks passed
stance				2/2 checks passed
nce				Initialization in progress
!1b692c (Test Instance)				
!1b692c				

ec2-user@ip-10-0-1-241:~

```
Connecting to www.amazon.com (www.amazon.com)[3.171.52.214]:443... connected.  
HTTP request sent, awaiting response... 503 Service Unavailable  
2025-06-30 02:36:45 ERROR 503: Service Unavailable.  
  
[ec2-user@ip-10-0-1-241 ~]$ ping 10.0.0.161  
PING 10.0.0.161 (10.0.0.161) 56(84) bytes of data.  
64 bytes from 10.0.0.161: icmp_seq=1 ttl=127 time=1.01 ms  
64 bytes from 10.0.0.161: icmp_seq=2 ttl=127 time=0.493 ms  
64 bytes from 10.0.0.161: icmp_seq=3 ttl=127 time=0.420 ms  
64 bytes from 10.0.0.161: icmp_seq=4 ttl=127 time=0.499 ms  
64 bytes from 10.0.0.161: icmp_seq=5 ttl=127 time=0.503 ms  
64 bytes from 10.0.0.161: icmp_seq=6 ttl=127 time=0.492 ms  
64 bytes from 10.0.0.161: icmp_seq=7 ttl=127 time=0.560 ms  
64 bytes from 10.0.0.161: icmp_seq=8 ttl=127 time=0.479 ms  
64 bytes from 10.0.0.161: icmp_seq=9 ttl=127 time=0.517 ms  
64 bytes from 10.0.0.161: icmp_seq=10 ttl=127 time=0.525 ms  
64 bytes from 10.0.0.161: icmp_seq=11 ttl=127 time=0.604 ms  
64 bytes from 10.0.0.161: icmp_seq=12 ttl=127 time=0.548 ms  
64 bytes from 10.0.0.161: icmp_seq=13 ttl=127 time=0.492 ms  
64 bytes from 10.0.0.161: icmp_seq=14 ttl=127 time=0.535 ms  
64 bytes from 10.0.0.161: icmp_seq=15 ttl=127 time=0.624 ms  
64 bytes from 10.0.0.161: icmp_seq=16 ttl=127 time=0.544 ms  
64 bytes from 10.0.0.161: icmp_seq=17 ttl=127 time=0.483 ms
```

Instance state

Running

Private IPv4

10.0.0.161

Public DNS

ec2-54-1...
open address

44.

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#acls:

Account ID: 2446-0842-9709
voclabs/user4454514-bsse23058@itu.edu.pk

VPC > Network ACLs

Filter by VPC

Virtual private cloud

- Your VPCs
- Subnets
- Route tables
- Internet gateways
- Egress-only internet gateways
- Carrier gateways
- DHCP option sets
- Elastic IPs
- Managed prefix lists
- NAT gateways
- Peering connections
- Route servers [New](#)

Security

- [Network ACLs](#)
- Security groups

PrivateLink and Lattice

- Getting started
- Endpoints
- Endpoint services
- Service networks
- Lattice services
- Resource configurations
- Resource gateways
- Target groups

Network ACLs (1/3) Info [Actions](#) [Create network ACL](#)

Find Network ACLs by attribute or tag

	Name	Network ACL ID	Associated with
☒	Lab Network ACL	acl-021e5a535d83b8951	subnet-03993ad6d85734f26 / Private
☐	-	acl-0905ea1f18f1233db	6 Subnets
☐	-	acl-03e12f043660f80f5	subnet-0b054ea70d785c43e / Public S

acl-021e5a535d83b8951 / Lab Network ACL

< [Details](#) [Inbound rules](#) [Outbound rules](#) [Subnet association](#) >

Details

Network ACL ID acl-021e5a535d83b8951	Associated with subnet-03993ad6d85734f26 / Private Subnet
Owner 244608429709	
Default	VPC ID

CloudShell Feedback Privacy Terms Cookie preferences

© 2025, Amazon Web Services, Inc. or its affiliates.

1/3) Info

Rules by attribute or tag

Network				fault
acl-0b	64 bytes from 10.0.0.161: icmp_seq=154 ttl=127 time=0.499 ms			
acl-01	64 bytes from 10.0.0.161: icmp_seq=155 ttl=127 time=0.520 ms			
acl-03	64 bytes from 10.0.0.161: icmp_seq=156 ttl=127 time=0.548 ms			
ACL	64 bytes from 10.0.0.161: icmp_seq=157 ttl=127 time=0.471 ms			
	64 bytes from 10.0.0.161: icmp_seq=158 ttl=127 time=0.535 ms			
	64 bytes from 10.0.0.161: icmp_seq=159 ttl=127 time=0.454 ms			
	64 bytes from 10.0.0.161: icmp_seq=160 ttl=127 time=0.455 ms			
	64 bytes from 10.0.0.161: icmp_seq=161 ttl=127 time=0.486 ms			
	64 bytes from 10.0.0.161: icmp_seq=162 ttl=127 time=0.512 ms			
	64 bytes from 10.0.0.161: icmp_seq=163 ttl=127 time=0.513 ms			
	64 bytes from 10.0.0.161: icmp_seq=164 ttl=127 time=0.560 ms			
	64 bytes from 10.0.0.161: icmp_seq=165 ttl=127 time=0.515 ms			
	64 bytes from 10.0.0.161: icmp_seq=166 ttl=127 time=0.546 ms			
	64 bytes from 10.0.0.161: icmp_seq=167 ttl=127 time=0.486 ms			
	64 bytes from 10.0.0.161: icmp_seq=168 ttl=127 time=0.538 ms			
	64 bytes from 10.0.0.161: icmp_seq=169 ttl=127 time=0.571 ms			
	64 bytes from 10.0.0.161: icmp_seq=170 ttl=127 time=0.521 ms			
	64 bytes from 10.0.0.161: icmp_seq=171 ttl=127 time=0.529 ms			
	64 bytes from 10.0.0.161: icmp_seq=172 ttl=127 time=0.522 ms			
	^C			
	--- 10.0.0.161 ping statistics ---			
	206 packets transmitted, 172 received, 16.5049% packet loss, time 213192ms			
	rtt min/avg/max/mdev = 0.420/0.541/1.077/0.075 ms			
	[ec2-user@ip-10-0-1-241 ~]\$			
Type	Protocol	Port range	Source	
All ICMP - IPv4	ICMP (1)	All	10.0.0.1	
All ICMP - IPv4	ICMP (1)	All	10.0.0.1	

or tag

Network				fault
acl-0b	64 bytes from 10.0.0.161: icmp_seq=156 ttl=127 time=0.548 ms			
acl-01	64 bytes from 10.0.0.161: icmp_seq=157 ttl=127 time=0.471 ms			
acl-03	64 bytes from 10.0.0.161: icmp_seq=158 ttl=127 time=0.535 ms			
	64 bytes from 10.0.0.161: icmp_seq=159 ttl=127 time=0.454 ms			
	64 bytes from 10.0.0.161: icmp_seq=160 ttl=127 time=0.455 ms			
	64 bytes from 10.0.0.161: icmp_seq=161 ttl=127 time=0.486 ms			
	64 bytes from 10.0.0.161: icmp_seq=162 ttl=127 time=0.512 ms			
	64 bytes from 10.0.0.161: icmp_seq=163 ttl=127 time=0.513 ms			
	64 bytes from 10.0.0.161: icmp_seq=164 ttl=127 time=0.560 ms			
	64 bytes from 10.0.0.161: icmp_seq=165 ttl=127 time=0.515 ms			
	64 bytes from 10.0.0.161: icmp_seq=166 ttl=127 time=0.546 ms			
	64 bytes from 10.0.0.161: icmp_seq=167 ttl=127 time=0.486 ms			
	64 bytes from 10.0.0.161: icmp_seq=168 ttl=127 time=0.538 ms			
	64 bytes from 10.0.0.161: icmp_seq=169 ttl=127 time=0.571 ms			
	64 bytes from 10.0.0.161: icmp_seq=170 ttl=127 time=0.521 ms			
	64 bytes from 10.0.0.161: icmp_seq=171 ttl=127 time=0.529 ms			
	64 bytes from 10.0.0.161: icmp_seq=172 ttl=127 time=0.522 ms			
	^C			
	--- 10.0.0.161 ping statistics ---			
	206 packets transmitted, 172 received, 16.5049% packet loss, time 213192ms			
	rtt min/avg/max/mdev = 0.420/0.541/1.077/0.075 ms			
	[ec2-user@ip-10-0-1-241 ~]\$ ping 10.0.0.161			
	PING 10.0.0.161 (10.0.0.161) 56(84) bytes of data.			
Type	Protocol	Port range	Source	
All ICMP - IPv4	ICMP (1)	All	10.0.0.161	
All ICMP - IPv4	ICMP (1)	All	10.0.0.161	

MCQ

47.

Challenge (C) x c182747a470 x Download P x Lab 04 - Cre x Google Gem x +

← → ↻ ⚠ Not secure c182747a47074301126943471w244608429709-htmlbucket-iuxk5nvtco9zs3-website.us-ea... ☆ ⬇ 2 ⋮

AWS Academy Cloud Architecting - Module 7 Challenge Lab Questions

View questions in: [English](#)

Question 1: What is the purpose of the internet gateway in the public subnet?

- ☐ Allows instances in the private subnet to obtain a public IP address
- ☐ Allows instances in the public subnet to obtain a public IP addresss
- ☒ Allows instances in the public subnet with a public IP address to communicate with the internet
- ☐ Allows instances in the private subnet with a public IP address to communicate with the internet

Submit

Question 2: What allows the instance in the private subnet to connect to the internet so that it can download updates?

- ☐ The internet gateway in the public subnet
- ☒ The NAT gateway
- ☐ The Elastic IP address
- ☐ The default network ACL

Submit

Question 3: Can the instance in the private subnet be accessed directly from the internet?

- ☐ Yes
- ☒ No

Submit

Question 4: Why do you use two different key pairs to access the private instance and the bastion host?

- ☐ Each instance needs a different key pair
- ☐ It provided practice with creating key pairs
- ☒ Separate key pairs could help reduce the impact of a compromised bastion host
- ☐ Key pairs can't be reused

Challenge (C) x c182747a470 x Download P... x Lab 04 - Cre... x Google Gem... x +

Not secure c182747a4707430112694347t1w244608429709-htmlbucket-iuxk5nvtco9z.s3-website.us-ea... ☆ ⬇ Z ⋮

Question 3: Can the instance in the private subnet be accessed directly from the internet?

☐ Yes

☒ No

Submit

Question 4: Why do you use two different key pairs to access the private instance and the bastion host?

☐ Each instance needs a different key pair

☐ It provided practice with creating key pairs

☒ Separate key pairs could help reduce the impact of a compromised bastion host

☐ Key pairs can't be reused

Submit

Question 5: Can the bastion host use ping and get a reply from the instance in the private subnet?

☐ Yes

☒ No

Submit

Question 6: Which security group rules allow the private EC2 instance to receive the return traffic when it pings the test instance?

☐ Outbound on private and outbound on test

☒ Outbound on private and inbound on test

☐ Inbound on private and outbound on test

☐ Inbound on private and inbound on test

Submit

Grades:

ng a VPC Networking Environment for the Care

ing an external tool

00:51▶ Start Lab■ End Labi AWS Detailsi Details✕

SubmitSubmission ReportGrades

ructions, choose **Submit** to record your progress, and when prompted, choose

lay after a couple of minutes, return to the top of these instructions and choose

our work multiple times. After you change your work, choose **Submit** again. Your
: will be recorded for this lab.

ck on your work, choose **Submission Report**.

completed the lab.

int to end the lab, at the top of this page, choose **End Lab**, and then choose **Yes**.

AWS Lab Successfully

is, Inc. and its affiliates. All rights reserved. This work may not be reproduced or
part, without prior written permission from Amazon Web Services, Inc. Commercial
: prohibited.

Total score	56/56
[Task 1A] Public Subnet	5/5
[Task 1B] Lab VPC has IGW	5/5
[Task 1C] Public Subnet with Internet Gateway	5/5
[Task 2] Bastion Host exists	5/5
[Task 3] Bastion Host has public ip	5/5
[Task 5] Private Subnet Exists	5/5
[Task 6A] NAT Gateway exists	5/5
[Task 6B] Lab VPC has Private Route Table	5/5

00:47▶ Start Lab■ End Labi AWS Detailsi Details✕

SubmitSubmission ReportGrades

ese instructions, choose **Submit** to record your progress, and when prompted, choose

on't display after a couple of minutes, return to the top of these instructions and choose

ubmit your work multiple times. After you change your work, choose **Submit** again. Your
is what will be recorded for this lab.

d feedback on your work, choose **Submission Report**.

lete

ou have completed the lab.

t you want to end the lab, at the top of this page, choose **End Lab**, and then choose **Yes**.

s: Ended AWS Lab Successfully

b Services, Inc. and its affiliates. All rights reserved. This work may not be reproduced or
ole or in part, without prior written permission from Amazon Web Services, Inc. Commercial
selling is prohibited.

[Task 7] Private Instance exists	5/5
[Task 10] Network ACL exists!	5/5
[Answer 01]	1/1
[Answer 02]	1/1
[Answer 03]	1/1
[Answer 04]	1/1
[Answer 05]	1/1
[Answer 06]	1/1

Report:

Challenge (Cafe) lab: Creating a VPC Networking Environment for the Café

Due No Due Date Points 56 Submitting an external tool

board)

5

Submission Report

[Executed at: Mon Nov 17 4:04:41 PST 2025]

[Answer 01] Correct, an internet gateway allows an instance in a public subnet with a public IP address to communicate with the internet.

[Answer 02] Correct, the NAT Gateway allows an instance in a private subnet to download updates.

[Answer 03] Correct, an instance in the private subnet can't be accessed directly from the internet.

[Answer 04] Correct, if a bastion host was compromised, the attacker couldn't use the same key to connect to other instances.

[Answer 05] Correct, the current security group will only allow traffic from port 22 to reach the instance in the private subnet.

[Answer 06] Correct, Security groups are stateful-when the Private instance pings the Test instance, the response traffic for that request is allowed.

Testing report - The Public Subnet was created in Lab VPC.

Testing report - An internet gateway was attached to Lab VPC.

Testing report - Found a route table with an internet gateway attached.

Testing report - The Bastion Host EC2 instance exists.

Testing report - The Bastion Host exists and has a public IP address.

Testing report - The Private Subnet was found and has the correct CIDR block.

Testing report - The NAT gateway was found for Lab VPC.

Testing report - PROBLEM: No route table named Private Route Table was found for Lab VPC. Review Task 6.

A message appears: ended AWS lab Successfully

© 2023 Amazon Web Services, Inc. and its affiliates. All rights reserved. This work may not be reproduced or redistributed, in whole or in part, without prior written permission from Amazon Web Services, Inc. Commercial copying, lending, or selling is prohibited.

Challenge (Cafe) lab: Creating a VPC Networking Environment for the Café

Due No Due Date Points 56 Submitting an external tool

rd)

Submission Report

Testing report - The Private Instance EC2 instance exists.

Testing report - Network ACL exists.

[default]

region = us-east-1

gradeFile = /mnt/vocwork4/grades/eee_0_2990563/asn4707429_7/asn4707430_1/tmp/temp_uf_11172025/.OVQxak

reportFile = /mnt/vocwork4/grades/eee_0_2990563/asn4707429_7/asn4707430_1/tmp/temp_uf_11172025/.kOnaG9

/mnt/vocwork4/grades/eee_0_2990563/asn4707429_7/asn4707430_1/tmp/temp_uf_11172025/.OVQxak

A message appears: ended AWS lab Successfully

© 2023 Amazon Web Services, Inc. and its affiliates. All rights reserved. This work may not be reproduced or redistributed, in whole or in part, without prior written permission from Amazon Web Services, Inc. Commercial copying, lending, or selling is prohibited.

Challenge (Cafe) lab: Creating a VPC Networking Environment for the Café

Due No Due Date Points 56 Submitting an external tool

board)

Submission Report

reportFile = /mnt/vocwork4/grades/eee_0_2990563/asn4707429_7/asn4707430_1/tmp/temp_uf_11172025/.kOnaG9

/mnt/vocwork4/grades/eee_0_2990563/asn4707429_7/asn4707430_1/tmp/temp_uf_11172025/.OVQxak

Present working directory = /mnt/vocwork4/grades/eee_0_2990563/asn4707429_7/asn4707430_1/4454514/1/work

Default region: us-east-1

A message appears: ended AWS lab Successfully

© 2023 Amazon Web Services, Inc. and its affiliates. All rights reserved. This work may not be reproduced or redistributed, in whole or in part, without prior written permission from Amazon Web Services, Inc. Commercial copying, lending, or selling is prohibited.