Updated Meta-Analysis Report: Perioperative Immunotherapy in Resectable NSCLC

Generated by AIMetaAnalysis

April 20, 2026

1 Results




Figure 1: Forest plot of PathologicalCompleteRespons (fixed effects model).

Pooled effect (fixed effects): OR = 7.69 (95% CI: 5.88–10.04), $p < 0.001$. Heterogeneity: $I^2 = 0.4\%$, $\tau^2 = 0.101$, $Q = 11.76$ (df = 7), $p = 0.109$.




Figure 2: Forest plot of PathologicalCompleteRespons by Age (fixed effects model).

Pooled effect (fixed effects): OR = 8.99 (95% CI: 6.09–13.27), $p < 0.001$. Heterogeneity: $I^2 = 0\%$, $\tau^2 = 0$, $Q = 6.24$ (df = 7), $p = 0.513$.




Figure 3: Forest plot of PathologicalCompleteRespons by Age (fixed effects model).

Pooled effect (fixed effects): OR = 8.99 (95% CI: 6.09–13.27), $p < 0.001$. Heterogeneity: $I^2 = 0\%$, $\tau^2 = 0$, $Q = 6.24$ (df = 7), $p = 0.513$.




Figure 4: Forest plot of PathologicalCompleteRespons by Age (fixed effects model).

Pooled effect (fixed effects): OR = 8.99 (95% CI: 6.09–13.27), $p < 0.001$. Heterogeneity: $I^2 = 0\%$, $\tau^2 = 0$, $Q = 6.24$ (df = 7), $p = 0.513$.




Figure 5: Forest plot of PathologicalCompleteRespons by Age (fixed effects model).

Pooled effect (fixed effects): OR = 8.99 (95% CI: 6.09–13.27), $p < 0.001$. Heterogeneity: $I^2 = 0\%$, $\tau^2 = 0$, $Q = 6.24$ (df = 7), $p = 0.513$.

2 Discussion

This report was automatically generated based on user-captured snapshots from the AIMetaAnalysis Shiny application. Differences from the original publication are highlighted where noted.