Cohort provenance / endpoint ledger (nine endpoint-bearing cohorts, v82)

a

Cohort	Cancer	Modality	n (events)	Efficacy endpoint	Toxicity endpoint	ICI regimen	Sampling time	Role
IMvigor210	urothelial	bulk (tumour)	298 (68 ev)	response	—	atezolizumab	baseline	source anchor
GSE165252	esoph. adeno.	bulk (tumour)	71 (23 ev)	response	—	atezolizumab	baseline	target
GSE78220	melanoma	bulk (tumour)	25 (13 ev)	response	—	pembrolizumab	baseline	target
GSE166181 • 9 / ▲ 2	m. melanoma	scRNA sort. CD8 T	20 (11 R / 9 NR)	R vs NR (RECIST)	none annotated	**nivo / pembro**	T0 (+T1/T2)	efficacy scRNA
GSE186143 • 7 / ▲ 4	m. melanoma	bulk TPM (PBMC)	**61 / 53 / 47**	**DCB vs NDB (NE 6) [paper Suppl. Tab. 3]**	severe irAE (grade ≥3)	**anti-PD-1 29/53 + combo 24/53**	baseline PBMC	joint (E+T)
GSE189125	melanoma	scRNA 5' (PBMC)	13 (6/7)	—	severe irAE	anti-PD-1 ± CTLA-4	baseline	toxicity
GSE216329 • 6 / ▲ 3	**NSCLC-pred. (18/24)**	**scRNA 10x (T cells)**	24 (15/9)	none annotated	**any irAE, grade 2-3, organ-specific**	anti-PD-1 (22/24 mono)	baseline _TN + on-tx _T	toxicity
GSE253720 • 6 / ▲ 3	CPI-colitis (mixed)	scRNA (colon biopsy)	**14 (9/3/2)**	none annotated	**CPI-colitis case def. (case-control)**	anti-PD-1 6/9; combo 3/9	**active, steroid-exp. — NOT baseline**	toxicity (probe)
GSE287541	mixed (ChILI)	scRNA	28	—	irAE (longitudinal)	ICI	longitudinal	not yet analysed

black = CONFIRMED against GEO SOFT + linked publication · red bold = CORRECTED in the v82 provenance audit · grey = field outside audit scope
small line under cohort name: ● confirmed / ▲ corrected fields per audited cohort (ledger totals: 27 confirmed, 10 corrected, 3 unverified)
n convention — GSE186143: 61 in series / 53 locally labelled / 47 joint-evaluable · GSE253720: 14 donors (9 CPI-colitis / 3 HC / 2 UC)
GSE166181: 20 (11 R / 9 NR) · GSE216329: 24 (15 irAE / 9) · GSE189125: 13 (6 severe / 7 no) · m. = metastatic