
Ablation matrix: 21 configurations x 2 external cohorts (recovered identity)
no configuration's bootstrap 95% CI excludes 0.5 (percentile & BCa); degenerate configurations = 0;
5 old v74 'measured-only' artefact configurations retracted (premise gone)
a
GSE165252
GSE78220
baseline 0.504 0.660 baseline
gene_top100 0.535 0.513
gene_top50 0.466 0.596
gene_rand100_s0 0.538 0.526
gene_rand100_s1 0.573 0.571
gene_rand100_s2 0.486 0.615
gene_rand100_s3 0.549 0.590
gene_rand100_s4 0.481 0.615 gene_set
gene_rand50_s0 0.467 0.647
gene_rand50_s1 0.495 0.622
gene_rand50_s2 0.418 0.654
gene_rand50_s3 0.602 0.513
gene_rand50_s4 0.565 0.538
norm_log2raw 0.476 0.654
norm_within_z 0.509 0.654 normalization
pc_k1 0.500 0.622
pc_k3 0.485 0.679 pc_k
pc_k5 0.464 0.583
ridge_lam0.01 0.504 0.660
ridge_lam0.1 0.504 0.660 ridge_lambda
ridge_lam1 0.504 0.660
external AUC
0.6
0.5
0.4
colour centred at 0.5 (grey = null); frames group configurations by perturbed layer.
Removed (retracted under recovered identity):
gene_measured_only, gene_top100_measured, gene_top50_measured, norm_log2raw_measured, norm_within_z_measured.
Sources: data/v82/v82_rerun_ablation.json (per_config, verdict, removed_configs).