

Visiblo AI iOS — Apple Rejection Audit

OVERALL STATUS: NOT READY FOR RESUBMISSION

App Version: 1.0.0 (Build 4) | Bundle ID: com.solverix.visibloai | iOS 15.0+

AUDIT SUMMARY

- Total Checkpoints Evaluated: 28
- PASSED Checkpoints: 17 (60.7%)
- FAILED Checkpoints: 5 (17.9%) — Critical Rejection Blockers
- PARTIAL / WARNING Checkpoints: 3 (10.7%)
- MANUAL VERIFICATION REQUIRED: 3 (10.7%)

CRITICAL APPLE REJECTION BLOCKERS

1. Prohibited External Payment Wording (Guideline 3.1.1)

Location: `lib/features/auth/views/payment_view.dart:L3744, L3931`

Finding: Contains anti-steering text: "Subscriptions are managed on our website at www.visibloai.com/pricing to avoid in-app platform fees." and "You will be redirected to www.visibloai.com/pricing..."

Fix Required: Remove all website pricing links and anti-steering text from iOS screens.

2. External Pricing URL Launch in `_openPricingComparison()` (Guideline 3.1.1)

Location: `lib/features/auth/views/payment_view.dart:L1488-L1498` & `payment_controller.dart:L985`

Finding: `_openPricingComparison()` launches <https://www.visibloai.com/pricing> via external Safari browser.

Fix Required: Route all subscription actions on iOS to Apple StoreKit / In-App Purchase without external URLs.

3. Missing Product ID Mapping for Intro Trial Plan (SINGLE) (Guideline 3.1.1)

Location: `lib/features/auth/controllers/payment_controller.dart:L748` & `apple_iap_config.dart:L43-55`

Finding: Intro trial view sets `selectedPlanCode = "SINGLE"`. "SINGLE" has no mapping in `AppleIapConfig`, defaulting to Starter Monthly.

Fix Required: Map SINGLE trial plan to a valid StoreKit Product ID in `AppleIapConfig`.

4. Hardcoded Price Display Instead of StoreKit Pricing (Guideline 3.1.1)

Location: `lib/features/auth/views/payment_view.dart:L143, L242`

Finding: Buttons display hardcoded "199" / "Pay Rs 99 & Start Trial" instead of fetching StoreKit localized price.

Fix Required: Fetch localized price dynamically using `AppleIapService().getLocalizedPrice(...)`.

5. Release Mode App Check Provider Configuration (Guideline 2.1(a))

Location: `lib/core/production_monitoring.dart:L33-35`

Finding: `AppleAppAttestWithDeviceCheckFallbackProvider` active in Release mode. Missing Firebase App Attest keys causes 401/403 API failure.

Fix Required: Upload App Attest / DeviceCheck keys in Firebase Console for `com.solverix.visibloai`.

COMPLETE AUDIT CHECKPOINTS LOG

[PASS] Guideline 2.1(a) — Application Entry Point

File: lib/main.dart:L17-L32 | Symbol: main(), VisibloAiApp

Evidence: WidgetsFlutterBinding initialized; safe Firebase init; core services registered before runApp().

[PASS] Guideline 2.1(a) — Cold Installation (Clean State)

File: lib/features/onboarding/controllers/onboarding_controller.dart:L965-L999 | Symbol: bootstrapAuthFlow()

Evidence: On fresh install with no session/token, bootstrapAuthFlow safely routes to LoginView.

[PASS] Guideline 2.1(a) — Logged-Out User Startup

File: lib/features/onboarding/views/login_view.dart:L9-L165 | Symbol: LoginView

Evidence: Presents usable form with email, password, Google Sign-In, and Sign in with Apple.

[PASS] Guideline 2.1(a) — Logged-In User & Session Routing

File: lib/features/onboarding/controllers/onboarding_controller.dart:L3568-L3588 | Symbol: _routeForSession()

Evidence: Evaluates backend session state and routes user to appropriate step or Unified Dashboard.

[PASS] Guideline 2.1(a) — Startup Network Error Handling

File: lib/core/api_client.dart:L103-L130 | Symbol: ApiClient._shouldRetryAfterConnectivityChange()

Evidence: Intercepts connection timeout/failures, displays ConnectivityBanner, and falls back gracefully.

[FAIL] Guideline 2.1(a) — Release Configuration (App Check)

File: lib/core/production_monitoring.dart:L33-L39 | Symbol: ProductionMonitoring.initialize()

Evidence: Activates AppleAppAttestWithDeviceCheckFallbackProvider in Release mode. If Firebase Console lacks App Attest keys, API endpoints will fail.

Action: Configure & upload App Attest / DeviceCheck keys in Firebase Console for com.solverix.visibloai

[MANUAL] Guideline 2.1(a) — iPad Compatibility

File: ios/Runner.xcodeproj/project.pbxproj:L491 | Symbol: TARGETED_DEVICE_FAMILY = "1,2"

Evidence: Universal iPad support enabled in Xcode; layouts use responsive LayoutBuilder & isTablet checks.

Action: Perform physical / simulator UI verification on iPad Air 11-inch (M3/M4)

[PASS] Guideline 4.8 — iOS Login Options Identified

File: lib/features/onboarding/views/login_view.dart:L15-L16 | Symbol: LoginView, SignUpView

Evidence: Email/Password, Google Sign-In, and Sign in with Apple are presented on iOS.

[PASS] Guideline 4.8 — Sign in with Apple UI Visibility

File: lib/features/onboarding/views/login_view.dart:L126-L131 | Symbol: AuthAppleButton

Evidence: AuthAppleButton is visible side-by-side with Google button on iOS screens.

[PASS] Guideline 4.8 — Apple Sign-In Entitlement

File: ios/Runner/Runner.entitlements:L10-L13 | Symbol: com.apple.developer.applesignin

Evidence: com.apple.developer.applesignin entitlement set to Default in Runner.entitlements.

[PASS] Guideline 4.8 — Apple Token Generation

File: lib/features/onboarding/controllers/onboarding_controller.dart:L689-L711 | Symbol: continueWithApple()

Evidence: Obtains credential.identityToken and credential.authorizationCode from iOS framework.

[PASS] Guideline 4.8 — Apple Backend Authentication

File: lib/features/auth/services/auth_api_service.dart:L217-L239 | Symbol: AuthApiService.loginWithAppleMobile()

Evidence: Sends POST request to /auth/apple/mobile with identityToken, authorizationCode, email, appleUserId.

[PASS] Guideline 4.8 — Hide My Email Support

File: lib/features/onboarding/controllers/onboarding_controller.dart:L731-L733 | Symbol: continueWithApple()

Evidence: Supports @privaterelay.appleid.com emails and handles missing name on subsequent logins.

[PASS] Guideline 4.8 — Returning Apple User Flow

File: lib/features/onboarding/controllers/onboarding_controller.dart:L722-L727 | Symbol: continueWithApple()

Evidence: Restores existing account via appleUserId and identityToken without creating duplicates.

[FAIL] Guideline 3.1.1 — No Prohibited External Payment Wording

File: lib/features/auth/views/payment_view.dart:L3744, L3931 | Symbol: PaymentView

Evidence: Contains prohibited text: "Subscriptions are managed on our website at www.visibloai.com/pricing to avoid in-app platform fees." and "You will be redirected..."

Action: Remove all website pricing links and anti-steering text from iOS payment views

[FAIL] Guideline 3.1.1 — No External Purchase Links on iOS

File: lib/features/auth/views/payment_view.dart:L1488-L1498 | Symbol: _openPricingComparison()

Evidence: _openPricingComparison() launches https://www.visibloai.com/pricing via external browser.

Action: Remove _openPricingComparison() external URL launch on iOS builds

[PARTIAL] Guideline 3.1.1 — Apple IAP Client Flow & Trial Mapping

File: lib/features/auth/controllers/payment_controller.dart:L748 | Symbol: PaymentController.checkoutSelectedPlan()

Evidence: Intro trial view sets selectedPlanCode = "SINGLE". "SINGLE" is missing from AppleIAPConfig, falling back to Starter Monthly.

Action: Map SINGLE trial plan to a valid StoreKit Product ID in AppleIAPConfig

[FAIL] Guideline 3.1.1 — StoreKit Localized Pricing Display

File: lib/features/auth/views/payment_view.dart:L143, L242 | Symbol: _TrialUnlockView

Evidence: Buttons display hardcoded " ₹99" / "Pay Rs 99 & Start Trial" instead of querying StoreKit product price.

Action: Fetch localized price dynamically using ApplelapService().getLocalizedPrice(...)

[PARTIAL] Guideline 3.1.1 — StoreKit Product IDs Mapping

File: lib/core/apple_iap_config.dart:L14-L31 | Symbol: ApplelapConfig

Evidence: 6 subscription plans mapped (starter, growth, business), but missing SINGLE trial plan mapping.

Action: Add explicit product ID mapping for SINGLE plan

[PASS] Guideline 3.1.1 — Server-Side IAP Verification

File: lib/features/auth/services/apple_iap_service.dart:L258-L264 | Symbol: ApplelapService._verifyAndCompleteTransaction()

Evidence: Receipt and transaction ID are sent to POST /billing/verify-apple-iap before finishing transaction.

[PASS] Guideline 3.1.1 — Restore Purchases Flow

File: lib/features/auth/controllers/payment_controller.dart:L1167-L1178 | Symbol: PaymentController.restoreApplePurchases()

Evidence: Invokes ApplelapService().restorePurchases() and re-verifies transactions with backend.

[PASS] Guideline 3.1.1 — Existing Web/Android Subscriber Access

File: lib/features/onboarding/controllers/onboarding_controller.dart:L3584-L3587 | Symbol: _routeForSession()

Evidence: Backend /auth/me checks hasPaidAccess. If active, unlocks dashboard without forced purchase.

[PASS] Guideline 3.1.1 — Android Payment Separation

File: lib/features/auth/controllers/payment_controller.dart:L959-L981 | Symbol: PaymentController.checkoutSelectedPlan()

Evidence: Platform branching isolates Razorpay on Android and Apple IAP on iOS.

[PARTIAL] Guideline 4.1(b) — In-App Brand Consistency

File: ios/Runner/Info.plist:L10 | Symbol: Info.plist

Evidence: App Name: Visiblo Ai App, Bundle ID: com.solverix.visibloai. Explicit entity "Solverix Technologies Private Limited" not in UI footer.

Action: Add explicit company ownership footer in Settings/Legal page

[MANUAL] Guideline 4.1(b) — Brand Ownership Documentation

File: App Store Connect Resolution Center | Symbol: Legal Authorization Proof

Evidence: Source code alone cannot prove legal brand ownership to Apple App Reviewers.

Action: Upload trademark / company registration document for Visiblo AI under Solverix Technologies in App Store Connect

[PASS] Guideline 2.3.10 — Repository Metadata Assets Audit

File: assets/ | Symbol: Asset Folder

Evidence: No promotional screenshots or images containing "Google Play" or Android status bar exist in repo.

[MANUAL] Guideline 2.3.10 — App Store Connect Screenshots

File: App Store Connect Store Metadata | Symbol: App Store Screenshots

Evidence: App Store Connect listing metadata must be checked manually.

Action: Verify screenshots in App Store Connect were captured on iOS and have no Android status bars

[FAIL] Guideline 2.1(a) — Dead Code / Hidden Off-Platform Flow

File: lib/features/auth/views/payment_view.dart:L3744, L3931 | Symbol: PaymentView

Evidence: Prohibited web checkout text and redirection hints remain in payment view widgets.

Action: Clean up dead web checkout text and routes for iOS builds