




ESL FDA EVIDENCE SOLUTION • MEDICAL DEVICE SOFTWARE

Submission-Ready Evidence for FDA Software Reviews

ESL-Developed SBOMator™ + ESL-Represented Parasoft

SBOMator™ builds cybersecurity inventory, VEX and CVE evidence. Parasoft adds static analysis, unit testing, code coverage and requirements traceability for IEC 62304-focused verification.

SBOMATOR-WORKFLOW



One ESL team for cybersecurity composition evidence and software verification evidence



What the FDA expects from cyber devices

Section 524B requires manufacturers to connect secure-development plans, vulnerability operations and machine-readable product inventory.

STATUS MAPPED

(b)(1)(A) • SBOM

Generate and maintain product software inventory

STATUS MAPPED

(b)(1)(B) • Monitor

Monitor, identify and address vulnerabilities

STATUS MAPPED

(b)(1)(C) • Patch

Design, develop and maintain patch/update processes

STATUS MAPPED

(b)(1)(D) • Communicate

Coordinated vulnerability disclosure and communication

STATUS MAPPED

(b)(3) • Machine-readable

CycloneDX/SPDX SBOM with NTIA minimum elements

STATUS MAPPING

COMPLIANT • PARTIAL • NON-COMPLIANT • NEEDS INPUT


GUIDANCE ALIGNMENT

Aligned to the February 2026 final guidance context and its relationship with QMSR / ISO 13485 quality-system controls. Manufacturer interpretation and validation remain required.



From shipped build to reviewable evidence

A traceable workflow turns build inventory into vulnerability decisions and a Section 524B evidence package.



NTIA minimum elements

Supplier, name, version, PURL, dependencies, author and timestamp in machine-readable CycloneDX.

Lifecycle support

Support status and end-of-support dates remain visible beside component evidence.

VEX for every CVE

Affected, not affected or under investigation, with justification and response context.

524B status report

COMPLIANT / PARTIAL / NON-COMPLIANT / NEEDS INPUT mapping for review.

Submission-ready means organized, reviewable evidence — not guaranteed compliance or approval. Manufacturer review, validation, risk acceptance and formal approval remain required.



Generated evidence in review

Every SBOMator™ scan produces a self-contained, printable Section 524B evidence package — no manual formatting required.

COMPLIANCE SUMMARY + SEVERITY DISTRIBUTION

ESL SBOMATOR
FDA Section 524B (FDORA) Compliance Evidence
CardioMonitor Pro — v3.2.1 Build 20241102

Compliance Summary

Requirement	Status
524B(b)(1)(A) SBOM	COMPLIANT
524B(b)(1)(B) Monitoring	COMPLIANT
524B(b)(1)(C) Patches/updates	COMPLIANT
524B(b)(1)(D) Communication/CVD	COMPLIANT

SBOM Summary

Components: 18
Vulnerabilities: 57
Generated: 2026-08-04T16:32:42Z
Tool: ESL SBOMator v1.4.0

Severity Distribution

Severity	Count
Critical	6
High	26
Medium	14
Low	5
None	6

SECTION 4: VULNERABILITY REMEDIATION STATUS TABLE

Section 4: Patch/Update Deployment Process (524B(b)(1)(C))
VEX remediation evidence: Provided
Resolved vulnerabilities: 0
Open vulnerabilities with documented mitigations: 55
Status: COMPLIANT
Vulnerability Remediation Status

CVE ID	Severity	Score	VEX State	Justification	Remediation Detail
CVE-2022-37434	UNKNOWN	-	In Triage	requires_environment	zlib has a vulnerability with no usable severity rating; product-specific exploitability review is required.
CVE-2022-0778	UNKNOWN	-	In Triage	requires_environment	OpenSSL has a vulnerability with no usable severity rating; product-specific exploitability review is required.
CVE-2021-3449	UNKNOWN	-	Not Affected	vulnerable_code_not_present	CVE-2021-3449 affects OpenSSL 1.1.1 before 1.1.1k only; installed OpenSSL is detected
CVE-2014-0160	UNKNOWN	-	Not Affected	vulnerable_code_not_present	CVE-2014-0160 affects OpenSSL 1.0.1 through 1.0.1f only; installed OpenSSL is detected
CVE-2023-0295	UNKNOWN	-	In Triage	requires_environment	OpenSSL has a vulnerability with no usable severity rating; product-specific exploitability review is required.
CVE-2020-1371	UNKNOWN	-	In Triage	requires_environment	OpenSSL has a vulnerability with no usable severity rating; product-specific exploitability review is required.
CVE-2016-2198	CRITICAL	9.8	In Triage	requires_environment	Runtime component OpenSSL has a CRITICAL vulnerability (CVSS 9.8); identified but not proven exploitable (no KEV match and reachability not confirmed). Product-specific triage is required before an affected / not_affected determination.
CVE-2016-2107	MEDIUM	5.9	In Triage	requires_environment	Runtime component OpenSSL has a MEDIUM vulnerability (CVSS 5.9); identified but not proven exploitable (no KEV match and reachability not confirmed). Product-specific triage is required before an affected / not_affected determination.

WHAT YOU GET

HTML + Markdown + manifest - Color-coded severity and VEX-state badges - CVE ID, CVSS score, justification and remediation detail per row - COMPLIANT / PARTIAL / NON-COMPLIANT / NEEDS INPUT status mapping - Printable and submission-ready.



DataBOM extends traceability beyond device software

Clinical-study, real-world and AI/ML development datasets can affect product evidence even though DataBOM is not a Section 524B requirement.

Clinical-study traceability


Inventory local source references, collection timestamps and completeness evidence for review.

AI/ML data lineage

Record training, validation and test dataset provenance in human-readable and CycloneDX DataBOM outputs.


Privacy-risk screening

Flag potential PII and special-category signals before data enters analysis, training or validation workflows.



IMPORTANT REGULATORY BOUNDARY

DataBOM provides dataset inventory and automated risk signals. It does not establish clinical validity, statistical integrity, informed consent, IRB/ethics approval, de-identification, electronic-record compliance, GCP compliance or FDA clearance. Sponsor and manufacturer review remains required.



CVSS v4.0 and multi-source correlation

NVD, OSV and Grype findings are enriched with CISA KEV exploitation status and FIRST EPSS prioritization.

NVD

OSV

GRYPE

KEV

EPSS

CVSS 4.0

Supports CVSS v4.0 vectors and ratings alongside v3.x — parses, scores and maps severity from both standards.

NVD + OSV correlation

Cross-source identity and advisory evidence

KEV exploitation status

Known exploitation changes response urgency

EPSS prioritization

Probability evidence helps order remediation

CVSS v4.0 parsing

Mixed v3/v4 CycloneDX ratings and severity mapping

CONSENSUS-STANDARD CONTEXT

FDA recognized CVSS v4.0 as consensus standard STG #13 in 2026. SBOMator supports its vectors and ratings; it does not claim certification as an official score engine.



Droid as Judge: AI triage in the terminal

A strongly controlled agent workflow converts selected findings into reviewable reachability, remediation and VEX evidence.

ANALYZE CHECKED CVEs IN AGENT →

Load the SBOM report • filter by severity, classification and VEX state • select CVEs • launch Droid in the real embedded terminal.

1 Load + filter

Components, CVEs and evidence



2 Droid judges

False positive? Not affected? Reachable?



3 Resolve

Smallest safe fix or VEX justification

RESTRICTED AUTONOMY — ENGINEER RETAINS CONTROL


Droid runs with `--auto medium` and `--disabled-tools Edit`. It can read and create files, but cannot modify existing files. Droid explains reachability and proposes evidence; the manufacturer reviews and validates every decision.

Factory and Droid are marks of Factory AI. Used for integration; no partnership or endorsement is implied.



Interactive HBOM evidence for FPGA-based devices

Searchable relationship graphs connect device, Vivado design, IP, custom logic and supplier evidence while preserving the underlying CycloneDX HBOM.



Explore relationships

Search, filter, zoom and fit semantic HBOM relationships.

Inspect node evidence

Click a node to view type, version, supplier, part/PURL and links.

Control report scope

Generate the graph by default, or disable it for a simpler report.

Optional licensed HBOM module • Xilinx MPSoC design and boot artifacts; board-level PCB BOM remains a separate workflow



Evidence doesn't stop at submission

Section 524B(b)(2) requires postmarket updates and patches; retained evidence must follow the product after release.

EDR-SBOM monitoring

Endpoint inventory reflects deployed reality

Integrity drift

Detect changes against the established baseline

New-CVE + malware alerts

Email/webhook routing for new CVEs and OSV-flagged malicious packages

Report diffing

Track remediation and evidence progress

Audit chain

Retain reports, deltas and decision history

POSTMARKET LOOP

Discover → assess → patch → communicate → retain

SBOM is a living document

Maintain it under ISO 13485 configuration management, with manufacturer-controlled review and approval.



One ESL team. Two specialized evidence pillars.

Apply only the evidence your submission level requires, with implementation, remediation and review support from engineers who know both platforms.

SBOMator™ — developed by ESL

- Developed by ESL for FDA-focused SBOM evidence
- Source, binary and firmware analysis
- CycloneDX SBOM, VEX and CVSS v4.0
- CVE triage, remediation and cleaner reports
- Section 524B mapping and postmarket monitoring

Parasoft — represented by ESL

- Represented and implemented by ESL experts
- Static analysis and defect remediation
- Unit testing and comprehensive code coverage
- Requirements-to-test traceability and ALM integration
- C/C++-test certified for IEC 62304 use by TÜV SÜD

Together, SBOMator™ and Parasoft address complementary FDA software-evidence needs. Manufacturer review, validation, risk acceptance and formal approval remain required. This brochure is informational and does not constitute legal advice or guarantee FDA clearance.

SBOMator™ FDA Edition: zuwasi.github.io/Public-html-pages/sbomator-fda-edition/#1

Parasoft Medical Devices: parasoft.com/industries/embedded/medical-devices/

Engineering Software Lab

www.eswlab.com • sales@eswlab.com