

Branch Log — feature/improved-depth-control

Summary

This branch focuses on improving TS/WASM parity, replay tooling, run analytics, and AI tuning controls. The emphasis is on deterministic replay for parity analysis, clearer run reporting, and safeguards against invalid run metrics.

Goals

- Build reliable TS vs WASM parity tooling (record/replay, divergence capture, tie handling).
- Improve run history visibility and export (engine separation, top tiles, depth, parity/compare flags).
- Add guardrails for integrity issues and stop bad batch runs.
- Keep UI usable on desktop/mobile while debugging.

Notable Changes (high level)

- Replay/record workflow hardening and UI guidance.
- Divergence capture stored in localStorage for analysis.
- Heuristic breakdown tools to inspect TS decision differences.
- Run history expanded with engine/mode/parity/compare and moves columns.
- Integrity issue detection with modal + batch halt.

Key Decisions

- Parity mode is required for meaningful TS vs WASM comparison during replay.
- Record allowed only on WASM; replay only when saved spawns exist.
- Stop batch when integrity issue occurs to force investigation.
- Keep debug controls visible during parity work; hide later when stable.

Open Questions

- Final tie-breaking parity strategy (WASM vs TS) and when to relax strict parity.
- Threshold/definition for “parity achieved” before running large stochastic samples.
- Whether to reinstate multi-worker or further optimize TS search.

Next Steps

- Continue parity runs, capture first divergence, analyze heuristic breakdowns.
- Align remaining scoring/selection differences.

- Once parity is satisfactory, run statistical comparisons across engines.
-

Commit Log

25a8be87 — feature/improved-depth-control (2026-02-02)

- Goal: consolidate parity/replay tooling, run analytics, and AI depth controls while preserving UI usability.
- Outcome: added record/replay modes with saved spawns/moves, parity comparisons and divergence capture, run integrity detection with modal + batch halt, expanded run history fields and CSV export, UI updates for AI settings/debug controls, favicon update, and deploy:valet favicon copy.
- Key decisions: parity mode required for meaningful TS vs WASM comparison; record only on WASM; stop batch when integrity issues occur; divergence snapshots stored in localStorage for analysis.
- Tests/Validation: none recorded.
- Open questions: see branch-level Open Questions above.

97a5037b — tweak package.json (2026-01-30)

- Goal: add a lightweight post-deploy verification step for GitHub Pages.
- Outcome: added `deploy:check` script to curl the site root, main bundle, and WASM asset headers.
- Key decisions: keep checks fast and header-only for a smoke test.
- Tests/Validation: none recorded (script added for manual use).
- Open questions: none.

Notes

This document is intended as a narrative log of the collaboration and product decisions. Detailed code changes remain in Git history.