

Zweitstimme Polling API

German election polling data API

Version: #spec.info.version

Endpoints

#upper(method)/ **Summary:** Root Root endpoint with API information. **Operation ID:** #op.operationId

Responses

Status	Description
#code	Successful Response

#upper(method)/health **Summary:** Health Check Heartbeat endpoint with API and data freshness status. **Operation ID:** #op.operationId **Tags:** health

Responses

Status	Description
#code	Successful Response

#upper(method)/heartbeat **Summary:** Health Check Heartbeat endpoint with API and data freshness status.
Operation ID: #op.operationId **Tags:** health

Responses

Status	Description
#code	Successful Response

#upper(method)/v1/archive **Summary:** List Archives Html List all available data archives as HTML. **Operation ID:** #op.operationId **Tags:** archive

Responses

Status	Description
#code	Successful Response

#upper(method)/v1/archive.json **Summary:** List Archives Json List all available data archives as JSON. **Operation ID:** #op.operationId **Tags:** archive

Responses

Status	Description
#code	Successful Response

#upper(method)/v1/archive/latest **Summary:** Get Latest Archive Get the latest archive. **Operation ID:** #op.operationId **Tags:** archive

Responses

Status	Description
#code	Successful Response

#upper(method)/v1/archive{filename} **Summary:** Get Archive Get metadata for a specific archive. **Operation ID:** #op.operationId **Tags:** archive

Parameters

Name	In	Required	Description
#get-or(param, "name", "")	#get-or(param, "in", "")	yes	

Responses

Status	Description
#code	Successful Response
#code	Validation Error

#upper(method)/v1/archive{filename}/download **Summary:** Download Archive Redirect to download URL for a specific archive. **Operation ID:** #op.operationId **Tags:** archive

Parameters

Name	In	Required	Description
#get-or(param, "name", "")	#get-or(param, "in", "")	yes	

Responses

Status	Description
#code	Successful Response
#code	Validation Error

#upper(method)/v1/download **Summary:** List Download Assets List available downloadable assets. **Operation ID:** #op.operationId **Tags:** downloads

Responses

Status	Description
#code	Successful Response

#upper(method)/v1/download/csv **Summary:** Download Polls Csv Download cleaned polls as CSV. **Operation ID:** #op.operationId **Tags:** downloads

Responses

Status	Description
#code	Successful Response

#upper(method)/v1/download/json **Summary:** Download Polls Json Download cleaned polls as JSON. **Operation ID:** #op.operationId **Tags:** downloads

Responses

Status	Description
#code	Successful Response

#upper(method)/v1/download/metadata **Summary:** Download Metadata Download export metadata. **Operation ID:** #op.operationId **Tags:** downloads

Responses

Status	Description
#code	Successful Response

#upper(method)/v1/download/parquet **Summary:** Download Polls Parquet Download cleaned polls as Parquet.
Operation ID: #op.operationId **Tags:** downloads

Responses

Status	Description
#code	Successful Response

#upper(method)/v1/download/raw **Summary:** Download Raw Json Download raw polls as JSON. **Operation ID:** #op.operationId **Tags:** downloads

Responses

Status	Description
#code	Successful Response

#upper(method)/v1/download/raw/csv **Summary:** Download Raw Csv Download raw polls as CSV. **Operation ID:** #op.operationId **Tags:** downloads

Responses

Status	Description
#code	Successful Response

#upper(method)/v1/download/raw/parquet **Summary:** Download Raw Parquet Download raw polls as Parquet.
Operation ID: #op.operationId **Tags:** downloads

Responses

Status	Description
#code	Successful Response

#upper(method)/v1/download/results **Summary:** Download Results Json Download poll-party results as JSON (long format). **Operation ID:** #op.operationId **Tags:** downloads

Responses

Status	Description
#code	Successful Response

#upper(method)/v1/download/results/csv **Summary:** Download Results Csv Download poll-party results as CSV.
Operation ID: #op.operationId **Tags:** downloads

Responses

Status	Description
#code	Successful Response

#upper(method)/v1/download/results/parquet **Summary:** Download Results Parquet Download poll-party results as Parquet. **Operation ID:** #op.operationId **Tags:** downloads

Responses

Status	Description
#code	Successful Response

#upper(method)/v1/download/sqlite **Summary:** Download Sqlite Download SQLite database. **Operation ID:** #op.operationId **Tags:** downloads

Responses

Status	Description
#code	Successful Response

#upper(method)/v1/elections **Summary:** List Election Summaries List elections with poll counts and latest publish date. **Operation ID:** #op.operationId **Tags:** elections

Responses

Status	Description
#code	Successful Response

#upper(method)/v1/elections/{election_key} **Summary:** Get Election Summary Get one election summary by ID.
Operation ID: #op.operationId **Tags:** elections

Parameters

Name	In	Required	Description
#get-or(param, "name", "")	#get-or(param, "in", "")	yes	

Responses

Status	Description
#code	Successful Response
#code	Validation Error

#upper(method)/v1/observations **Summary:** List Observations List long-format observations for statistical analysis.

Each row is one party result in one poll. This is usually the most convenient

endpoint for R, Python/pandas, Stata, and similar workflows. **Operation ID:** #op.operationId **Tags:** observations

Parameters

Name	In	Required	Description
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Maximum rows to return
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Rows to skip
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Scope code, e.g. federal, by, ost
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Party key(s)
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Institute key(s)
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Election key(s)
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Survey method key(s)
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Publish date on or after this date
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Publish date on or before this date
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Sort order

Responses

Status	Description
#code	Successful Response
#code	Validation Error

#upper(method)/v1/polls **Summary:** List Polls List cleaned polls with normalized metadata and optional nested results. **Operation ID:** #op.operationId **Tags:** polls

Parameters

Name	In	Required	Description
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Maximum rows to return
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Rows to skip
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Scope code, e.g. federal, by, ost
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Institute key(s)
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Provider numeric id
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Provider name
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Election key(s)
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Survey method key(s)
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Source type, e.g. api/html_scraper
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Publish date on or after this date
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Publish date on or before this date
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Include nested party results
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Sort order

Responses

Status	Description
#code	Successful Response
#code	Validation Error

#upper(method)/v1/polls/latest **Summary:** List Latest Polls List latest cleaned polls, optimized for app/backend use.
Operation ID: #op.operationId **Tags:** polls

Parameters

Name	In	Required	Description
#get-or(param, "name", "")	#get-or(param, "in", "")	no	
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Scope code, e.g. federal, by, ost
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Include nested party results

Responses

Status	Description
#code	Successful Response
#code	Validation Error

#upper(method)/v1/polls/wide **Summary:** List Polls Wide List cleaned polls in wide format, with party percentages in a results dictionary. **Operation ID:** #op.operationId **Tags:** polls

Parameters

Name	In	Required	Description
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Maximum rows to return
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Rows to skip
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Scope code, e.g. federal, by, ost
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Institute key(s)
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Election key(s)
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Survey method key(s)
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Publish date on or after this date
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Publish date on or before this date
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Sort order

Responses

Status	Description
#code	Successful Response
#code	Validation Error

#upper(method)/v1/polls/{poll_identifier} **Summary:** Get Poll Get one cleaned poll by integer id or public id such as C00004887. **Operation ID:** #op.operationId **Tags:** polls

Parameters

Name	In	Required	Description
#get-or(param, "name", "")	#get-or(param, "in", "")	yes	
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Include nested party results

Responses

Status	Description
#code	Successful Response
#code	Validation Error

#upper(method)/v1/polls/{poll_identifier}/results **Summary:** Get Poll Results Get party results for a single cleaned poll. **Operation ID:** #op.operationId **Tags:** polls

Parameters

Name	In	Required	Description
#get-or(param, "name", "")	#get-or(param, "in", "")	yes	

Responses

Status	Description
#code	Successful Response
#code	Validation Error

#upper(method)/v1/raw-polls **Summary:** List Raw Polls List immutable raw source rows for audit and traceability.
Operation ID: #op.operationId **Tags:** raw-polls

Parameters

Name	In	Required	Description
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Maximum rows to return
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Rows to skip
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Source type
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Raw source scope
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Raw provider name
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Scraper worker name

Responses

Status	Description
#code	Successful Response
#code	Validation Error

#upper(method)/v1/raw-polls/{raw_identifier} **Summary:** Get Raw Poll Get one raw row by integer id or public id such as R00004891. **Operation ID:** #op.operationId **Tags:** raw-polls

Parameters

Name	In	Required	Description
#get-or(param, "name", "")	#get-or(param, "in", "")	yes	

Responses

Status	Description
#code	Successful Response
#code	Validation Error

#upper(method)/v1/reference/all **Summary:** List All Reference Get all reference tables in one response. **Operation**
ID: #op.operationId **Tags:** reference

Responses

Status	Description
#code	Successful Response

#upper(method)/v1/reference/elections **Summary:** List Elections List all elections. **Operation ID:** #op.operationId
Tags: reference

Responses

Status	Description
#code	Successful Response

#upper(method)/v1/reference/institutes **Summary:** List Institutes List all institutes. **Operation ID:** #op.operationId
Tags: reference

Responses

Status	Description
#code	Successful Response

#upper(method)/v1/reference/methods **Summary:** List Methods List all methods. **Operation ID:** #op.operationId
Tags: reference

Responses

Status	Description
#code	Successful Response

#upper(method)/v1/reference/parties **Summary:** List Parties List all parties. **Operation ID:** #op.operationId **Tags:** reference

Responses

Status	Description
#code	Successful Response

#upper(method)/v1/reference/providers **Summary:** List Providers List all providers. **Operation ID:** #op.operationId **Tags:** reference

Responses

Status	Description
#code	Successful Response

#upper(method)/v1/reference/taskers **Summary:** List Taskers List all taskers. **Operation ID:** #op.operationId
Tags: reference

Responses

Status	Description
#code	Successful Response

#upper(method)/v1/results **Summary:** List Results Backward-compatible alias for long-format observations.
Operation ID: #op.operationId **Tags:** observations

Parameters

Name	In	Required	Description
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Maximum rows to return
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Rows to skip
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Scope code, e.g. federal, by, ost
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Party key(s)
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Publish date on or after this date
#get-or(param, "name", "")	#get-or(param, "in", "")	no	Publish date on or before this date

Responses

Status	Description
#code	Successful Response
#code	Validation Error