Learning Assistant

Final Project Document · AI answers from instructor-approved course materials, with sources you can check

Course	1305308 Platform Development, Mae Fah Luang University
Team	Team 08
Live system	learning-assistant-api.6731503060.workers.dev
Source code	github.com/zwethu/Platform-Development-Group
Integrations	Team 01 Student Identity (sign-in API) · Team 17 Internships (signed webhook)
Document date	13 November 2026 (system state as evaluated on 10 November 2026)

169	24	11	756 ms
automated tests, all passing	REST endpoints under /v1	database tables, 5 migrations	p95 answer latency (load test)

1. Requirement evidence map
2. Product overview and team
3. Functional requirements
4. Non-functional requirements
5. Architecture
6. Design decisions
7. Data model
8. API reference and example calls
9. External integrations
10. User interface
11. Security and PDPA
12. Testing and quality assurance
13. Development process and AI usage
14. Deployment and operations
15. Limitations and future work

1. Requirement evidence map

How this document and the repository answer each item of the Mini Project submission requirements.

Requirement	Evidence	Section / file
1. Completion and cloud deployment	One Cloudflare Worker serves the web UI and the API; D1 database and Workers AI on Cloudflare. Live URL above. Deep health check reports `ok`.	§5, §14 · `wrangler.jsonc`
2. Features and Happy Path	Student signs in → asks → AI answer with citations → rates it. Second path: no source → ask my instructor → reply → saved as FAQ → next student gets a cited answer.	§3, §10 · Postman folders 3–4
3. Cross-group integration (API / webhook)	Team 01 Student Identity: every sign-in and every API call is verified by Team 01's API. Team 17: HMAC-signed inbound webhook and outbound handshake.	§9 · `src/services/identity-client.ts`, `src/routes/webhooks.ts`

4. Development process and AI usage	Architecture, design decisions, workflow, team roles, AI tools per role, commit timeline.	§5, §6, §13
5. Security and PDPA	Personal data inventory, what is deliberately not collected, PDPA principles, OWASP-mapped controls, live responses proving them.	§11 · `public/_headers`, `src/middleware/auth.ts`
6. Testing and QA	169 automated tests (vitest) + 14 manual test cases + Postman collection against the live URL, including failures found and fixed.	§12 · `test/`, `postman/`
7. Code understanding and live modification	Layered code map; three fixes were made, tested and redeployed on evaluation day (search numbers, AI answer depth).	§5.3, §12.4, §14

---

2. Product overview and team

2.1 Problem

Students ask the same course questions again and again, and the answers already exist in the course materials, spread over many slides and PDFs. Instructors answer the same question many times. General AI chatbots answer confidently from outside the course, with no source, so a student cannot tell whether the answer matches the lecture.

2.2 Solution

- **Answers come only from approved materials.** Instructors decide what the assistant may use.
- **Every answer shows its sources**, with the passage it came from (and the slide or page for uploaded files).
- **It says when it doesn't know.** If no approved material covers the question, the student is told so and can ask the instructor in one click.
- **Answers improve through the instructor.** Low-rated or unanswered questions go to the instructor's inbox; a reply can be saved as a new approved FAQ source.

2.3 Users

User	What they do
Student	Ask a question in a course, read the cited answer, rate it, ask the instructor, read replies, browse course materials and internships.
Instructor	Create and archive courses, add materials (typed text or PDF / PowerPoint / Word), reply to student questions, see the Team 17 integration.

2.4 Team

#	Member	Role	Responsible for
1	Khant Wai Lin	Product Manager	Scope and priorities, user journeys, acceptance criteria, coordination with partner teams

2	Thura Aung	Frontend UX/UI	Web UI screens, usability, accessibility, visual design
3	Thaw Zin Myo Aung	Backend API and Database	API endpoints and contract, data model and migrations, data integrity
4	Sai Aung Kham	Quality and Security	Test strategy and results, security controls, PDPA review
5	Zwe Thura Aung	Delivery and Document	Delivery plan and releases, documentation and evidence

3. Functional requirements

The requirements were written in the PRD in August 2026 (`md_files/PRD.md`). This table records what was built. Where the design changed, the reason is given; nothing is marked done unless it runs in the deployed system.

ID	Requirement	Status	As built
FR-01	Authenticated access	**Done**	Every non-public route requires a Team 01 Student Identity token, verified by calling Team 01's `GET /me` . Missing or invalid token → `401` . (Team 01 publishes no signing keys, so we verify by API instead of JWKS.)
FR-02	Course-scoped listing	**Partial**	Instructors create courses; students see active courses only. There is no enrolment check, because no Course Catalog service was available to integrate.
FR-03	Ask a question	**Done**	3–1000 characters, one course, course must be active. Answered in the same request (`201`) instead of `202` + polling, because answers return in under a second.
FR-04	Cited answer	**Done**	Each answer lists numbered sources with the passage excerpt and its location (e.g. "Slide 14").
FR-05	Approved-source retrieval	**Done**	Search reads only `approved` , non-archived sources of the question's own course. (Per-source `instructor_only` visibility was not built.)
FR-06	No-source response	**Done**	No matching passage, or the AI judges the passages don't answer it → fixed "not found in approved materials" message, no citations, status `no_source_found` .
FR-07	Citation validation	**Done**	Model output must be JSON, must cite at least one passage, and may cite only passages that were sent. Anything else is rejected and the keyword fallback is used.
FR-08	Deterministic fallback	**Done**	Keyword search over titles, keywords and passage text, ranked and labelled "Keyword search". Used when AI is off, over budget, slower than 15 s, or returns invalid output.
FR-09	Citation drill-through	**Done**	`GET /v1/sources/:id/chunks` shows the passages a source was split into, with page / slide / section labels.

FR-10	Answer feedback	**Done**	Rating 1–5 (instead of helpful / not helpful) with an optional comment ≤ 500 characters. One rating per user per answer; rating again updates it.
FR-12	Knowledge source ingestion	**Done**	Typed text, a link, or an uploaded PDF / PPTX / DOCX. Text is extracted in the browser and split into ~1,000-character passages on the server. Original files are not stored (see §6, D7).
FR-13	Knowledge source management	**Done**	Edit fields, archive (soft delete, idempotent). Archived sources leave search immediately; existing citations are kept.
FR-14	Consume `assignment.published`	**Changed**	No Assignment team contract existed. The same inbound pattern (signed webhook, exactly-once by event ID) was built for Team 17's `internship.opportunity.published`.

3.1 Features added during development (not in the original PRD)

Feature	Why
Course management (create, rename, archive / restore)	Every source and question must belong to a real course (migration 0005).
"Ask my instructor", instructor inbox and replies	Gives the no-source case a human next step (PRD S-04). Replies can become FAQ sources, so the knowledge base grows.
"My questions" with unread-reply badges	Students can come back to earlier questions and see replies.
Deep health check `/v1/health/ready`	Reports database, tables, AI and budget status; used for operations.


4. Non-functional requirements

ID	Requirement	Status	Evidence
NFR-01	Answer latency	**Met**	Load test, 100 requests: p50 541 ms, **p95 756 ms**, p99 829 ms (budget p95 ≤ 5000 ms). AI abandoned after 15 s (`AI_TIMEOUT_MS`).
NFR-02	Worker CPU budget	**Met**	No file parsing on the server: PDF / PPTX / DOCX text is extracted in the browser.
NFR-03	Authentication boundary	**Met**	No passwords, hashes or user secrets stored. Passwords go from the browser straight to Team 01.
NFR-04	Authorization enforcement	**Met**	`requireAuth` , `requireRole` and ownership checks on the server; retrieval filtered by course and status before the AI sees anything.
NFR-05	Cost	**Met**	Cloudflare free tier only: Workers, D1, Workers AI. No paid component.
NFR-06	Quota safety	**Met**	Per-course, per-day AI counter (`ai_usage`), atomic increment, budget 300 per course; over budget → keyword fallback.
NFR-07	Availability and degradation	**Met**	AI failure never blocks an answer (fallback). Team 01 down → `503` , never a silent sign-in. Team 01 is the one hard dependency, as planned.

NFR-08	Data protection	**Met**	Uploaded files are never stored; question text never leaves the platform or enters logs.
NFR-09	Accessibility	**Met**	Keyboard navigation with a "Skip to content" link and visible `:focus-visible` outlines; `aria-live` regions and `role="alert"` for loading and errors; labelled form fields; status badges carry text, not colour alone. Every text colour checked against WCAG 2.1 AA (≥ 4.5:1) in light and dark themes; the one failing grey was darkened (13 Nov 2026).
NFR-10	Responsive design	**Met**	Checked by hand at desktop and phone widths, light and dark themes.
NFR-11	Observability	**Met**	One structured JSON log line per request (correlation ID, route pattern, role, status, duration); AI decision log with tokens and latency only.
NFR-12	Maintainability	**Met**	Fresh setup from the README verified on 13 Nov 2026 in a few minutes: `npm ci` → `npm run db:migrate:local` → `npm run dev:local` → `npm test`. One contract: shared server types in `src/lib/types.ts`, endpoint tables in the README, and a Postman collection whose tests run against the deployed API. Layered code; 169 tests.
NFR-13	Expected scale	**Met**	8.72 requests/s sustained in the load test, above the 300 questions/week target.

5. Architecture


5.1 Components



Component	Technology	Role
Web UI	Plain HTML, CSS, JavaScript (`public/`)	Screens for students and instructors; extracts text from uploaded files. Holds no secret and makes no security decision.

API	Cloudflare Worker + Hono, TypeScript (`src/`)	The only trust decision point: authentication, roles, validation, retrieval, AI call, citation checks.
Database	Cloudflare D1 (SQLite)	All relational data, with foreign keys, UNIQUE and CHECK constraints.
AI	Workers AI, `@cf/meta/llama-3.2-3b-instruct`	Writes the answer from the selected passages only.
Identity	Team 01 Student Identity (external)	Accounts, passwords, tokens.

5.2 Request flow: a student asks a question



5.3 Code layout

```
src/index.ts          wires middleware and routes under /v1
src/middleware/       correlation id → request logger → auth (per route)
src/routes/           HTTP layer: parse and validate input, check role, shape response
src/services/         AI answer, keyword search, chunking, identity client
src/repositories/     all SQL, always with bound parameters
src/lib/              validation, error shape, structured logger, constants
migrations/           0001 → 0005, applied in order
public/               web UI (app.js, file-extract.js, vendor/pdf.js + JSZip)
test/                 17 vitest files, 169 tests
postman/              full collection, final demo collection, production environment
```

---

6. Design decisions

#	Decision	Why	Rejected alternative
D1	One Worker serves both UI and API	One deploy command; same origin, so no CORS and a strict same-origin Content-Security-Policy.	React SPA on Cloudflare Pages + separate API (two deploys, CORS)
D2	Plain HTML/JS, no framework	No build step; small enough for five people to read; easy to keep XSS-safe (`textContent` only).	React + Vite (planned in PRD)
D3	Sign-in delegated to Team 01, verified by API call	Team 01 publishes no signing keys, so we ask their `GET /me` ; 60 s cache keyed by a SHA-256 hash of the token keeps it fast.	Own accounts; local JWT check with JWKS (not available)
D4	Keyword search over passages	Free, deterministic, explainable, and always available as the fallback. Weakness: misses paraphrases.	Vector search (Vectorize not on free plan); FTS5
D5	Llama 3.2 3B instead of 8B	Load test: p95 fell from 4091 ms to 756 ms with acceptable answers.	Larger 8B model
D6	AI with guardrails and a fallback	Passages sent as data, JSON-only output, citation validation, 15 s timeout, daily budget. The product works with AI off.	AI-only answers
D7	Extract file text in the browser, keep no files	Stays within the Worker CPU limit; no file storage to secure (privacy); no R2 or cron needed.	R2 storage + cron extraction job
D8	Synchronous answer (`201`)	Answers arrive in under a second, so polling adds complexity without benefit.	`202` + polling
D9	Integrity rules in the database	`UNIQUE(question_id)` on answers, CHECK constraints on status / mode / rating, event ID as primary key for webhook idempotency. A race cannot slip past a constraint.	Check-then-insert in code

D10	Archive instead of delete	Removes a source from search at once while keeping citations already shown to students.	Hard delete

7. Data model




Table	Purpose and key rules
`courses`	Course code (`id`), name, description, `active` | `archived` .
`knowledge_sources`	Approved material for one course: title, type, content, keywords, file name, status `draft` | `approved` | `archived` (CHECK).
`source_chunks`	~1,000-character passages of a source with a location label ("Page 3", "Slide 14"). What search ranks.
`questions`	Course, asking student ID, text, status `pending` | `answered` | `no_source_found` | `failed` , escalation time and note.
`answers`	One per question (`question_id` UNIQUE + FK, cascade). `mode` `ai` | `fallback` , `no_source_found` flag.
`citations`	Links an answer to a source excerpt with score and location. FK to answer (cascade) and source (restrict: cited sources are archived, never deleted).
`answer_feedback`	Rating 1–5 (CHECK), comment ≤ 500, one row per user per answer.
`instructor_replies`	Reply text, instructor ID, FAQ source created from it (if any), when the student read it.

`received_events`	Inbound webhook ledger; `event_id` is the primary key, so a replay cannot be processed twice.
`outbound_webhook_deliveries`	Log of every outbound Team 17 delivery attempt and result; never secrets or headers.
`ai_usage`	AI calls per course per UTC day, for the budget.

Migrations: 0001 core tables and 8 indexes · 0002 outbound deliveries · 0003 AI budget · 0004 passages, replies, escalation · 0005 courses. Indexes match the real queries, e.g. `knowledge_sources(course_id, status)` and `questions(student_id, created_at)`. `/v1/health/ready` reports `down` if any table is missing.

---

8. API reference and example calls

Base URL `https://learning-assistant-api.6731503060.workers.dev`. JSON only. Success: `{"data": …}`. Error: `{"error": {"code", "message", "correlationId"}}`. Every response carries an `x-correlation-id` header.

Method	Path	Who	Purpose
GET	`/v1/health`	public	Liveness
GET	`/v1/health/ready`	public	Database, tables, AI, budget (`?probe=ai` makes one model call)
GET	`/v1/auth/config`	public	Which sign-in mode is active
GET	`/v1/me`	signed in	Caller's ID and role
GET	`/v1/courses` , `/v1/courses/:id`	student, instructor	List / read courses
POST / PATCH	`/v1/courses` , `/v1/courses/:id`	instructor	Create; rename, describe, archive / restore
GET	`/v1/courses/:id/sources`	student, instructor	Approved sources of a course
POST / PATCH / DELETE	`/v1/sources` , `/v1/sources/:id`	instructor	Create (text or file passages), edit, archive
GET	`/v1/sources/:id/chunks`	student, instructor	Passages with page / slide labels
POST	`/v1/questions`	student	Ask; returns the answer with citations
GET	`/v1/questions/:id`	owner, instructor	Question, answer, citations, replies
GET	`/v1/me/questions`	student	Own questions with unread-reply counts
POST	`/v1/questions/:id/escalate`	owner	"Ask my instructor" with optional note

POST	`/v1/questions/:id/replies`	instructor	Reply; `addToSources: true` saves it as an FAQ
GET	`/v1/instructor/inbox`	instructor	Questions needing a person
POST	`/v1/answers/feedback`	student, instructor	Rate 1–5 (201 first time, 200 when changed)
GET	`/v1/integration/status`	public	Integration status for partner teams
POST	`/v1/webhooks/internship`	HMAC signature	Team 17 inbound webhook
POST / GET	`/v1/integrations/team17/test-send` , `…/deliveries`	integration key	Outbound handshake to Team 17 and its log

8.1 Ask a question (AI answer)

```
POST /v1/questions
Authorization: Bearer <Student Identity token>
Content-Type: application/json

{"courseId": "1305308", "questionText": "Why should constraints be enforced in the database?"}
```

```
201 Created
{
  "data": {
    "question": { "id": "403cc3de-…", "courseId": "1305308", "status": "answered" },
    "answer": {
      "id": "b8f490e7-…",
      "content": "Constraints should be enforced in the database because foreign keys, CHECK, and
UNIQUE constraints are enforced in the database, not in a prior SELECT. This means that the
database will ensure data integrity by preventing invalid or inconsistent data …",
      "mode": "ai",
      "noSourceFound": false
    },
    "citations": [{
      "sourceId": "d970ace2-…",
      "sourceTitle": "Week 4 — Platform Data",
      "excerpt": "…Constraints such as foreign keys, CHECK and UNIQUE are enforced in the…",
      "score": 5
    }],
    "generation": { "mode": "ai", "fallbackReason": null, "model": "@cf/meta/llama-3.2-3b-
instruct" }
  }
}
```

8.2 Rate the answer

```
POST /v1/answers/feedback
{"answerId": "b8f490e7-…", "rating": 5, "comment": "Clear and cited."}

201 Created
{"data": {"id": "c7933196-…", "answerId": "b8f490e7-…", "userId": "6731503060", "rating": 5,
          "comment": "Clear and cited.", "createdAt": "2026-11-13T14:38:48.947Z"}}
```

8.3 Rejected requests

Request	Response
Another student opens `GET /v1/questions/403cc3de-…`	`403 {"error":{"code":"FORBIDDEN","message":"You do not have access to this question."}}`
Student calls `POST /v1/sources`	`403 {"error":{"code":"FORBIDDEN","message":"You do not have access to this operation."}}`
`POST /v1/questions` with `"questionText": "hi"`	`400 {"error":{"code":"VALIDATION_ERROR","message":"questionText must be between 3 and 1000 characters."}}`
`GET /v1/me` with a fake token (live site)	`401 {"error":{"code":"UNAUTHORIZED","message":"Your sign-in is invalid or has expired. Please sign in again."}}`

8.4 Deep health (live site, 13 Nov 2026)


```
GET /v1/health/ready
200 {"status":"ok","answerPath":"ai_with_fallback",
     "checks":{"database":{"status":"pass","detail":{"tables":9}},
               "ai":{"status":"pass","detail":{"model":"@cf/meta/llama-3.2-3b-instruct"}},
               "ai_budget":{"status":"pass","detail":
{"invocationsToday":0,"dailyBudgetPerCourse":300}}}}
```

---

9. External integrations

9.1 Team 01 — Student Identity (API)

The Learning Assistant has no accounts or passwords of its own. Every user signs in with Team 01's Student Identity at `https://student-identity.onrender.com`, and every API request is trusted only after Team 01 confirms the token.



Situation	Our response
No token, or demo headers claiming instructor	`401 UNAUTHORIZED`
Fake, edited or expired token	`401` "Your sign-in is invalid or has expired."
Valid student token on an instructor route	`403 FORBIDDEN`
Team 01 down or answering 5xx	`503 DEPENDENCY_UNAVAILABLE` ; never let in

Code: `src/services/identity-client.ts` (25 s timeout for Team 01's sleeping free host, 60 s cache keyed by SHA-256 of the token, profile body discarded), `src/middleware/auth.ts` (role mapping: `student` → student; `instructor` , `staff` , `admin` or `INSTRUCTOR_IDS` → instructor; anything else → 403). **Tests:** 11 in `test/identity-auth.test.ts` .

9.2 Team 17 — Internships (webhook)

When Team 17 publishes an internship, it sends `internship.opportunity.published` to `POST /v1/webhooks/internship` . We verify an HMAC-SHA-256 signature over the raw body (constant-time `crypto.subtle.verify`), record the event ID, and create one approved source in the `CAREER` course, so students can ask about internships and get cited answers.

Case	Response
New, correctly signed event	`202 {"status":"accepted","knowledgeSourceId":"…"}`
Same `eventId` again (replay)	`200 {"status":"duplicate","processed":false}` , no second source
Missing or wrong signature	`401 UNAUTHORIZED` , nothing stored
Invalid payload	`400 VALIDATION_ERROR`

Outbound, `POST /v1/integrations/team17/test-send` sends a signed `partner.updated` handshake to Team 17 and logs each attempt in `outbound_webhook_deliveries` . The destination URL is fixed in

configuration, never taken from the caller. Secrets are Cloudflare secrets, never in the repository. Contract: `docs/team17-integration-contract.md`. Tests: `internship-webhook`, `webhook-signature`, `team17-integration` (21 tests).

10. User interface

Screens below were captured on 13 Nov 2026. The sign-in screen is from the live site; the others are from the same code run locally with the real Workers AI model and the course's seeded materials (the local build's development role switcher is hidden; the live site shows the signed-in student ID instead).




Figure 1. Live site: sign in with Team 01 Student Identity. The password goes directly to Team 01.




Figure 2. Student asks a question and gets an AI answer, labelled with the model, citing "Week 3 — Contract-first API Design". Rating 1–5 below.




Figure 3. Off-topic question: no approved material covers it, so no answer is invented. The student can ask the instructor.




Figure 4. My questions: status and answer type for each question.




Figure 5. Instructor inbox: questions that need a person.




Figure 6. Instructor creates and archives courses.




Figure 7. Team 17 integration page: how it works, status and delivery log.




Figure 8. Instructor adds materials as typed text or an uploaded PDF / PowerPoint / Word file.




Figure 9. System status: live readiness of the database, AI and AI budget.

11. Security and PDPA

PDPA here means Thailand's Personal Data Protection Act B.E. 2562 (2019).

11.1 Personal data we hold

Data	Why	Who can see it
User ID (Student Identity `sub`)	Own questions, one rating per user, who changed materials	The user; instructors
Question text, "ask my instructor" note	Answer the question; tell the instructor what is unclear	The asking student; instructors
Rating and comment	Answer quality; low ratings go to the instructor	Instructors
Instructor reply	Answer the student	The asking student; instructors

11.2 Deliberately not collected or kept

Not kept	How

Passwords	Sent from the browser straight to Team 01; our server never receives them; the form clears the field.
Name, email, profile	Team 01's `/me` response body is discarded; only `sub` and `role` are used, and the role is not stored.
Uploaded files	Text is extracted in the browser; the file is never uploaded or stored.
Tokens, question or answer text in logs	Logs hold only IDs, lengths, counts, outcomes and the route pattern. The token cache is keyed by a SHA-256 hash.
User IDs sent to the AI	The model receives only the question and the selected passages, inside Cloudflare (no outside AI company).

11.3 PDPA principles

Principle	How it is met
Purpose limitation (s.21)	Data is used only to answer course questions and support students. No analytics, advertising or sharing.
Data minimisation (s.22)	Only `sub` and `role` from the identity provider; no profile data.
Lawful basis (s.24)	Processing is needed to provide the learning service the student signs in to use.
Access control	Students see only their own questions (403 otherwise); only instructors see the inbox.
Security of processing (s.37(1))	HTTPS only, token verification, roles, validation, CSP (§11.4).
Transparency	Each answer says whether it is AI or keyword search, and which sources it used. The sign-in page explains where the password goes.
Session data	The token is kept in `sessionStorage` and removed when the tab closes.

Known gaps: no self-service deletion of a student's questions yet (right to erasure, s.33; the foreign keys already cascade, so the endpoint is small), no automatic retention period, and up to 50 recent questions are cached in the browser's `localStorage` for "My questions".

11.4 Security controls (OWASP Top 10)

Threat	Control	Where
A01 Broken access control	`requireAuth` on every non-public route, `requireRole` for instructor routes, ownership checks for questions and ratings	`src/middleware/auth.ts`, routes
A07 Authentication failures	Every token verified by Team 01 (cache ≤ 60 s, never past expiry); edited or expired tokens rejected; Team 01 down → 503	`identity-client.ts`
A03 SQL injection	Bound parameters everywhere; dynamic `UPDATE` columns from a fixed allowlist	`src/repositories/`
A03 XSS	`textContent` only, never `innerHTML`; only http(s) links rendered	`public/app.js`

Prompt injection	Passages sent as delimited data; fixed system prompt; JSON-only output; only sent passages may be cited	`ai-answer-service.ts`
A05 Misconfiguration / clickjacking	Strict CSP, `X-Frame-Options: DENY`, `nosniff`, `no-referrer`, camera / microphone / location disabled	`public/_headers`
A04 Abuse and cost	Input limits (question 3–1000, comment ≤ 500, rating 1–5, file ≤ 25 MB); per-course AI budget; 15 s AI timeout	`src/lib/constants.ts`
Webhook forgery and replay	HMAC-SHA-256, constant-time compare; event ID primary key	`webhook-signature.ts`
A09 Logging / error leakage	Structured logs with correlation IDs; generic 500 to clients, stack only in server logs	`request-logger.ts`, `index.ts`
Secrets	None in the repository; Cloudflare secrets per deployment	`.dev.vars.example`

11.5 Evidence from the live site (13 Nov 2026)

```
$ curl -i https://learning-assistant-api.6731503060.workers.dev/v1/me -H "Authorization: Bearer
not-a-real-token"
HTTP/2 401
{"error":{"code":"UNAUTHORIZED","message":"Your sign-in is invalid or has expired. Please sign in
again.", …}}

$ curl -I https://learning-assistant-api.6731503060.workers.dev/
content-security-policy: default-src 'self'; script-src 'self'; style-src 'self'; img-src 'self'
data:;
  connect-src 'self' https://student-identity.onrender.com; font-src 'self'; object-src 'none';
  base-uri 'self'; form-action 'self'; frame-ancestors 'none'
permissions-policy: camera=(), microphone=(), geolocation=(), payment=()
referrer-policy: no-referrer
x-content-type-options: nosniff
x-frame-options: DENY
```

12. Testing and quality assurance

12.1 Automated tests

Framework: vitest. Command: `npm test`. Routes are called through Hono directly against an in-memory SQLite database with all migrations applied, so the real SQL runs; Team 01 and Workers AI are replaced by fakes. **Result on 13 Nov 2026: 17 files, 169 tests, all passing.**

Test file	Tests	What it proves
`source-uploads`	23	PDF/PPTX/DOCX passages, slide-level citations, size and type limits, instructor-only

`courses`	18	Course create/archive, code validation, end-to-end flow
`routes-auth-and-validation`	16	Role restrictions, 400 before touching the database, correlation IDs
`ai-answer-service`	15	Invented or missing citations rejected, prompt injection kept as data, timeout fallback
`instructor-replies`	13	Escalation, inbox, private replies, reply saved as FAQ
`validation` / `domain-constants`	23	Validation helpers, status / rating / length rules
`identity-auth`	11	Team 01 sign-in: forged / expired tokens, 503 when Team 01 is down
`team17-integration` / `internship-webhook` / `webhook-signature`	21	Outbound handshake, signed inbound webhook, replay safety, HMAC
`fallback-search-service`	9	Ranking, course isolation, "week 3" finds Week 3
`health-ready` / `health` / `integration-status`	11	Deep health incl. missing migrations, liveness, status
`feedback` / `question-authorization`	9	One rating per user, owner-only access

Most tests are negative cases: they send a bad or unauthorised request and check that it is refused with the right status and that nothing is written.

```
$ npm test
 Test Files  17 passed (17)
      Tests  169 passed (169)
```

12.2 API tests (Postman)

`postman/Final-Demo.postman_collection.json` runs against the live URL in seven folders: sign in with Team 01, system health, Happy Path 1 (material → question → answer → rating), Happy Path 2 (no source → ask instructor → reply → FAQ → cited answer), Team 17 webhook (202, duplicate 200, bad signature 401), security failures (401 / 403 / 400 / 404), clean-up. Each request has test scripts; the full collection has ~70 requests.

12.3 Manual testing

#	Step	Expected	Result
M1	Instructor creates course 1305308	Course listed	**Pass**
M2	Instructor adds a text source	Listed under approved sources	**Pass**
M3	Student asks a matching question	Answer with citation	**Pass**
M4	Student rates the answer 5	Rating stored	**Pass**
M5–M6	Ask my instructor; instructor replies	In inbox; student sees "New reply"	**Pass**

M7	Course without description	No stray text	**Failed, fixed, passed**
M8–M11	Student creates source; reads other's question; no credentials; bad body	403, 403, 401, 400	**Pass**
M12	Security headers on `/`	CSP, X-Frame-Options	**Pass**
M13	Live: sign in with Team 01, ask, AI answer	Token from Team 01, cited AI answer	**Pass**
M14	Postman against the live URL	Documented status codes	**Pass**
M15	Live: "what we have to learn in week 3"	Cites Week 3	**Failed, fixed, passed**
M16	Live: "what is week 3 about?"	Explained in several sentences	**Failed, fixed, passed**

12.4 Failures found and fixed

Found by	Problem	Fix (commit)
Manual test M7	The word "null" shown when a course had no description	`ed9f5ec`
Code review	Deep health said `ok` when migrations 0004/0005 were missing	`b6e1641` + test
Review of feedback route	A student could rate another student's answer, many times	`5d4d689` + tests
Load test	p95 4091 ms with the 8B model	Switched to 3B: p95 756 ms
Manual test M15 (live)	Search dropped the "3" in "week 3", so the AI got the wrong weeks	`c84cbe1` : keep single digits, match whole numbers + 2 tests
Manual test M16 (live)	The 3B model answered with only the title	`214ccaf` , `97ee09f` : explain-instruction in the prompt and user message; checked against the real model before deploying

---

13. Development process and AI usage

13.1 Workflow

1. **Requirements first:** PRD with FR / NFR / business rules; code comments cite the requirement they implement (e.g. `PRD FR-07`).
2. **Contract and data design** before code (Assignment 3: schema, ER diagram, API).
3. **Vertical slices:** each feature lands with its migration, route, repository and tests together.
4. **Git:** `main` plus short feature branches (e.g. `feature/uploads-and-replies`), conventional commit messages.
5. **Before each commit:** `npm test` and `npm run typecheck` pass.

6. **Deploy:** a member with Cloudflare access runs migrations, then `npm run deploy:khant`.

13.2 Commit history (milestones)

Date	Milestone
31 Aug 2026	Repository created; PRD and design documents
20 Sep 2026	Hono Worker scaffold, D1 schema (migration 0001), first API vertical slice
21 Sep 2026	Assignment 3 complete; Team 17 webhook receiver
8 Nov 2026	Workers AI answers, structured logs, deep health, load test (p95 proof)
9 Nov 2026	Feedback authorization fixes, Postman collection, web UI served by the Worker, cloud environment
10 Nov 2026	Team 01 sign-in, file uploads and instructor replies, courses, UI refresh, evaluation evidence, live fixes

Full history: `git log` on GitHub (30 commits from all five members).

13.3 AI tools used in development

Role (member)	Tool	How AI was used	How output was checked
Product Manager (Khant Wai Lin)	Claude Code	Turning PRD requirements into features (Team 01 sign-in, courses, uploads, replies); user journeys and acceptance criteria	Each feature checked against its FR/NFR; Happy Path walked end to end; Team 01 sign-in confirmed with real accounts
Frontend UX/UI (Thura Aung)	GitHub Copilot	CSS and layout for the UI refresh; repetitive UI code	Checked in the browser at desktop and phone width, light and dark; no `innerHTML`; CSP still passes
Backend API and Database (Thaw Zin Myo Aung)	Claude Code	Tracing request flows; finding the deep-health and "null" bugs; the week-number search fix and AI prompt fix; Postman demo collection; these documents	Every diff reviewed; `npm test` and typecheck; a new test that fails without the fix; prompt checked against the real model; claims checked against the code
Quality and Security (Sai Aung Kham)	GitHub Copilot	Negative test cases (forged tokens, other students' data, bad input); OWASP review; PDPA inventory	Each case run as a real test or curl request; a control counts only when its 401/403/400 is seen
Delivery and Document (Zwe Thura Aung)	Claude Code	AI answer path, structured logs, deep health, load-test script; runbook and handover docs	Load test against the budget; model choice on measured data; docs checked against the running system

> **Team rule:** AI output is a draft. Nothing is merged unless the member has read it and can explain it, tests and typecheck pass, and anything users see was checked in the running app.

13.4 AI inside the product

Workers AI `llama-3.2-3b-instruct` writes answers only from approved passages, with a fixed system prompt, passages sent as data, JSON-only output, citation validation, a 15 s timeout, a per-course daily budget, and a keyword fallback. Ratings do not retrain the model; improvement goes through the instructor (low rating → inbox → reply → FAQ source), so a person always decides what the assistant may say.

---

14. Deployment and operations

Item	Detail
Platform	Cloudflare Workers (free tier), Worker `learning-assistant-api`, environment `khant`
Deploy	`npm run deploy:khant` publishes UI and API together
Database migrations	`npm run db:migrate:khant` (applies only missing, additive migrations, before deploying code that needs them)
Rollback	`wrangler rollback`; migrations are additive, so older code keeps working
Configuration	`wrangler.jsonc`: `AUTH_MODE=identity`, AI model, budget, timeout. Secrets via `wrangler secret put`
Health	`/v1/health` (liveness), `/v1/health/ready` (database, tables, AI, budget; 503 when degraded)
Logs	Structured JSON per request with correlation ID; AI decision log (mode, fallback reason, tokens, latency)
Local development	`npm ci` → `npm run db:migrate:local` → `npm run dev:local` (local D1, real Workers AI, demo sign-in) → `npm test`
Runbook	`docs/week12-handover/Incident_Runbook.md`

---

15. Limitations and future work

Limitation	Next step
Keyword search misses paraphrased questions	Semantic search with embeddings if a free vector option becomes available
No course enrolment check	Integrate a Course Catalog service; deny questions outside a student's courses
No self-service data deletion or retention period	`DELETE /v1/me/questions/:id` (cascades already in place) and a scheduled clean-up after each term
Small model gives short answers when material is short	Richer source material (upload full slides); larger model if latency allows
No CI pipeline	Run `npm test` on every push with GitHub Actions

No per-source visibility (`instructor_only`)	Add a visibility column and filter it in the search query