iFactory/Desk

ifp-organizer-ifpsdemo-eks005.sa.wise-paas.com/#/

iFactory/Desk   iFactory Solution Suite

Welcome, Devan Liang

Manage your i.Apps to make iFactory/Desk work better for you.

Basic Settings

Enabler

Configuration

Elements   Console   Sources   Performance insights   Network   Performance

Filter

☐ Invert   ☐ Hide data URLs   All   Fetch/XHR   JS   CSS   Img   Media   Font   Doc   WS   Wasm   Manifest   Other

☐ Has blocked cookies   ☐ Blocked Requests   ☐ 3rd-party requests

☐ Use large request rows   ☐ Group by frame

☑ Show overview   ☐ Capture screenshots

1000 ms   2000 ms   3000 ms   4000 ms   5000 ms   6000 ms   7000 ms   8000 ms   9000 ms

Name   Headers   Payload   Preview   Response   Initiator   Timing

Open in new tab   Copy link address   Request Payload   view source

Clear browser cache   Copy response   ationName: "signIn",…}]

Clear browser cookies   Copy stack trace   operationName: "signIn",…}]

Copy   Copy as PowerShell

Block request URL   Copy as fetch

Block request domain   Copy as Node.js fetch

Copy as cURL (cmd)

Sort By   Copy as cURL (bash)

Header Options   Copy all as PowerShell

Copy all as fetch

Save all as HAR with content   Copy all as Node.js fetch

Copy all as cURL (cmd)

Copy all as cURL (bash)

Copy all as HAR

6 / 18 requests   21.4 kB / 329 kB transferred

Home   Workspaces   Explore   Search Postman   Sign In   Create Account

Working locally in Scratch Pad. Switch to a Workspace

Scratch Pad   New   Import   Overview   POST https://ifp-organizer-   POST https://ifp-organizer-i   No Environment

Collections

APIs

Environments

Mock Servers

Monitors

History

Import

File   Folder   Link   Raw text   Code repository   New

Paste raw text

```
curl 'https://ifp-organizer-ifpsdemo-eks005.sa.wise-paas.com/graphql' \
  -H 'authority: ifp-organizer-ifpsdemo-eks005.sa.wise-paas.com' \
  -H 'accept: */*' \
  -H 'accept-language: en-GB,en-US;q=0.9,en;q=0.8,zh-TW;q=0.7,zh;q=0.6' \
  -H 'content-type: application/json' \
  -H 'origin: https://ifp-organizer-ifpsdemo-eks005.sa.wise-paas.com' \
  -H 'referer: https://ifp-organizer-ifpsdemo-eks005.sa.wise-paas.com/' \
  -H 'sec-ch-ua: ".Not/A)Brand";v="99", "Google Chrome";v="103", "Chromium";v="103"' \
  -H 'sec-ch-ua-mobile: ?0' \
  -H 'sec-ch-ua-platform: "Windows"' \
  -H 'sec-fetch-dest: empty' \
  -H 'sec-fetch-mode: cors' \
```

Continue

Send

Cookies

Bulk Edit

Click Send to get a response

Find and Replace   Console   Runner   Trash

Screenshot 1 (top):

Home | Workspaces | Explore | Search Postman | Sign In | Create Account

☁ Working locally in Scratch Pad. **Switch to a Workspace** ✕

Scratch Pad | New | Import

Overview | POST https://ifp-orga ● | POST https://ifp-orga ● | POST https://ifp-orga ● | + | ⋯ | No Environment ⌄

Collections | + | ☰ | ⋯

https://ifp-organizer-ifpsdemo-eks005.sa.wise-paas.com/graphql | 💾 Save ⌄ | ✏ ▢ | </>

APIs

POST ⌄ | https://ifp-organizer-ifpsdemo-eks005.sa.wise-paas.com/graphql | Send ⌄

Environments

Params | Authorization | Headers (21) | Body ● | Pre-request Script | Tests | Settings | Cookies

Mock Servers

Query Params

Monitors

| KEY | VALUE | DESCRIPTION | ⋯ | Bulk Edit |
| Key | Value | Description | | |

History

You don't have any collections

Collections let you group related requests, making them easier to access and run.

Create Collection

Response ⌄

Click Send to get a response

🔖 Find and Replace | ▢ Console | ▶ Runner | 🗑 Trash | ❔

Screenshot 2 (bottom):

Home | Workspaces | Explore | Search Postman | Sign In | Create Account

☁ Working locally in Scratch Pad. **Switch to a Workspace** ✕

Scratch Pad | New | Import

Overview | POST https://ifp-orga ● | POST https://ifp-orga ● | POST https://ifp-orga ● | + | ⋯ | No Environment ⌄

Collections

https://ifp-organizer-if... | 💾 Save ⌄ | ✏ ▢ | </> | **Code snippet** ✕

APIs

POST ⌄ | https://ifp-organizer-ifps | Send ⌄ | NodeJs - Axios ⌄ ⚙

Environments

Params ⌄ | ⋯

Query Params

```
1   var axios = require('axios');
2   var data = JSON.stringify([
3     {
4       "operationName": "signIn",
5       "variables": {
6         "input": {
7           "username": "devanliang@iii.org.tw",
8           "password": "Abcd1234#$"
9         }
10      },
11      "query": "mutation signIn($input:
             SignInInput!) {\n   signIn(input: $input)
             {\n   user {\n     name\n
             __typename\n   }\n   __typename\n   }\n}
             \n"
12    }
13  ]);
14
15  var config = {
16    method: 'post',
17    url: 'https://ifp-organizer-ifpsdemo-eks005.sa.
           wise-paas.com/graphql',
18    headers: {
19      'authority': 'ifp-organizer-ifpsdemo-eks005.
             sa.wise-paas.com',
20      'accept': '*/*',
21      'accept-language': 'en-GB,en-US;q=0.9,en;q=0
```

Mock Servers | Monitors | History

You don't have any collections

Collections let you group related requests, making them easier to access and run.

Create Collection

| KEY | VALUE | [⋯ | Bulk Edit |
| Key | Value | Description | |

Response ⌄

Click Send to get a response

🔖 Find and Replace | ▢ Console | ▶ Runner | 🗑 Trash | ❔

Postman — Scratch Pad

```
24    wise-paas.com',
      'referer': 'https://
          ifp-organizer-ifpsdemo-eks005.sa.
          wise-paas.com/',
25    'sec-ch-ua': '".Not/A)Brand";v="99", "Google
          Chrome";v="103", "Chromium";v="103"',
26    'sec-ch-ua-mobile': '?0',
27    'sec-ch-ua-platform': '"Windows"',
28    'sec-fetch-dest': 'empty',
29    'sec-fetch-mode': 'cors',
30    'sec-fetch-site': 'same-origin',
31    'user-agent': 'Mozilla/5.0 (Windows NT 10.0;
          Win64; x64) AppleWebKit/537.36 (KHTML,
          like Gecko) Chrome/103.0.0.0 Safari/537.
          36'
32    },
33    data : data
34    };
35
36    axios(config)
37    .then(function (response) {
38        console.log(JSON.stringify(response.data));
39    })
40    .catch(function (error) {
41        console.log(error);
42    });
43
```

Visual Studio Code — LoginLogoutByRequest.cy.ts

```
17        __typename\n  }\n}\n"
18        }
19    ]);
20
21    let config = {
22        method: 'post',
23        url: 'https://ifp-organizer-ifpsdemo-eks005.sa.wise-paas.com/graphql',
24        headers: {
25            'authority': 'ifp-organizer-ifpsdemo-eks005.sa.wise-paas.com',
26            'accept': '*/*',
27            'accept-language': 'en-GB,en-US;q=0.9,en;q=0.8,zh-TW;q=0.7,zh;q=0.6',
28            'content-type': 'application/json',
29            'origin': 'https://ifp-organizer-ifpsdemo-eks005.sa.wise-paas.com',
30            'referer': 'https://ifp-organizer-ifpsdemo-eks005.sa.wise-paas.com/',
31            'sec-ch-ua': '".Not/A)Brand";v="99", "Google Chrome";v="103", "Chromium";v="103"',
32            'sec-ch-ua-mobile': '?0',
33            'sec-ch-ua-platform': '"Windows"',
34            'sec-fetch-dest': 'empty',
35            'sec-fetch-mode': 'cors',
36            'sec-fetch-site': 'same-origin',
37            'user-agent': 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/103.0.0.0 Safari/537.36'
38        },
39        body: data
40    }
41
42    //Clean cookies and local storage
43    cy.clearLocalStorage().clearCookies()
44
45    //Login
46    cy.request(config)
47    cy.visit("https://ifp-organizer-ifpsdemo-eks005.sa.wise-paas.com/#/")
48        .url()
```

amend "data" to "body"