



对方公司 Starling
Starling对于板子称呼是Steam
Steam所属项目是Reflections.

Steam Board v3 Statement of Work (SOW)

Frank Cohen DBA Starling Watch Company (Starling) in July 2018 contracted and paid in advance \$3,500 USD with Shenzhen AFU Smart Internet Technology Co., Ltd. (AFU) to develop a new logic board (Steam) for a wrist watch project (Reflections). AFU put a great amount of effort and resources into meeting Starling's needs. Starling seeks to compensate AFU for the extra effort and contract additional changes to the board.

Needs and Goals

1. Make the changes to the Power_Hold circuit final.
2. Remove these components from the v1 board: sw1, sw2, 3-way switch, USB micro connector, heart sensor board connector (header 4), and header 3. Add connection pads to the back of the board for these connections:

USB	VCC	GND	D-	D+	SE	
Mesa Projection Unit	GND	3v3	LED_DAT	ADCO		
Input Buttons	Switch Left	Switch Center	Switch Right			
Reset switches	SW1 + (MCU)	SW1 - (MCU)	SW2 + (BLE)	SW2 - (BLE)		
MCU Programmer	MCU_Reset	MISO	MOSI	SCK	MCU_3v3	MCU_GND
BLE Programmer	Target Voltage Sense	GND	Reset	DEBUG_DATA P2_1	DEBUG_CLOCK P2_2	
BLE	TXD1	RXD1	TXD3	RXD3		
Reset switches	MCU Reset	BLE Reset				
Battery	B+	B-				
GPS	Antenna +	Antenna -				
Microphone	Microphone +	Microphone -				
Speaker	Speaker +	Speaker -				
Vibrator	Vibrator +	Vibrator -				
Heart Sensor	Heart +	Heart -				

3. All pads exposed on the bottom side for connection with the Programming Fixture Pogo-Pin Board.

4. Add Reflections Logo to board silk.

5. Relocate RTC battery to top of board, and use a CR1216 battery.


6. Provide schematic, silk board trace, Gerber, Cadence OrCAD files to Starling.

3: 背部的焊盘连接Pogo-Pin板
4: 添加Reflections项目丝印
5: 重新定位板子顶部RTC电池的位置, 使用CR1216电池。
6: 提供原理图, 丝印跟踪, PCB文件给Starling

7, Pogo-Pin 板的需求
a, 定制夹具
b, Starling会做一个夹具盒子, 移除了Steam板子的连接点, Steam板子刚好合适于这个盒子和连接点, 连接到其电源, 外设和电脑的USB, 以便跑Arduino IDE.
c, Pogo-Pin板子45mm 直径, 厚度57mm
d, 包括4mm缺口, 以便正确挂载在box里面.
e, 使用0908-4-15-20-75-14-11-0型号或者更小的pin口, 如 example <http://bit.ly/2u8cpY3>
f, 每一个焊盘连接点都要有透孔。

7. Programming Fixture Pogo-Pin Board Requirements

- Make a second PC board that Starling engineers will use as a programming fixture.
- Starling will make a programming fixture box. The box removes the need for connectors on the Steam board. The Steam board fits into the fixture box and connects to a power supply, peripherals, and via USB to a PC running Arduino IDE.
- Pogo board is 45 mm round and 1.57 mm thick.
- Includes three 4 mm notches in the Pogo board for mounting in the correct direction into a box
- Use 0908-4-15-20-75-14-11-0 pogo pins or similar, for example <http://bit.ly/2u8cpY3>
- Pogo board has through-the-hole connectors to each pogo pin.



Note: Not all connection pads and pogo connectors shown in above illustration.

8. Provide Starling with MCU Bootloader Source Code

- Builds in Arduino IDE 1.8.5 using avr-gcc 4.9.2 compile command
- Compiles to .hex file format
- Arduino IDE boards.txt configuration for Steam board.
- Implements STK500v2 protocol over a USB serial connection from the BLE cc2540 chip running at 32700 baud (8bits-1stop bit)

8: 给Starling提供MCU BOOTLOADER的源代码
a, Arduino IDE 1.8.5环境, avr-gcc 4.9.2 compile编译器
b, 编译.hex格式
c, 提供Arduino IDE为Steam板子的配置文件 board.txt
d, BLE cc2540芯片USB协议使用 STK500v2, 且波特率为32700 (8bits-1stop bit)
9, 给Starling提供BLE程序源码
a, 编译成.HEX文件格式
b, 和 CC-Debugger 兼容以便升级BLE程序

9. Provide Starling with BLE Program/Firmware Source Code

- Compiles to .hex file format
- Compatible with Texas Instruments CC-Debugger to update the BLE program

Acceptance Criteria

- Connect the board to the Pogo board
- Connect the Pogo board to a Windows 10 laptop over USB cable
- Connect through the Pogo board to cc 2540 debug programmer
- Connect through the Pogo board to Mega 2560 MCU programmer

验收标准
1: 板和Pogo板子连接
2: 通过win10USB连接Pogo板
3: Pogo板连接到cc 2540 debug下载器
4: Pogo板连接到Mega 2560 MCU下载器

5. Connect through the Pogo board GPS antenna, microphone, speaker, Mesa projector, switch left, center, and right, battery, vibrator motor, heart rate sensor
6. Update boards.txt
7. Program the BLE unit
8. Program the MCU unit
9. Open Arduino IDE, open test program/sketch, compile and upload the test program to the board, open the serial monitor, and be able to run the test program functions

5: Pogo板连接GPS, 麦克风, 播放器, Mesa放映机, 三个小按键, 电池, 震动电机, 心跳传感器

6: 更新 boards.txt

7, 编译BLE单元

8, 编译MCU单元

9, 打开Arduino IDE, 打开测试程序, 编译下载测试, 打开串口中断, 运行程序函数

Schedule

Anfuyou sign-off on the specification in this document, April 22, 2019

Software delivered to Starling, April 24, 2019

Board changes completed, April 29, 2019

Pogo board completed, May 3, 2019

All deliverables delivered to Frank Cohen, May 6, 2019

Acceptance criteria success, May 7, 2019

Anfuyou sends 10 Steam boards and 5 Pogo boards to Frank Cohen, May 8, 2019

All dates are China Standard Time (CST).

4月22号签合同

4月24号提交软件

4月29号板子修改完成

5月3号Pogo板子完成

5月6号提交所有东西给Frank

5月7号验收

5月8号发送10套Steam板子和5套

Pogo板子。

所有时间均为中国标准时间（东八区）

Terms

- Frank Cohen to pay Anfuyou \$1,000 USD on Anfuyou sign-off of this SOW document and delivery of the MCU and BLE source code. Payment by cash.
- Frank Cohen to pay Anfuyou \$1,500 USD on delivery of the board changes (Provide schematic, silk board trace, Gerber, Cadence OrCAD files to Starling). Proposed for April 29, 2019.
- Full and final payment of \$1,500 USD on Frank Cohen's successful completion of the acceptance criteria. Payment by international bank wire to Anfuyou's bank.
- Anfuyou to pay shipping costs, unless pre-approved by Frank Cohen.
- Anfuyou agrees to provide a perpetual, worldwide, non-revocable, fully paid, transferable license to use and distribute the software and hardware developed under this agreement.

1: 签合同支且提交MCU和BLE源码, 付1000美金现金。

2: 4月29号, 提交板子(提供原理图, PCB图), 支付1500美金, 经过询问, 支付方式为银行转账。

3: 确认标准后银行转账1500美金。

4: AFU支付快递费, 除非预先通知。

5: AFU同意提供永久性, 全球性, 不可撤销, 全额付款, 可转让的使用许可, 并分发根据本协议开发的软件和硬件。

Agreement

Starling Watch Company

Anfuyou Intelligent Internet Technology Co.

signature

signature

title

title

date

date