


Registration App using Servlet and JDBC


👉 Set up the Eclipse environment for this project.

Step 1: Create a Dynamic Project


Step 2: Go to properties



Step 3: Go to Java Build Path.




Step 4: Go to libraries



=> Click on Classpath

=> Add library



Step5: Select User library



=> Click Next


Step 6: Create a new library with the name **Jdbc**.

Step 7: Add the external JAR inside the Jdbc folder.




Apply and Close

Step 8: Go to Deployment Assembly




Select / folder and then click on Add

Step9: Select Java Build Path Entries




Click Next

Step 10: Select Jdbc folder.



Click finish

Project Structure:



👉 Code Flow

Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>User Registration Form</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #f4f4f4;
      margin: 0;
      padding: 0;
      display: flex;
      justify-content: center;
      align-items: center;
      height: 100vh;
    }
    form {
      background-color: #fff;
      padding: 20px;
      border-radius: 8px;
      box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
      width: 300px;
    }
    h2 {
```

```
margin-bottom: 20px;
font-size: 24px;
text-align: center;
color: #333;
}
label {
margin-bottom: 10px;
display: block;
font-weight: bold;
color: #555;
}
input[type="text"],
input[type="email"],
input[type="password"] {
width: 100%;
padding: 8px;
margin-bottom: 15px;
border: 1px solid #ccc;
border-radius: 4px;
box-sizing: border-box;
}
input[type="submit"] {
width: 100%;
padding: 10px;
background-color: #28a745;
border: none;
border-radius: 4px;
color: #fff;
font-size: 16px;
cursor: pointer;
```



```

    }
    input[type="submit"]:hover {
        background-color: #218838;
    }
</style>
</head>
<body>
    <form action="/RegisterServlet" method="POST">
        <h2>User Registration</h2>
        <label for="uname">Name:</label>
        <input type="text" id="uname" name="uname" maxlength="255"
required>
        <label for="email">Email:</label>
        <input type="email" id="email" name="uemail" maxlength="255"
required>
        <label for="upassword">Password:</label>
        <input type="password" id="upassword" name="upassword"
maxlength="255" required>
        <label for="ucity">City:</label>
        <input type="text" id="ucity" name="ucity" maxlength="255">
        <input type="submit" value="Register">
    </form>
</body>
</html>

```

RegisterServlet.java

```
import java.io.IOException;
```

```
import java.io.PrintWriter;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.PreparedStatement;
import java.sql.SQLException;
import jakarta.servlet.ServletException;
import jakarta.servlet.annotation.WebServlet;
import jakarta.servlet.http.HttpServlet;
import jakarta.servlet.http.HttpServletRequest;
import jakarta.servlet.http.HttpServletResponse;
@WebServlet("/RegisterServlet")
public class RegisterServlet extends HttpServlet {

    public void service(HttpServletRequest request,
        HttpServletResponse response) throws ServletException, IOException
    {

        String name=request.getParameter("uname");
        String email=request.getParameter("uemail");
        String password=request.getParameter("upassword");
        String city=request.getParameter("ucity");

        try {
            //loading and register driver
            Class.forName("com.mysql.cj.jdbc.Driver");

            String url="jdbc:mysql://localhost:3306/telusko_db";
            String username="root";
            String passwd="root";
```

```

        //create connection
        Connection
connt=DriverManager.getConnection(url,username,passwd);

        String query = "INSERT INTO PERSONINFO
(UNAME, EMAIL,UPASSWORD, UCITY) VALUE(?,?,?,?)";
        PreparedStatement
pstmt=connt.prepareStatement(query);

        pstmt.setString(1, name);
        pstmt.setString(2, email);
        pstmt.setString(3, password);
        pstmt.setString(4, city);

        int rowAff=pstmt.executeUpdate();
        PrintWriter pw=response.getWriter();
        if(rowAff!=0) {
            pw.println("<h1> Data inserted Succesfully");
        }else {
            pw.println("<h1> Data not inserted</h1>");
        }
        pw.close();

    } catch (ClassNotFoundException | SQLException e) {

        e.printStackTrace();
    }

}
}

```

👉 Before running the program:

1. Create database with name *telusko_db*
2. Create table with name *personinfo*

```
mysql> create database telusko_db;  
Query OK, 1 row affected (0.03 sec)  
  
mysql> use telusko_db;  
Database changed  
mysql> create table personinfo (uname varchar(255), email varchar(255), upassword varchar(255), ucity varchar(255));  
Query OK, 0 rows affected (0.08 sec)
```

Output:

localhost:8070/RegistrationAppWithJdbc/

User Registration

Name:

Email:

Password:

City:

localhost:8070/RegistrationAppWithJdbc/RegisterServlet

Data inserted Successfully

```
mysql> select * from personinfo;
+-----+-----+-----+-----+
| uname | email      | upassword | ucity |
+-----+-----+-----+-----+
| Shiva | ind@gmail.com | 123      | ballia |
+-----+-----+-----+-----+
1 row in set (0.01 sec)
```