Question	Output
Q01. `print( 'Hello 1' )` `print( 'Hello 2' )`	
Q02. `print('Ok 1'); print('Ok 2');` `print('Ok 3')`	
Q03. `print( "Hello" + " " + "Ahmed" )` `print( "Hello" + ' ' + 'Adel' )` `print( 'Hello' + ' ' + 'Amr' )` `print( 'My' + " " + 'name is ' + '"' + "Ali" + '"' )`	
Q04. `print(7 + 3)` `print(7 - 3)` `print(7 * 3)` `print(7 / 3)`	
Q05. `print( 7 // 3 )` `print( 5 ** 3 )`	
Q06. `num1 = 7` `num2 = 3` `result = num1 + num2` `print(result)`	
Q07. `name = 'Ahmed'`	

`say_hello = 'Hello ' + name` `print(say_hello)`	
`Q08.` `name1, name2, name3 = 'Ahmed', 'Adel', 'Amr'` `print( name1 + ' ' + name2 + ' ' + name3 )`	
`Q09.` `num, name, salary, is_active = 1, 'Ali', 4500.66, True` `print( num )` `print( name )` `print( salary )` `print( is_active )`	
`Q10.` `name = 'Adel'` `print(name)` `name = 'Ahmed'` `name = 'Amr'` `print(name)`	
`Q11.` `var1 = 733` `var2 = 99.55` `var3 = True` `var4 = 'Hello'` `var5 = "Hi"` `print( type(var1) )` `print( type(var2) )` `print( type(var3) )` `print( type(var4) )` `print( type(var5) )`	

Q12. my_str = """ Twinkel Twinkle Little Star How I wonder what you are Up above the sky so high Like a diamond in the sky """ **print**(my_str)	
Q13. my_str = ''' Welcome to Hassouna Academy I love Python Now Create Account On www.hassouna-academy.com ''' **print**(my_str)	
Q14. **print**('A ' * 5) name = ' AMR ' **print**(name * 3)	
Q15. str1 = '\n' str2 = '\N{copyright sign}' str3 = '\N{registered sign}' str4 = '\N{up down arrow}' str5 = '\N{left right arrow}' str6 = '\x41' str7 = '\u0042' str8 = '\U00000043' **print**('This For New Line' , str1 , 'OK') **print**(str2, str3, str4,str5) **print**(str6, str7, str8)	

```
Q16.
str1 = 'Hello \'Ahmed\
str2 = "Hello \"Adel\""
str3 = 'Hello \\Amr\\'
str4 = '\fFormfeed is\N{FF}'
str5 = '\nLinefeed is\N{LF}'
str6 = 'Welcome to Egypt\rCarriaOr
\N{BEL}'
str8 = 'Rad Cat\br\b\b\b\b\N{BS}'
str9 = 'Hello\t\N{TAB}World'
str10 = 'Vertical\v\N{VT}Tab'
str11 = 'Three Digits Octal:\101'
print( str1, '\N{LF}', str2, '\n',
str3 )
print( str4 )
print( str5 )
print( str6 )
print( str7 )
print( str8 )
print( str9 )
print( str10 )
print( str11 )
```

```
Q17.
p1 = (1,'Ahmed',3900.50)
p2 = (2,'Adel',4600.60)
p3 = (3,'Amr',4500.55)

print(p1); print(p2); print(p3)
print( p1[0], p1[1], p1[2] )

print( type(p1) )
print( type(p1[0]), type(p1[1]),
type(p1[2]) )
```

```
Q18.
numbers = [11,22,33]
names = ['Amr','Ali','Ezz']
```

`print( numbers );` `print( names )` `print( numbers[0] )` `print( numbers[1] )` `print( numbers[2] )` `names[0] = 'Akl'` `print(names)`	
`Q19.` `names = ['Amr','Ali','Ezz']` `print(names)` `names.append('Omar')` `print(names)` `names.extend( ['Adel','Akl'] )` `print(names)` `names.remove(names[1])` `print(names)` `names.insert(1,'Ali')`	
`Q20.` `print(names)` `names2 = names.copy()`	
`Q21.` `names.clear()` `print(names)` `print(names2)`	
`Q22.` `family1 = ('Ahmed','Adel','Amr')` `family2 =` `('Sarah','Hajer','Rehab')` `family3 =` `('Tawfeek','Ezzat','Foaad')` `family4 =` `('Hasan','Shokry','Ali','Akl')`	

```
home1 = ( family1 , family2 )
home2 = ( family3 , family4 )

print( home1[0][1] )
print( home1[1][0] )

print( home2[0][2] )
print( home2[1][3] )

print( home1[0] )
print( home2[1] )

print( home1 )
print( home2 )
```

```
Q23.
family1 = ['Ahmed', 'Adel', 'Amr']
family2 = ['Ehab', 'Mahmoud',
'Ezz']
family3 = ['Sarah', 'Hajer',
'Rehab']
family4 = ['Tawfeek', 'Ezzat',
'Foaad']
family5 = ['Abdelrahman',
'Abdelkareem']
family6 = ['Hasan', 'Shokry',
'Ali', 'Akl']

home1 = [family1, family2,
family3]
home2 = [family4, family5,
family6]

print(home1[0][1])
print(home1[1][0])

print(home2[0][2])
```

<pre>print(home2[2][3]) print(home1[0]) print(home2[1]) del home1[1] del home2[1] print(home1) print(home2)</pre>	
<pre>Q24. person1 = {'name':'Amr', 'salary':5000, 'active':True} person2 = {'name':'Ali', 'salary':4000, 'active':True} person3 = {'name':'Ezz', 'salary':3000, 'active':True} print(person1['name'], person1['salary'], person1['active']) print(person2['name'], person2['salary'], person2['active']) print(person3['name'], person3['salary'], person3['active'])</pre>	
<pre>Q25. person = {'name':'Amr', 'salary':5000, 'active':True} print(person.keys()) print(person.values())</pre>	
<pre>Q26. person = {'name':'Amr',</pre>	

`'salary':5000, 'active':True}` `print( list(person.keys() ) )` `print( list( person.values() ) )`	
`Q27.` `person = { 'name':'Adel',` `'city':'Giza', 'salary':3000 }` `print(person.items() )`	
`Q28.` `person = { 'name':'Adel',` `'city':'Giza', 'salary':3000 }` `print( list(person.items()) )`	
`Q29.` `names = set()` `print( names)`	
`Q30.` `L1 = ['Ahmed','Adel','Omar']` `names = set(L1)` `print( names )`	
`Q31.` `L1 = ['Ahmed','Adel','Omar']` `L2 = ['Amr','Ali','Ezz']` `names = set(L1)` `names.update(L2)` `print( names )`	
`Q32.` `L1 = ['Amr','Ali']` `names = set(L1)` `names.add('Ezz')` `names.add('Yaser')`	

<pre>print(names)</pre>	
<pre>Q33. names = set() names.add('Ahmed') names.add('Ahmed') names.add('Ahmed') print(names)</pre>	
<pre>Q34. L1 = ['Amr','Ali'] names = set(L1) names.add('Ezz') names.add('Yaser') names.remove('Ali') print(names)</pre>	
<pre>Q35. L1 = ['Amr','Ali'] names = set(L1) names.add('Ezz') names.add('Yaser') names.discard('Ali') print(names)</pre>	
<pre>Q36. L1 = ['Amr','Ali'] names = set(L1) names.add('Ezz') names.add('Yaser') names.pop() #Remove the last item print(names)</pre>	
<pre>Q37. L1 = ['Amr','Ali']</pre>	

<table>
<tr><td>

```
names = set(L1)
names.add('Ezz')
names.add('Yaser')
names.clear() #Remove all items
print( names )
```

</td><td></td></tr>
<tr><td>

```
Q38.
names1 =
set(['Adel','Omar','Atef'])
names2 = set(['Amr','Ali','Ezz'])
all_names = names1.union(names2)
print( all_names )
```

</td><td></td></tr>
<tr><td>

```
Q39.
names1 =
set(['Adel','Omar','Atef','Amr'])
names2 =
set(['Amr','Ali','Omar','Ezz','Ade
l'])
all_names = names1.union(names2)
print( all_names )
```

</td><td></td></tr>
<tr><td>

```
Q40.
names1 =
set(['Adel','Omar','Atef','Amr'])
names2 =
set(['Amr','Ali','Omar','Ezz','Ade
l'])
all_names1 =
names1.difference(names2)
all_names2 =
names2.difference(names1)
print( all_names1 )
print( all_names2 )
```

</td><td></td></tr>
<tr><td>

```
Q41.
```

</td><td></td></tr>
</table>

`name = 'Ahmed Hassouna'` `print( 'H' in name )`	
Q42. `names = ['Amr','Ali','Ezz']` `print( 'Amr' in names )`	
Q43. `names = {'Amr','Ali','Ezz'}` `print( 'Amr' in names )`	
Q44. `names = ('Amr','Ali','Ezz')` `print( 'Amr' in names )`	
Q45. `names = set(['Amr','Ali','Ezz'])` `print( 'Amr' in names )`	
Q46. `my_dept = 'Department 3'` `print( '3' in my_dept )`	
Q47. `name = 'Amr'` `print( name )` `del name`	
Q48. `names = ['Amr','Ali','Ezz']` `print(names)` `del(names[2])` `print(names)`	

Q49. name1 = 'Ahmed' name2 = 'Adel' name3 = 'Amr' names1 = ('Ahmed','Adel','Amr') names2 = ['Sarah','Hajer','Rehab','Heba'] length_name1 = len(name1) length_name2 = len(name2) length_name3 = len(name3) length_names1 = len(names1) length_names2 = len(names2) print('length_name1 :', length_name1, 'Characters') print('length_name2 :', length_name2, 'Characters') print('length_name3 :', length_name3, 'Characters') print('length_names1 :', length_names1, 'Items') print('length_names1 :', length_names2, 'Items')	
Q50. #This Words Not Run, But Comment name = 'Ahmed' #This is my name print(name) #Print name in here #The Hash Symbol For One Line Comment #Can be multiline using # in each first line ''' And Can be multiline using triple single quote In First Paragraph	

`` And In Last Paragraph ''' """ And Can be multiline using triple double quote In First Paragraph And """ ```	
`` Q51. num = 5; print(num) num += 6; print(num) num -= 4; print(num) num *= 2; print(num) num **= 2; print(num) num /= 3; print(num) num //= 3; print(num) num %= 12; print(num) ```	
`` Q52. my_str = "" my_str += "Hello" my_str += " " my_str += "Ahmed" print(my_str) ```	
`` Q53. num1 = num2 = num3 = 7 print(num1) print(num2) print(num3) ```	
`` Q54. num = 99 print('My number is: ' + str(num)) ```	

Q55. num_1 = '77' num_2 = '77.33' num1 = int(num_1) num2 = float(num_2) print(num1 , type(num1)) print(num2 , type(num2))	
Q56. num1 = 1 num2 = 0 bool1 = bool(num1) bool2 = bool(num2) print(bool1 , type(bool1)) print(bool2 , type(bool2))	
Q57. c = 'A' i = ord(c) print(i)	
Q58. i = 65 c = chr(i) print(c)	
Q59. r = range(5) print(r[0], r[1], r[2], r[3], r[4])	
Q60. r = range(7) print(r[0], r[1], r[2], r[3], r[4], r[5], r[6])	

Q61. `r = range( 1 , 8 )` `print( r[0], r[1], r[2], r[3], r[4], r[5], r[6] )`	
Q62. `r = range(1,11 , 2)` `print( r[0], r[1], r[2], r[3], r[4] )`	
Q63. `r = range(2,21 , 3)` `print( r[0], r[1], r[2], r[3], r[4], r[5], r[6] )`	
Q64. `r = range( ord('A'), ord('Z')+1 )` `print( chr(r[0]), chr(r[1]), chr(r[2]), chr(r[3]), chr(r[4]), chr(r[5]) )`	
Q65. `r = range( 6, 1, -1 )` `print( r[0], r[1], r[2], r[3], r[4] )`	
Q66. `r = range( 5, 0, -1 )` `print( r[0], r[1], r[2], r[3], r[4] )`	
Q67. `r = range( 10, 0, -2 )`	

`` print(r[0], r[1], r[2], r[3], r[4]) ```	
Q68. ``` name = input("Enter your name:") print('Hello ' + name) ```	
Q69. ``` name = input('Enter any name:') print(type(name)) ```	
Q70. ``` num1 = int(input('Enter number 1:')) num2 = int(input('Enter number 2:')) result = num1 + num2 print(result) ```	
Q71. ``` import random num = random.randint(1,10); print(num) num = random.randint(1,10); print(num) num = random.randint(1,10); print(num) num = random.randint(1,10); print(num) num = random.randint(1,10); print(num) ```	
Q72. ``` from random import randint ```	

num = randint(10,20); print(num) num = randint(20,30); print(num) num = randint(30,40); print(num) num = randint(40,50); print(num) num = randint(50,60); print(num) num = randint(60,70); print(num)	
Q73. bool1 = True and True; print('true AND true =', bool1) bool2 = False and True; print('false AND true =', bool2) bool3 = True and False; print('true AND false =', bool3) bool4 = False and False; print('false AND false =', bool4)	
Q74. bool5 = True and True and False and True; print('T&T&F&T =',bool5) bool6 = True and True and True and True; print('T&T&T&T =',bool6) bool7 = True or True; print('true OR true =',bool7) bool8 = False or True; print('false OR true =',bool8) bool9 = True or False; print('true OR false =',bool9) bool10 = False or False;print('false OR false =',bool10) bool11 = False or False or False or False; print('F|F|F|F =',bool11) bool12 = False or False or True or False; print('F|F|T|F =',bool12) bool13 = True or True or True or	

True; print('T|T|T|T =',bool13) bool14 = not True; print('NOT true =',bool14)	
Q75. x , y = 7 , 9 b1 = x > y; print(b1) b2 = x < y; print(b2) b3 = x >= y; print(b3) b4 = x <= y; print(b4) b5 = x == y; print(b5) b6 = x != y; print(b6)	
Q76. num_d = 255 num_h = 0xff num_o = 0o377 num_b = 0b11111111 print('Hexadecimal :', hex(num_d)) print('Octal :', oct(num_d)) print('Binary :', bin(num_d)) print('Decimal from h:', int(num_h)) print('Decimal from o:', int(num_o)) print('Decimal from b:', int(num_b))	
Q77. num_d = 255 num_h = 0xff num_o = 0o377 num_b = 0b11111111 print(	

`'Hexadecimal:',format(num_d,'x') )` `print( 'Octal :',` `format(num_d,'o') )` `print( 'Binary :',` `format(num_d,'b') )` `print( 'Decimal from h:',` `format(num_h,'d') )` `print( 'Decimal from o:',` `format(num_o,'d') )` `print( 'Decimal from b:',` `format(num_b,'d') )`	
`Q78.` `print( int('11111111',2) )` `print( int('377',8) )` `print( int('255',10) )` `print( int('ff',16) )`	
`Q79.` `my = 'Welcome to Hassouna Academy'` `print( my[0], my[1], my[2], my[3],` `my[4], my[5], my[6] ) print(` `my[:7] )` `print( my[0:7] )` `print( my[11:] )` `print( my[:-len(my)+7] )` `print( my[11:len(my)] )`	
`Q80.` `str_names =` `'Ahmed;Adel;Amr;Ali;Omar;Haitham'` `list_names = str_names.split(';')` `print( str_names )` `print( list_names )`	
`Q81.`	

<pre>str1 = 'Hello' str2 = '-'.join(str1) print(str1) print(str2)</pre>	
<pre>Q82. list_names = ['Amr','Ali','Ezz'] str_names = ';'.join(list_names) print(list_names) print(str_names)</pre>	
<pre>Q83. list_names = ['Amr','Ali','Ezz','Ehab'] str_names = '\n'.join(list_names) print(list_names) print(str_names)</pre>	
<pre>Q84. name = 'Amr' my = 'Hello %s' % name print(my)</pre>	
<pre>Q85. num1 = 7 num2 = 9 my = '%d + %d = %d' %(num1, num2, num1 + num2) print(my)</pre>	
<pre>Q86. my = '65 is ASCII for %c' % 'A' print(my)</pre>	
Q87.	

`` my = 'Character %c' % 'A' my += '\nString %s' % 'Hi' my += '\nDecimal %d' % 55.99 my += '\nInteger %i' % 77 my += '\nexponent %e' % 33 my += '\nExponent %E' % 33 my += '\nFloat %f' % 99.77 my += '\nFloat %0.2f' % 99.77 my += '\nNumber %g,%g' % 99.77 my += '\nHexadecimal %x' % 65 print(my) ```	
Q88. ``` name = 'Ahmed' say_hello = 'Hello {my}' print (say_hello) ```	
Q89. ``` my_format = say_hello.format(my=name) print(my_format) ```	
Q90. ``` my_format = '{n1} + {n2} = {r}'.format(n1=7, n2=3, r=7+3) print(my_format) ```	
Q91. ``` str1 = 'HELLO' str2 = 'welcome' print(str1.lower()) print(str2.upper()) ```	
Q92. ``` print('HELLO'.isupper()) ```	

<pre>print('hello'.islower()) print('HEllo'.isalpha()) print('ABC45'.isalnum()) print('12345'.isdigit()) print(' '.isspace()) print('1 AB@'.isprintable())</pre>	
<pre>Q93. print('HeLLO'.isupper()) print('hEllo'.islower()) print('HE7lo'.isalpha()) print('AB@45'.isalnum()) print('12A45'.isdigit()) print(' . '.isspace()) print('\n'.isprintable())</pre>	
<pre>Q94. my = 'Hello Amr and Welcome Back Amr' indexFind1 = my.find('amr') indexFind2 = my.find('Amr') print(indexFind1) print(indexFind2)</pre>	
<pre>Q95. my = 'Hello Amr and Welcome Back Amr' i = my.find('Welcome') print(my[i:])</pre>	
<pre>Q96. my1 = 'Hello Amr and Welcome Back Amr' my2 = my1.replace('Amr','Adel') print(my1) print(my2)</pre>	

<table>
<tr><td></td><td></td></tr>
<tr><td><pre>Q97.
if x == 5:
  print('OK')</pre></td><td></td></tr>
<tr><td><pre>Q98.
x = 7
if x > 5:
  print('OK1');print('OK2');
print('OK3')</pre></td><td></td></tr>
<tr><td><pre>Q99.
x = 7
if x <= 7:
  print('OK1')
  print('OK2')
  print('OK3')</pre></td><td></td></tr>
<tr><td><pre>Q100.
num = int(input('Enter any
number:'))
if num < 0:
  print('Negative Number')
else:
  print('Positive Number')</pre></td><td></td></tr>
<tr><td><pre>Q101.
degree = int(input('Enter student
degree:'))
if degree < 0 or degree > 100:
  print('Degree Error')
elif degree < 50:
  print('F')
elif degree < 60:
  print('E')</pre></td><td></td></tr>
</table>

<pre>elif degree < 70: print('D') elif degree < 80: print('C') elif degree < 90: print('B') else: print('A')</pre>	
<pre>Q102. num1 = int(input('Enter Number 1:')) num2 = int(input('Enter Number 2:')) str_big = 'Number 1' if num1 > num2 else 'Number 2' print(str_big)</pre>	
<pre>Q103. for x in (1,2,3,4,5): print(x)</pre>	
<pre>Q104. for x in [10,20,30,40,50]: print(x)</pre>	
<pre>Q105. for x in range(2,11 , 2): print(x)</pre>	
<pre>Q106. for x in range(1,6): if x != 4: print(x)</pre>	

```
Q107.
for x in range( 5, 0, -1 ):
  print(x)
```

```
Q108.
alpha = ''
for x in range( ord('A'), ord('Z')+1 ):
  alpha += chr(x)
  if x < ord('Z'):
    alpha += ', '
    print( alpha )
```

```
Q109.
alpha = ''
for x in range( ord('Z'), ord('A')-1, -1 ):
  alpha += chr(x)
  if x > ord('A'):
    alpha += ', '
    print( alpha )
```

```
Q110.
['Ahmed','Adel','Amr','Omar','Ali']
for x in range( len(names) ):
  print( 'Hello ' + names[x] )
```

```
Q111.
names = ['Ahmed','Adel','Amr','Omar','Ali']
for name in names:
  print( 'Hello ' + name )
```

Q112. `my_list = [ 3, 'A', True, 5.7 ]` `for v in my_list:` `  print( v , type(v) )`	
Q113. `emp = { 'name':'Adel',` `'city':'Giza', 'salary':3000 }` `for x in emp:` `  print(x)`	
Q114. `emp = { 'name':'Adel',` `'city':'Giza', 'salary':3000 }` `for x in emp:` `  print( emp[x] )`	
Q115. `emp = { 'name':'Ahmed',` `'city':'Giza', 'salary':3000 }` `for k,v in emp.items():` `  print( str(k) + ':' , v )`	
Q116. `family1 = ['Ahmed','Adel','Amr']` `family2 = ['Ehab','Mahmoud','Ezz']` `family3 =` `['Sarah','Hajer','Rehab']` `home1 = [ family1 , family2 ,` `family3 ]` `for x in range( len(home1) ):` `  print( 'Family:', x+1 )`	

`for y in range( len(home1[x]) ):` `  print( ' Name', y+1, 'is:', home1[x][y] )`	
`Q117.` `family1 = ['Adel','Amr']` `family2 = ['Ehab','Ezz']` `family3 = ['Sarah','Hajer']` `family4 = ['Ezzat','Foaad']` `family5 = ['Abdelrahman','Abdelkareem']` `family6 = ['Ali','Akl']` `home1 = [ family1 , family2 , family3 ]` `home2 = [ family4 , family5 , family6 ]` `homes = [ home1 , home2 ]` `for x in range( len(homes) ):` `  print( 'Home', x+1 )` `for i in range( len(homes[x]) ):` `  print( ' Family', i+1 )` `for y in range( len(homes[x][i]) ):` `  print( ' Name', y+1, 'is:', homes[x][i][y] )`	
`Q118.` `for i, name in enumerate(['amr','ali','ezz']):` `  print( i, name )`	
`Q119.` `person1 = { 'name':'Amr',`	

<pre>'salary':5000 } person2 = { 'name':'Ali', 'salary':4000 } person3 = { 'name':'Ezz', 'salary':3000 } persons = [person1, person2, person3] for x in range(len(persons)): print('Person', x+1) for index, (k, v) in enumerate(persons[x].items()): print(' ', index+1 , ':', k, v)</pre>	
<pre>Q120. x = 1 while x <= 5: print(x) x +=1</pre>	
<pre>Q121. x = 5 while x > 0: print(x) x -= 1</pre>	
<pre>Q122. x = 2 while x <= 10: print(x) x += 2</pre>	
Q123.	

<pre>x = 1 while x <= 10: print(x) x += 2</pre>	
<pre>Q124. x = 1 while x <= 10: print(x) x += 2 else: print('X After Loop Is:', x)</pre>	
<pre>Q125. x = 1 while x < 1: print(x) x += 2 else: print('Condition is False')</pre>	
<pre>Q126. my_list = [7,'A',9.9,False] x = 0 while x < len(my_list): print(my_list[x] , type(my_list[x])) x += 1</pre>	
<pre>Q127. emp = { 'name':'Adel', 'city':'Giza', 'salary':3000 } my_keys = list(emp.keys()) x = 0 while x < len(emp): print(emp[my_keys[x]])</pre>	

`` x += 1 ```	
`` Q128. x = 1 while True: print(x) x+=1 ```	
`` Q129. again = 'y' while again=='y': name = input('Enter your name:') print('Hello ' + name) again = input('Again(y/n)?:') ```	
`` Q130. from itertools import count for x in count(): print(x) ```	
`` Q131. for x in range(1,6): if x == 4: break print(x) ```	
`` Q132. x = 1 while x <= 100: if x > 5: break print(x) x += 1 ```	
`` Q133. x = 1 ```	

<pre>while x <= 100: if x > 3: break print('OK', x) x += 1</pre>	
<pre>Q134. numbers = [5,2,0,3,0,7] mysum = 0 print('All Is:', len(numbers)) for x in range(len(numbers)): if numbers[x] == 0: continue mysum += numbers[x] print('Sum OK Without Zero(s)','x:',x) print('Sum:', mysum)</pre>	
<pre>Q135. numbers = [num for num in range(11)] print(numbers) numbers = [chr(num) for num in range(ord('A'),ord('Z')+1)] print(numbers)</pre>	
<pre>Q136. numbers = [num for num in range(21) if num % 2 == 0] print(numbers)</pre>	
<pre>Q137. import datetime dt1 = datetime.now()</pre>	

<pre>dt2 = datetime.now().date() dt3 = datetime.now().time() dt4 = datetime.date(2005,12,31) print(dt1) print(dt2) print(dt3) print(dt4) print(dt5)</pre>	
<pre>Q138. import datetime now = datetime.now() d = str(now.day) m = str(now.month) y = str(now.year) h = str(now.hour) mi = str(now.minute) s = str(now.second) ms = str(now.microsecond) print(d + '-' + m + '-' + y) print(y + '/' + m + '/' + d) print(d + '-' + m + '-' + y + '\t' + h +':'+ mi +':'+ s)</pre>	
<pre>Q139. import datetime now = datetime.now() print('Long day name :', now.strftime('%A')) print('Short day name :', now.strftime('%a')) print('Long month name :', now.strftime('%B')) print('Short month name:', now.strftime('%b'))</pre>	

```
print( 'Date time :',
now.strftime('%c') )
print( 'Day of month :',
now.strftime('%d') )
print( 'Hour number 24 :',
now.strftime('%H') )
print( 'Hour number 12 :',
now.strftime('%I') )

print( 'Day of year',
now.strftime('%j') )
print( 'Month of year:',
now.strftime('%m') )

print( 'Minutes:',
now.strftime('%M') )
print( 'AM or PM:', :',
now.strftime('%p') )

print( 'Seconds:',
now.strftime('%S') )

print( 'Short date:',
now.strftime('%x') )
print( 'Short time:',
now.strftime('%X') )

print( 'Short year:',
now.strftime('%y') )
print( 'Long year:',
now.strftime('%Y') )


my_format = '%d/%m/%Y - %I:%M:%S
%p':'
print( 'Date time 12:',
now.strftime(my_format) )
```