MiliastraArchiveTool User Guide

English and Simplified Chinese | 13 October 2026
For the 20261008 GiftCheckbox test release
English first; Chinese follows in the second part.

This tool uses the game interface to import and upload Miliastra Wonderland saves, fill in preview information, and submit image resources. This guide covers setup, supported starting screens, everyday operation, and interruption handling. Test one save on one server before scheduling a batch.

Recommended setup

Item	Recommendation
Operating system	Use the Windows x64 release package. Extract the entire package, then run MiliastraArchiveTool.exe. The package includes the runtime libraries and recognition models.
Game window	Windowed mode is required. Keep the game in the foreground and fully visible. Avoid full screen and borderless windows that nearly fill the display; leave room for the tool and system file dialogs.
Resolution	1920 × 1080 or 1600 × 900 is recommended. These are client-area dimensions, excluding the title bar and window borders.
Test coverage	1920 × 1080 is the recommended baseline, not a guarantee of the best result on every machine. Recognition or execution tests have also used 1600 × 900 and 1920 × 1200. Test other aspect ratios and scaling settings with a single task first.
Game readiness	Sign in to the correct account and handle user agreements yourself. Confirm access to Miliastra Wonderland and the target server. Close event pop-ups, chat, and any windows covering the game. The tool does not handle user agreement screens for you.
During a task	Do not move, resize, or minimize the game, lock the screen, switch accounts, or use the mouse and keyboard. If you need to take over, pause first and confirm the paused status.

How the tool works

The tool captures the game screen, uses YOLO to identify pages and buttons, reads interface text with OCR, and uses visual templates to help identify small icons. It then simulates mouse and keyboard input and selects local files in system file dialogs. It relies on the visible interface and recognition results; it does not call a game upload API directly.

At each step, the tool checks whether the page, text, or upload status matches what it expects. Game animations, covered windows, resolution changes, or OCR errors can interrupt a task. If this happens, follow the message and inspect the current screen.

Languages and starting screens

Understand the language settings

Setting	Meaning and requirements
Tool interface language	English and Simplified Chinese are supported; English is the default. This setting changes the tool interface only. HUD status messages are in English.
Game interface language	Automation currently supports English and Simplified Chinese game interfaces. Other game interface languages are not supported.
Default save language	Set this separately for each save. A new save follows the current tool language. It must match the game language detected at startup, and all saves selected for a batch must use the same default language.
Multilingual content	You can enter other language versions using the options in the multilingual editor. You provide the text; the tool does not translate it. The game interface must still be English or Simplified Chinese.

For example, if the game is in Simplified Chinese but the default save language is English, the tool reports a conflict and stops before uploading. Change the game language, or change the default save language after checking that the content actually matches it. Changing the dropdown alone does not translate names or descriptions.

Where to start an upload task

The recommended starting point is the game's Start Game screen. Close other pop-ups, then click Start in the tool. The screens below are also supported. Do not start a new task from the save editor, preview editor, image draft box, or a Windows file dialog.

Starting screen	Current server mode	Selected servers mode
Start Game screen	Supported	Supported
Server selection list	Supported	Supported
Normal open-world gameplay	Supported	Supported
Paimon main menu	Supported	Supported
Miliastra Wonderland local saves list	Supported	Supported
Click to Enter screen	Supported	Not a starting point for this mode
Server confirmation dialog	Supported	Not a starting point for this mode

Current server mode uses the server you are already logged in to. Selected servers mode processes the servers you select. Check the mode before starting, especially when updating an existing save.

Preparing saves and settings

First use

1. Extract the entire package to a writable folder and run the application. Do not run it from inside the archive or copy only the EXE.
2. Add a .gil file in the save management area. Fill in the stage name, gameplay description, stage description, tags, and stage cover. If early access applies, enable it and enter the corresponding description.
3. Check the default save language. Configure multilingual content, display images, a video, a loading screen image, and an achievement icon as needed.
4. Save the configuration, then select the saves and servers in the task list.

Selecting image resources

Resource	What you need to provide
Stage cover	Required. PNG, JPG, or JPEG; no more than 5 MiB per image.
Additional display images	Optional, up to 4 images. PNG, JPG, or JPEG; no more than 5 MB each.
Display video	Optional, one video at most; no more than 300 MB. An MP4 accepted by the game is recommended. Passing the tool's file checks does not guarantee that the game accepts the encoding.
Loading Screen Image	Optional JPG, no more than 3 MB. If an image already exists, submit it for review directly. If the slot is empty, select and upload a file.
Ultimate Achievement Icon	Optional JPG, no more than 5 MB. Existing and empty image slots are handled in the same way as above.
Three gift box icons	These images can only be uploaded through the save inside the game. The tool only submits them for review, so select the corresponding checkboxes. They cover Gorgeous Performance Box, Colorful Surprise Box, and Wonderland Commendation Gift Box icons. The tool checks and submits existing in-game drafts only.

Gift box rules: unchecked items are ignored. For a checked item, the tool opens the corresponding resource tab. If there is no Open Draft Box button, it skips the item. If the draft box opens but has no Submit for Review button, it returns; otherwise, it submits. It does not upload local gift box images. Items that used gift box image files in older configurations remain checked automatically; you can uncheck them and save.

New uploads and updates

A new upload follows the selected upload task. To update an existing save, explicitly select update mode and supply the target identifier and version options requested by the tool. Update mode allows only one save to be selected. Verify the target before submitting, and do not confuse new upload mode with update mode.

What happens when you click Start

The tool first validates all selected saves and required files. Only after all pass does it check the game process, window focus, starting screen, and language. If any check fails, it explains the reason and cancels startup. Correct the configuration or game state and start again; repeatedly clicking Continue will not resolve a startup failure.

Task workflow

This is the main workflow users need to understand. The tool skips steps that do not apply to the current page, upload or update mode, or configured resources.

Start
Select saves and servers, then click Start

↓

Startup checks
Validate all selected saves → check game window and starting screen → check language

↓

Enter the target environment
Enter or switch servers according to the mode, then open local saves

↓

Process the save
Import a working copy, upload or update, and wait for the sandbox if required

↓

Fill in preview information
Name, descriptions, cover, tags, multilingual content, display images and video → submit

↓

Process image resources
Loading screen image and achievement icon: submit existing images, or upload to empty slots and submit

↓

Process checked gift boxes
Open the draft box if available; submit if the button exists, otherwise skip

↓

Complete the current task
Confirm the expected page, then continue with the next save or server until the batch finishes

Waiting for the sandbox to start

An initial upload or an update may require the game to start a sandbox. Startup times vary between machines. Remaining on the original screen or seeing a sandbox window does not by itself mean the task is stuck or ready. Follow the tool's status rather than judging failure by how long another machine took.

When the tool displays "Waiting for the sandbox to start" or a similar message, wait for it to confirm readiness and continue. Do not click Upload repeatedly, press ESC, close the sandbox, or switch windows. Even after the window appears, the tool may still need to wait for it to stabilize and switch back to the game.

If the tool explicitly reports a timeout or interruption, inspect the message and current screen. Click Continue only if the tool allows it and you are still on the original page. If it requires termination, or you have closed the sandbox or restarted the game, follow the message and start again afterward. When reporting a problem, include the logs and approximate waiting time.

Workflow branches

Startup validation fails → the tool explains the reason and stops; correct the issue and start again.
Recoverable error during a task → keep the original page open, inspect the issue, then click Continue.
Terminate or F10 → ends the current task; you cannot continue from that progress.

The preview page uses image and video counts to check upload progress. After entering text, the tool checks that content exists; it does not guarantee an exact character-by-character match. After completion, verify the names, descriptions, tags, and media in the game. Submitting image resources for review does not mean approval or publication. Manual publication may still be required after approval.

Pausing and continuing

Pausing manually

After you click Pause, the tool stops when the current safe operation finishes. Wait until its status confirms that it is paused before inspecting anything. Clicking Pause does not stop every input immediately. Before clicking Continue, keep the same account, server, save, and original page.

What to do after an interruption

1. Read the tool message and HUD to identify the current server, save, and operation. Do not immediately close windows.
2. Check whether the game is covered, a pop-up has appeared, or the original page is still open.
3. Resolve only the issue blocking the current step. Keep the same save, resource tab, or multilingual row.
4. Click Continue. The tool rechecks the window, page, and context. If it cannot confirm them, it remains interrupted.
5. If you cannot establish the current state, have entered another save, or have restarted the game, terminate the task and start again from a supported screen.

Situation	Recommended action
Correct page, but still loading	Wait for the message to disappear or the page to become ready, then click Continue.
Accidentally switched pages	Return to the original page and the same save before continuing. Do not expect the tool to reconstruct the previous state.
Windows file dialog is still open	Keep the original dialog open and check file accessibility as instructed. Do not close it and open a different dialog without a reason.
A duplicate save name prevents submission	Check the uploaded saves list and task mode. Adjust the name or use update mode as appropriate. Retrying alone does not resolve a name conflict.
Application closed, game restarted, or task terminated	The previous task progress cannot be restored. Start again after checking what has already been uploaded to avoid duplicate submissions.

Termination and saved progress

Terminate Task or F10 ends the current batch. Progress during a pause or interruption is kept only in memory; it is not saved as a checkpoint that survives a restart. Saving a save's configuration is different from saving task progress.

Each save on each server has an active execution time budget, currently 30 minutes. Pauses and interruption waits do not count toward it, but individual steps may time out sooner. Not every error is recoverable. Follow any message that explicitly requires termination.

Reporting a problem

Record the release name, approximate time, server, save, game language, window resolution, and whether you clicked Continue. Compress the entire diagnostics folder, retaining screenshots, JSON, and JSONL files. Logs may contain your game UID, save content, and local paths; check who will receive them before sharing.

File locations backup and updates

These paths apply to a normally extracted release package. “Application folder” means the folder containing MiliastraArchiveTool.exe, not the location of the ZIP file. The runtime-data folder is usually created on first use or when settings are saved.

Content	Default location
Data root	Application folder\runtime-data\MiliastraArchiveTool\
Save library	Data root\archives\
Configuration for one save	archives\save ID\metadata.json
Saved GIL and resources	.gil files and subfolders such as images and video inside archives\save ID\
Working copies for uploads	Data root\upload-runs\timestamp and server identifiers\
Error screenshots and detailed logs	Data root\logs\diagnostics\

Configuration files explained

metadata.json stores a save’s name, descriptions, tags, default language, multilingual content, media paths, and gift box selections. The save ID is an internal identifier, not the in-game stage name. Edit and save through the tool interface; do not manually edit JSON while a task is running.

There is currently no single user-editable config.json or settings.json. Server selections and runtime status cannot be used as a configuration file to restore a task. The bundled recognition models and runtime libraries are not user settings either.

Moving to another machine or release

1. Terminate the task and exit the application. Back up the entire runtime-data folder.
2. Extract the new release into a new folder. Do not overwrite an older copy that is running.
3. Before running the new release, place the backed-up runtime-data beside its EXE.
4. Open the new release, check the saves, media, languages, and gift box selections, then test one task.
5. Keep the old folder and backup until you have confirmed that the new release works.

Do not copy metadata.json alone. Keep the GIL files, images, and videos it references too. Moving machines does not transfer paused task progress, and you must sign in to the game yourself.

Logs and older data

When troubleshooting, retain the relevant diagnostics before removing unnecessary logs. Do not delete archives as if it were a log folder. The upload-runs folder contains automatically generated working copies and is not a substitute for a save library backup. Do not move or delete data folders during a task.

Older versions may have stored data in %LOCALAPPDATA%\MiliastraArchiveTool. If old data is missing, preserve the old folder and check the version; do not delete the data. Paths may differ when running from a development directory. For everyday use, use the standalone release package.

MiliastraArchiveTool

用户使用说明

中文版 | 2026 年 10 月 13 日

适用版本 20261008 GiftCheckbox 测试版

本工具帮助用户通过游戏界面完成千星奇域存档导入、上传、预览信息填写及图片资源提交。本说明介绍运行准备、启动位置、日常操作和中断处理。先用一个存档和一个服务器验证，再安排批量任务。

开始前的推荐设置

项目	推荐做法
运行系统	使用 Windows x64 发布包，完整解压后运行 MiliastraArchiveTool.exe。发布包包含运行库和识别模型。
游戏窗口	必须以窗口模式运行，保持前台、完整可见。不要使用全屏或接近铺满屏幕的无边框窗口；给工具和系统文件窗口留出空间。
分辨率	推荐使用 1920 × 1080、1600 × 900。客户区不包含标题栏和边框。
验证范围	1920 × 1080 是建议基准，不是对所有机器的最优保证。1600 × 900、1920 × 1200 已有识别或运行测试记录；其他比例与缩放组合请先单次测试。
游戏状态	提前登录正确账号并自行处理用户协议，确认该账号能使用千星奇域及目标服务器。关闭活动弹窗、聊天或其他覆盖游戏的窗口。此工具不会代替用户处理用户协议相关界面。
操作期间	不要移动、缩放或最小化游戏，不要锁屏、切账号或操作鼠标键盘。需要接管时先暂停，确认状态后再处理。

工具怎样工作

工具会截取游戏画面，使用 YOLO 确认页面和按钮，通过 OCR 读取游戏界面的文本，使用特征模板辅助确认小图标。随后模拟鼠标、键盘操作，并在系统文件选择窗口中选择本地文件。它依赖可见界面和识别结果，不是直接调用游戏上传接口。

每一步会检查页面、文字或上传状态是否符合预期。游戏动画、窗口遮挡、分辨率变化或文字识别误差都可能使任务停下来；这时应根据提示检查当前页面。

语言和任务起点

三个语言设置要区分

设置	含义与要求
工具界面语言	支持 English 和简体中文，默认 English。它只改变工具显示文字，HUD 状态显示英文。
游戏界面语言	当前自动化识别面向 English 和简体中文。其他游戏界面语言不在当前支持范围。
存档默认语言	每个存档可单独设置，新建时跟随工具当前语言。必须与启动时检测到的游戏语言一致；同一批已选存档也必须一致。
多语言内容	可以按工具多语言编辑界面提供的选项填写其他语言版本。内容由用户提供，工具不负责翻译。不支持用 English、简中以外的游戏语言运行。

例如：游戏为简体中文，而存档默认语言为 English，程序会在上传前报冲突并停止。请切换游戏语言，或确认正文确实对应后修改存档默认语言。仅修改下拉框不会翻译名称和说明。

推荐从哪里开始上传任务

最推荐停在游戏的“开始游戏”界面，关闭其他弹窗后点击工具的开始按钮。也可以从下表列出的状态启动。请不要把存档编辑、预览编辑、图片草稿箱或 Windows 文件选择窗口当作新任务的起点。

起点画面	当前服务器模式	指定服务器模式
开始游戏界面	支持	支持
服务器选择列表	支持	支持
大世界正常游玩界面	支持	支持
派蒙主菜单	支持	支持
千星奇域本地存档列表	支持	支持
点击进入界面	支持	不作为该模式起点
服务器确认弹窗	支持	不作为该模式起点

“当前服务器”沿用当前登录服务器；指定服务器模式按所选服务器执行。请在开始前核对模式，尤其是更新已有存档时。

准备存档和配置

第一次使用

1. 完整解压压缩包到可写目录，运行程序。不要在压缩包里运行，也不要只复制 exe。
2. 在存档管理区添加 .gil 文件，填写关卡名称、玩法说明、关卡描述、标签及关卡封面。需要先行体验时勾选并填写对应说明。
3. 核对存档默认语言；按需设置多语言内容、展示图片、视频、加载图片和成就图标。
4. 保存存档配置，再到任务列表勾选待处理存档和服务器。

图片资源怎么选择

资源	用户需要提供的内容
关卡封面	必填。PNG、JPG 或 JPEG，单张不超过 5 MiB。
更多展示图片	按需选择，最多 4 张。PNG、JPG 或 JPEG，单张不超过 5 MB。
展示视频	按需选择，最多一个，文件不超过 300 MB。建议使用游戏可接受的 MP4；工具文件校验通过不等于游戏必然接受编码。
加载图片	按需选择 JPG，不超过 3 MB。已有图片时直接提交审核；空图片时选择文件上传。
极致成就图标	按需选择 JPG，不超过 5 MB。已有图片与空图片的处理同上。
三个礼盒图标	游戏游戏内只提供了在存档内上传的入口，本工具只负责提交审核操作，因此这里只需勾选对应的项目。对应华丽演绎礼盒、缤纷惊喜礼盒和奇域嘉奖礼盒。工具只检查并提交游戏内已有草稿。

三个礼盒的处理规则：未勾选不处理；勾选后切到对应资源标签，没有“打开草稿箱”就跳过；有则进入，没有“提交审核”就返回，有则提交。它不会为礼盒上传本地图片。旧配置曾选择礼盒图片的项目会自动保持勾选，可以手动取消并保存。

新上传与更新已有存档

新上传按所选任务创建上传流程；更新已有存档时，应明确选择更新模式并填写工具要求的目标标识及版本选项。更新模式只允许选择一个存档。提交前核对目标，避免把新上传和更新模式混用。

点击开始后会先做什么

程序先校验所有已选存档及所需文件，全部通过后才检查游戏进程、窗口焦点、起点页面及语言。任一校验不通过，会提示原因并中止启动。请修正配置或游戏状态后重新开始，不要在启动失败时反复点击继续。

任务工作流程

以下是使用者需要了解的主流程。程序会根据当前页面、新上传或更新模式，以及已配置资源跳过不适用的步骤。

开始 勾选存档和服务器，点击开始

↓

启动检查 全部已选存档校验 → 游戏窗口与起点预检 → 语言检查

↓

进入目标环境 按模式进入或切换服务器，前往本地存档

↓

处理存档 导入运行副本，按模式上传或更新；需要时进入沙箱并等待就绪

↓

填写预览信息 名称、说明、封面、标签、多语言、展示图片与视频 → 提交

↓

处理图片资源 加载图片和成就图标：已有图片直接提交，空图片上传后提交

↓

处理勾选的礼盒 有草稿箱则打开，有提交按钮则提交；缺少按钮就跳过

↓

完成当前任务 确认返回相应页面，继续下一存档或服务器，直至批次结束

等待沙箱启动

首次上传或更新时，游戏可能需要启动沙箱。不同机器的启动时间不一致，暂时停在原页面或出现沙箱窗口，并不代表任务卡死，也不代表已准备完成。请以工具状态为准，不要按其他机器的等待时长判断失败。

看到“Waiting for the sandbox to start”等等待提示时，请耐心等待工具确认就绪并继续。期间不要重复点击上传、按 ESC、关闭沙箱或切换窗口；即使窗口已经出现，程序仍可能需要等待其稳定并切回游戏。

如果工具明确提示等待超时或任务中断，再检查提示和现场。只有提示允许继续且仍保持原页面时，才点击继续；若要求终止，或已关闭沙箱、重启游戏，请按提示处理后重新开始。反馈问题时请附日志及大致等待时长。

流程中的分支

启动校验失败 → 提示原因并停止，修正后重新开始。
运行中可恢复异常 → 保留原页面并进入中断状态，检查后点继续。
点击终止或按 F10 → 结束本次任务，不能从该进度继续。

预览页的更多图片和视频通过数量标识判断上传进度；文本填写后确认正文存在，不保证逐字无误。任务完成后仍应在游戏内核对名称、正文、标签和媒体。图片资源“提交审核”不等于审核通过或正式发布；通过审核后可能仍需手动发布。

暂停 中断和继续

主动暂停

点击“暂停”后，程序会在当前安全操作结束后停下。请等到状态显示已暂停，再进行必要检查；不要把刚点击暂停理解为所有输入立即停止。点击“继续”前，应保留同一账号、服务器、存档及原页面。

遇到中断时的处理顺序

1. 先看工具提示和 HUD，确认当前服务器、存档和操作。不要立即关闭窗口。
2. 检查游戏是否被遮挡、是否弹出提示、是否仍在原来的页面。
3. 只处理阻塞当前步骤的问题，并保持相同存档、资源标签或多语言行。
4. 点击“继续”。工具会重新确认窗口、页面及上下文；确认失败会保持中断。
5. 如果无法确认现场、已进入别的存档或重启游戏，终止任务，回到支持的起点重新开始。

情况	建议处理
当前页面仍正确，只是短暂未加载完成	等待提示消失或页面就绪，再点继续。
不小心切到了其他页面	回到原页面及同一存档后再继续；不要期待工具自动还原现场。
Windows 文件选择窗口仍打开	保留原文件窗口，根据提示检查文件可访问性。不要随意关闭后再重开另一个窗口。
同名存档导致提交不成功	核对已上传列表和任务模式，按实际需求调整名称或使用更新模式；单纯重试不会消除名称冲突。
程序关闭 游戏重启或任务已终止	不能恢复原任务进度，需要重新开始。启动前核对哪些内容已上传，避免重复提交。

终止和进度保存

“终止任务”或 F10 会结束本次批次。暂停和中断期间的进度只保留在内存中，不会保存成可重启恢复的检查点。保存存档配置与保存运行进度是两回事。

单个存档在单个服务器上的任务有活动时间预算，当前为 30 分钟，暂停和中断等待不计入；具体步骤仍可能更早超时。不是所有异常都能继续，遇到明确要求终止的提示应按提示处理。

需要反馈问题时

记录版本名称、约发生时间、服务器、存档、游戏语言、窗口分辨率和是否点过继续。将整个 diagnostics 文件夹压缩提供，保留截图、JSON 和 JSONL。日志可能包含游戏 UID、存档内容及本机路径，分享前请确认接收方。

文件位置 备份和更新

以下路径针对正常解压运行的发布包。 “程序目录”指 MiliastraArchiveTool.exe 所在文件夹，而不是 ZIP 文件所在位置。runtime-data 通常在首次运行或保存配置后生成。

内容	默认位置
数据根目录	程序目录\runtime-data\MiliastraArchiveTool\
存档库	数据根目录\archives\
单个存档配置	archives\存档 ID\metadata.json
保存的 GIL 与资源	archives\存档 ID\ 下的 .gil，以及 images、video 等子目录
本次上传运行副本	数据根目录\upload-runs\时间与服务器等标识\
错误截图和详细日志	数据根目录\logs\diagnostics\

配置文件的含义

metadata.json 保存该存档的名称、正文、标签、默认语言、多语言内容、媒体路径和礼盒勾选等。存档 ID 是一串内部编号，不是游戏中的关卡名。建议通过工具界面修改并保存，不要在任务运行时手工编辑 JSON。

当前没有供用户编辑的统一 config.json 或 settings.json。服务器勾选、运行状态等不能当作可恢复任务的配置文件使用。程序随包附带的模型与运行库文件也不是用户配置。

换机器或升级版本

1. 终止任务并退出程序，备份整个 runtime-data 文件夹。
2. 将新版完整解压到新目录，不覆盖正在运行的旧版。
3. 在新版未运行时，把备份的 runtime-data 放到新版 exe 同级目录。
4. 打开新版，核对存档、媒体、语言和礼盒勾选，再用一个任务测试。
5. 确认新版本可用前，保留旧目录与备份。

不要只复制 metadata.json：它引用的 GIL、图片和视频也必须一并保留。换机器不会迁移正在暂停的任务进度，游戏账号仍需自行登录。

日志和旧数据

排查问题时先保留对应 diagnostics，再清理无用日志。不要把 archives 当作日志删除。upload-runs 是自动生成的运行副本，不能替代存档库备份；任务进行中不要移动或删除数据目录。

旧版数据可能曾位于 %LOCALAPPDATA%\MiliastraArchiveTool。若旧数据没有出现，先保留旧目录并核对版本；不要删除旧数据。开发目录运行时路径可能不同，日常使用请以独立发布包为准。