



GR1 flow policy, the same observation given K times. Top: right-wrist paths, top view, fixed 16 cm window (× = wrist now, ○/■ = mean chunk start/end, dashed = the demonstration's chunk). Bottom: the K end-of-chunk positions along the cloud's main axis. One hump = one plan with noise; two humps = two plans.


GR1 flow, typical state (ep 53, step 239)
scatter around mean path: mean 0.4 / max 1.6 cm; at chunk end 0.5 cm




where the 16 chunks end: 2-means split score 2.53 (pure noise ≈ 2.9)
all samples give the same hand command (channel 18)




GR1 flow, widest state (ep 706, step 39)
scatter around mean path: mean 0.9 / max 1.8 cm; at chunk end 0.9 cm



where the 16 chunks end: 2-means split score 3.46 (pure noise ≈ 2.9)
hand closes inside the chunk (channel 24); orange: by step 4 (n=9), blue: later (n=7)



GR1 flow, most separated state in 3000 (ep 801, step 1, K=32)
scatter around mean path: mean 1.2 / max 3.7 cm; at chunk end 1.9 cm



where the 32 chunks end: 2-means split score 2.83 (pure noise ≈ 2.9)
channel 19 at two levels all chunk long: blue high (n=18), orange low (n=14)

