


CIND 119 Assignment 2

Zion Yitbarek

April 20th, 2025

Question 1: Create an SQLite database called "sample"

Output:



Question 2: Within the "sample" database, create a table called "test_data" and load the following data into the table:

```
CREATE TABLE test_data (  
  Order_ID INTEGER,  
  Product_Name TEXT,  
  Category TEXT,  
  Quantity INTEGER,  
  Price INTEGER  
);  
INSERT INTO test_data (Order_ID, Product_Name, Category, Quantity, Price) VALUES  
(1, 'Laptop', 'Electronics', 5, 500),  
(2, 'Headphones', 'Electronics', 3, 100),  
(3, 'Chair', 'Furniture', 2, 200),  
(4, 'Desk', 'Furniture', 1, 400),  
(5, 'iPhone', 'Electronics', 2, 800),  
(6, 'Book', 'Books', 10, 20),  
(7, 'Shoes', 'Apparel', 4, 150),  
(8, 'T-shirt', 'Apparel', 7, 50),  
(9, 'Watch', 'Apparel', 1, 250),
```

```

(10, 'Blender', 'Home Appliance', 1, 300),
(11, 'Fridge', 'Home Appliance', 1, 1200),
(12, 'Cookware Set', 'Home Appliance', 3, 100),
(13, 'Vacuum Cleaner', 'Home Appliance', 1, 350),
(14, 'Keyboard', 'Electronics', 2, 75),
(15, 'Monitor', 'Electronics', 1, 200);

```

```

Database1
Query History
1 CREATE TABLE test_data (
2   Order_ID INTEGER,
3   Product_Name TEXT,
4   Category TEXT,
5   Quantity INTEGER,
6   Price INTEGER
7 );
8
9 INSERT INTO test_data (Order_ID, Product_Name, Category, Quantity, Price) VALUES
10 (1, 'Laptop', 'Electronics', 5, 500),
11 (2, 'Headphones', 'Electronics', 3, 100),
12 (3, 'Chair', 'Furniture', 2, 200),
13 (4, 'Desk', 'Furniture', 1, 400),
14 (5, 'iPhone', 'Electronics', 2, 800),
15 (6, 'Book', 'Books', 10, 20),
16 (7, 'Shoes', 'Apparel', 4, 150),
17 (8, 'T-shirt', 'Apparel', 7, 50),
18 (9, 'Watch', 'Apparel', 1, 250),
19 (10, 'Blender', 'Home Appliance', 1, 300),|
20 (11, 'Fridge', 'Home Appliance', 1, 1200),
21 (12, 'Cookware Set', 'Home Appliance', 3, 100),
22 (13, 'Vacuum Cleaner', 'Home Appliance', 1, 350),
23 (14, 'Keyboard', 'Electronics', 2, 75),
24 (15, 'Monitor', 'Electronics', 1, 200);


```

Output:

Structure	Data	Constraints	Indexes	Triggers	DDL
Grid view	Form view				
Filter data Total rows loaded: 30					
Order_ID	Product_Name	Category	Quantity	Price	
1	Laptop	Electronics	5	500	
2	Headphones	Electronics	3	100	
3	Chair	Furniture	2	200	
4	Desk	Furniture	1	400	
5	iPhone	Electronics	2	800	
6	Book	Books	10	20	
7	Shoes	Apparel	4	150	
8	T-shirt	Apparel	7	50	
9	Watch	Apparel	1	250	
10	Blender	Home Appliance	1	300	
11	Fridge	Home Appliance	1	1200	
12	Cookware Set	Home Appliance	3	100	
13	Vacuum Cleaner	Home Appliance	1	350	
14	Keyboard	Electronics	2	75	
15	Monitor	Electronics	1	200	
16					
17					
18					
19					
20					

Question 3: Write SQL queries to select/compute data from the "test_data" table

```
SELECT Product_Name, Price
FROM test_data
WHERE Category = 'Electronics';
SELECT AVG(Price) AS Avg_Apparel_Price
FROM test_data
WHERE Category = 'Apparel';
SELECT *
FROM test_data
WHERE Price < 200;
SELECT Order_ID, Product_Name
FROM test_data
WHERE Quantity = 1;
SELECT Category, SUM(Price * Quantity) AS Total_Revenue
FROM test_data
GROUP BY Category;
```



Output:

Grid view

Form view

1

2

3

4

5

Total rows loaded: 5

	Category	Total_Revenue
1	Apparel	2400
2	Books	400
3	Electronics	9500
4	Furniture	1600
5	Home Appliance	4300