

Calyx part of ten male CNS KCs (right calyx) with their calyx KC↔APL synapses; new claws (8 µm along the KC, split by PN)

on claw
claw stalk
dendritic trunk
branch without claw
KC → APL (KC presynaptic)
APL → KC (APL presynaptic)
black outline: outside the official ROIs (added)
PN → KC synapse (claw input)
claw centroid
calyx, inside the official CA(R) ROI
calyx, only in the corrected calyx (outside the official ROI)


KCg-m 52402
(9 claws; calyx on claws 54%)




same KC, side view
(seen from the fly's right)



KCg-m 129321
(8 claws; calyx on claws 41%)



same KC, side view
(seen from the fly's right)



KCa'b'-ap2 68334
(5 claws; calyx on claws 56%)

same KC, side view
(seen from the fly's right)

KCa'b'-ap2 79899
(5 claws; calyx on claws 45%)

same KC, side view
(seen from the fly's right)


KCab-s 57219
(5 claws; calyx on claws 40%)

same KC, side view
(seen from the fly's right)


KCab-s 68737
(7 claws; calyx on claws 48%)

same KC, side view
(seen from the fly's right)


KCab-c 88192
(7 claws; calyx on claws 32%)




same KC, side view
(seen from the fly's right)




KCab-c 111812
(6 claws; calyx on claws 56%)




same KC, side view
(seen from the fly's right)




KCab-m 70477
(5 claws; calyx on claws 46%)



same KC, side view
(seen from the fly's right)



KCab-m 262117
(5 claws; calyx on claws 46%)



same KC, side view
(seen from the fly's right)

