


LESSON 5

Embedding Multimedia Elements, Links and Lists



OBJECTIVES

Identify the different multimedia elements

Apply links in a web page

Create ordered lists and unordered lists

INSERTING IMAGES

- used to **insert** an **image**
- contains **only attributes**, and does **not** have a closing tag

- **src** – defines the image's **URL** (address)
-

- alt – specifies an **alternate text** that **describes** the image in words
-

- width and height

```
<img src = "tree.jpg" height = "250px"  
width="150px" alt="" />
```

<!-- OR -->

```
<img src = "tree.jpg" height = "50%"  
width="50%" alt="" />
```

 border

- border – used to create a **border around the image**
-

EMBEDDING AUDIO

<audio>

<audio>

- specifies a standard for **embedding audio** in a web page

2 ways to specify audio source

- First, uses the source attribute

`<audio src="audio.mp3" controls>`

Audio element not supported by your browser

`</audio>`

2 ways to specify audio source

- Second, uses the `<source>` element inside `<audio>`

`<audio controls>`

`<source src="audio.mp3" type=audio/mpeg">`

`<source src="audio.ogg" type=audio/ogg">`

`</audio>`

<audio> attributes

- **controls** – audio controls
- **autoplay** – audio starts playing as soon as it is ready, without asking for the visitor's permission
- **loop** – audio replay every time it is finished

EMBEDDING VIDEO

<audio>

<video>

- Similar to audio element

<video controls>

<source src="video.mp4" type=video/mp4">

<source src="video.ogg" type=video/ogg">

Video is not supported by your browser

</video>

LINKS



Anchor tag

<a>

- href – to define the link's **destination address**
- **HOME**

<a>

- By default, links will appear as follows in all browsers:
 - An **unvisited** link is **underlined and blue**
 - A **visited** link is **underlined and purple**
 - An **active** link is **underlined and red**

<a>

- **target** – specifies where to open the linked document

- Values:

_blank

_parent

_self

_top

<a>

- **download** - specifies that the target will be downloaded when a user clicks on the hyperlink

** **

<a>

- **id** – use **#** for href to hyperlink **within** the document

```
<a href="#top">HOME</a>
```

...other content, then at the end...

```
<p id="top">back to top</p>
```

LISTS

Ordered, Unordered and
Description lists

- Creates an unordered list

Coffee

Tea

Milk

- creates an **ordered list**
- **** - define **list items**

Red

Blue

Green

- **reversed** - specifies that the list order should be descending (9,8,7...)
- **start** - specifies the start value of an ordered list
- **type** - specifies the kind of marker to use in the list

<dl>

- used for any type of name/value pairs, such as terms and their definitions, questions and answers, or other types of terms and their associated information

<dl>

<dl>

<dt> Linotype </dt>

<dd> Line-casting allowed type to be selected, used, then recirculated into the machine automatically. This advance increased the speed of typesetting and printing dramatically. </dd>

<dt> Photocomposition </dt>

<dd> Typefaces are stored on film then projected onto photo-sensitive paper. Lenses adjust the size of the type. </dd>

<dt> Digital type </dt>

<dd> <p> Digital typefaces store the outline of the font shape in a format such as Postscript. The outline may be scaled to any size for output. </p>

<p> Postscript emerged as a standard due to its support of graphics and its early support on the Macintosh computer and Apple laser printer. </p>

</dd>

</dl>

ACTIVITY

About Me 2.0

Task

- Create your own About Me section
- Play around with the code, experiment with formatting text