


LESSON 1

CSS Fundamentals



Prepared By: Larra Mae Balisi



OBJECTIVES

Define CSS

Differentiate the
implementations
of CSS

Identify the style
rules

What is CSS?

The Basics

CSS

- Stands for **C**ascading **S**tyle **S**heets
- **Cascading** refers to the way CSS applies one style
- **Style Sheets** control the look and feel of web documents

Use along with javascript to dynamically display a task's progress

CSS

- CSS and HTML work hand in hand:
 - **HTML** sorts out the page structure
 - **CSS** defines how HTML elements are displayed

Use along with javascript to dynamically display a task's progress

Why use CSS?

- allows you to **apply specific styles** to specific HTML elements
- allows you to **separate** the style from content

Use along with javascript to dynamically display a task's progress

Ways to insert style sheet

- Inline
- Embedded
- External CSS

Use along with javascript to dynamically display a task's progress

Inline

- a unique style is applied to a **single element**
- in order to use it, add the style attribute to the relevant tag

Use along with javascript to dynamically display a task's progress

`<p style="color: white; background-color: gray;">`

This is an example of inline styling

`</p>`

Embedded/Internal CSS

- defined **within** the `<style>` element, inside the head section of an HTML page
- maybe used if one single page has a unique style

Use along with javascript to dynamically display a task's progress

```
<html>
  <head>
    <style>
      p {
        color: white; background-color: gray;
      }
    </style>
  </head>
  <body>
    <p>This is my first paragraph</p>
    <p>This is my second paragraph</p>
  </body>
</html>
```

External CSS

- all styling rules are contained in a **single text file**
- this CSS file is then **referenced** in the HTML using the **<link>** tag which goes inside the head section

Use along with javascript to dynamically display a task's progress

The HTML:

```
<html>
  <head>
    <link rel="stylesheet" type="text/css" href="examples.css">
  </head>
  <body>
    <p>This is my first paragraph</p>
    <p>This is my second paragraph</p>
    <p>This is my third paragraph</p>
  </body>
</html>
```

The CSS:

```
p {
  color: white;
  background-color: blue;
}
```

CSS Syntax


CSS Syntax

- CSS is composed of **style rules** that the browser interprets and then applies to the corresponding elements in your document

A style rule is a formatting instruction that can be applied to an element on a Web page, such as a paragraph of text or a link.

CSS Syntax

- a style rule has 2 main parts: a **selector**, and one or more **declarations**:




- the **selector** points to the HTML element you want to style

A style rule is a formatting instruction that can be applied to an element on a Web page, such as a paragraph of text or a link.

CSS Syntax

- the **declaration** block contains one or more declarations separated by semicolons
- each declaration includes a CSS property **name** and a **value**, separated by a **colon**

CSS Syntax



- a **CSS declaration** always **ends** with a **semicolon**, and declaration blocks are surrounded by **curly braces** **Example**

```
p {  
    color: red;  
    text-align: center;  
}
```

CSS Comments

CSS Comments

- used to **explain the code**, and may help when you edit the source code at a later date
- ignored by browsers

CSS Comments

- starts with `/*` and ends with `*/`
- can also span multiple lines

```
p {  
    color: red;  
    /* This is a single-line comment */  
    text-align: center;  
}
```

```
/* This is  
a multi-line  
comment */
```

Style Cascade and Inheritance

Cascade

- the **final appearance** of a web page is a result of different styling rules
- the **three** main sources of style information that form a cascade are:
 - **stylesheet** created by the author of the page
 - browser's default **styles**
 - styles specified by the **user**

Inheritance

- refers to the way properties **flow** through the page
- a child element will usually take on the characteristics of the parent element unless otherwise defined

Inheritance

```
<html>
<head>
  <style>
    p {
      color: green;
      font-family: Arial
    }
  </style>
</head>
<body>
  <p>This is my first paragraph</p>
  <p>This is my second paragraph</p>
</body>
</html>
```

