


LESSON 5

CSS Positioning and Floating




OBJECTIVES

Identify the CSS
Positioning properties

Differentiate
Margins and
Paddings

Apply float
properties



Margins and Paddings

Margins and Paddings

margin

This div has padding on four sides of 30px and has margin on four sides 20px

This div has padding on four sides of 40px and has margin on four sides 20px

padding

margin-top



margin-right

margin-bottom

margin-left

```
div { margin: 20px 20px 20px 20px  
padding: 30px 30px 30px 30px }
```

Exercise: demo_SocialMedia




Solution: demo_SocialMedia

```
ul, li, div, section, a {  
    margin: 0;  
    padding: 0; }  
body {  
    background: rgb(41, 41, 41); }  
footer {  
    height: 150px;  
    margin: 0 auto; }  
h2 {  
    text-transform: uppercase; }  
section {  
    float: left;  
    margin-left: 10px;
```


```
padding: 20px;  
height: 150px;  
color: #ffffff;  
}  
ul {  
    list-style: none;  
    margin-top: 15px;  
}  
a {  
    text-decoration: none;  
    color: rgb(181, 180, 152);  
    font-size: 30px;  
    text-transform: capitalize;
```

Solution: demo_SocialMedia

```
footer > section > div div {  
  width: 70px;  
  height: 58px;  
  background: url("images/social.jpg");  
  display: inline-block; }
```



```
.twitter { background-position: 772px 126px; }  
.linkedin { background-position: 642px 126px; }  
.youtube { background-position: 325px 126px; }  
.facebook, .twitter, .youtube, .linkedin { cursor: pointer; }  
.facebook:hover { background-position: 0 60px; }  
.linkedin:hover { background-position: 642px 63px; }  
.youtube:hover { background-position: 325px 63px; }  
.twitter:hover { background-position: -66px 63px; }
```




Border Box and Content Box

CSS Box-Sizing: Content-Box

```
<div class="div1">This div is smaller...</div>
```

```
<div class="div2">This div is bigger...</div>
```

```
.div1 {  
  width: 300px;  
  height: 100px;  
  border: 1px solid blue; }  
.div2 {  
  width: 300px;  
  height: 100px;  
  padding: 50px;  
  border: 1px solid blue;  
}
```





CSS Box-Sizing: Border-Box

```
<div class="div1">Both divs...</div>
```

```
<div class="div2">Hooray!</div>
```

```
* { box-sizing: border-box; }  
.div1 {  
  width: 300px;  
  height: 100px;  
  border: 1px solid blue; }  
.div2 {  
  width: 300px;  
  height: 100px;  
  padding: 50px;  
  border: 1px solid blue; }
```






CSS Positioning

Positioning: Static

```
<div class="static">  
  static is the default value..  
</div>
```


```
.static {  
  position: static;  
  border: 3px solid green;  
  padding: 10px;  
}
```



Positioning: Relative

```
<div class="relative1">  
  relative behaves ...  
  <div class="relative2">  
    Setting the top...  
  </div>  
</div>
```


```
.relative1 {  
  position: relative;  
}  
  
.relative2 {  
  position: relative;  
  top: 20px; left: 30px; }
```



Positioning: Absolute

```
<div class="relative">  
  This element is relatively...  
  <div class="absolute">  
    This element is...  
  </div>  
</div>
```

```
.relative {  
  position: relative;  
}  
.absolute {  
  position: absolute;  
  top: 100px; right: 0; }
```




Positioning: Fixed

```
.fixed {  
  position: fixed;  
  top: 40px;  
  background: white;  
  width: 150px;  
  border: 3px solid #8b603d; }  
.div {  
  background: #CCCCCC;  
  opacity: 0.8;  
  width: 150px;  
  height: 50px;  
  border: 3px solid #0000FF;  
}
```



```
<div class="fixed">  
A fixed element is positioned...  
</div>  
<div class="div"></div>
```

Exercise: demo_dropDown



Solution: demo_dropDown


```
@import
url(http://fonts.googleapis.com/css?family=Open+Sans);
body {
    font-family: 'Open Sans',
sans-serif;
    background: #1d211e;
    font-size: 22px;
    line-height: 22px;
    color: #ffffff;
    text-align: center; }
a {
    color: #ffffff; }
```

```
nav {
    margin: 50px 0;
    background-color: #e67c1f; }
nav ul {
    padding: 0;
    margin: 0;
    list-style: none;
    position: relative;
}
nav ul li {
    display: inline-block;
    background-color: #e67c1f;
}
```

Solution: demo_dropDown

```
nav a {  
  display: block;  
  padding: 0 10px;  
  color: #FFF;  
  font-size: 20px;  
  line-height: 60px;  
  text-decoration: none; }  
nav a:hover {  
  background-color: #000000;  
}  
nav ul ul {  
  display: none;  
  position: absolute; }
```

```
nav ul li:hover > ul {  
  display: inline-block; }  
nav ul ul li {  
  width: 170px;  
  position: relative;  
  display: block; }  
nav ul ul ul li {  
  position: relative;  
  top: -60px;  
  left: 85px; }  
li > a::after { content: ' +'; }  
li > a:only-child::after {  
  content: ''; }
```




Floating Elements

Floating Elements

- HTML elements can float left and right



Some text around ...
`<div style=
"float:left">
float:left
</div>`




Some text before ...
`<div style=
"margin:0 auto">
no floating block
</div>`



Some text around ...
`<div style=
"float:right">
float:left
</div>`

Exercise: demo_floatingElements

```
<main>
  <div class="left">left</div>
  <p>The float CSS property ...</p>
  <div class="right">right</div>
  <p>The float CSS property ...</p>
  <p>Without floating ...</p>
  <div class="center">no float</div>
  <p>Without floating ...</p>
</main>
```



Solution: demo_floatingElements

```
main { width: 400px;
  text-align: justify; }
.left, .right, .center {
  width: 120px; height: 30px;
  line-height: 30px;
  text-align: center;
  padding: 10px;
  background: CornflowerBlue;
  border-radius: 5px;
  text-shadow: 0px 0px 5px
white; }
```


```
.left {
  float: left;
  margin-right: 10px;
}

.right {
  float: right;
  margin-left: 10px;
}

.center {
  margin: 0 auto;
}
```

Exercise: demo_clearFloating


```
<header>
  <h1>Chania</h1>
</header>
<main class="clearfix">
  <aside class="float-left menu">
    <ul>
      <li>The Flight</li>
      <li>The City</li>
      <li>The Island</li>
      <li>The Food</li>
    </ul>
  </aside>
```



Exercise: demo_clearFloating

```
<article class="float-right content">
  <h2>The City</h2>
  <p>Chania is the capital of the Chania...</p>
  <p>You will learn more about web layout...</p>
</article>

</main>
<footer>
  <p>Footer Text</p>
</footer>
```



Solution: demo_clearFloating

```
* { box-sizing: border-box; }
header, footer {
  background: #8b603d;
  color: white;
  padding: 15px;
  border: 2px solid #4B4B4B; }
.menu { width: 25%; }
.float-left {
  float: left;
  padding: 15px; }
.float-right { float: right; }
.content { width: 75%; }
```

```
.menu ul {
  list-style-type: none;
  margin: 0;
  padding: 0; }
.menu li {
  padding: 8px;
  margin-bottom: 8px;
  background: #33b5e5;
  color: #ffffff; }
.clearfix::after {
  content: "";
  display: block;
  clear: both; height: 0; }
```