	, :1
	8
Unsupervised:	
open Image file	
Load Image (file > tif file)	Ę
3 bands	
Select Bands in Reverse. 4 Bands	E
- IR	€
G B	•
Groeyscale	C
Classification -> unsupervised -> K-Mean -> Select	C
input.	. 6
Output Memory	c
Select that file	-6
	-6
Supervised:	
1 Load Image	C
@ Overlay -> Region of interst->	C
	0
3 Selecti Regions → double Right Clicks	-60
	4
(9) File > exposi ROI to Shape file >	(C
Select all items. [OK]	4
Outname vois	(E)
most 1	1.3
@ Classification > superivised > spectral.	_e\
impost = tiffile =	_0
(E) Memory ANO ROI from Roil from	~
(G) Merry T	6

5	Vegelation Dolination
	Spectral → SPEAR Tools → Vegetation Delination
	Select tif input
-6	Select tif input ** Spatial Subset -> Ox Full scene (optional)
6	
-	1 Next > Durk object > Next > 4 bards
-	3) Robert NIR 34 GAD
-	3 Delect NIR >4 G>2 Red >3. B>M1
-	$Red \rightarrow 3$.
- 3-	
-	· Vector Dala
3	→ points → lines → polygous
	Rasier Dala
2	- Paster David
-	
2	
C	
8	
0	
0	
TE	
J	
N.	

	3
Geo-Refrencing	1
Add Image	3
Add Points -> vita lat long	The same
Add Basemap -> street view	7
Digitizing	
Points + PayLine + Polygone	
(1) catalogue → home → add shapefile → 1984	
② solect shape file → ⊕ select from catalogue ⊕	0
Start	0
	C.
Solect Map - Symbiology	
A	
symbiology-s category-> delete	
convert to graphics — ungroup — specific	1
Daniel Broom wilds	
Proporties Overy boilds	
aught 19pe and	
Convert in Shapefile	
Add Coloomin	
feild calculator	4
	1
Symbology -> Classification	- CV
SRTM Model Parameter Add to Display	
SRTM) Model Parameter Add to Display	-