AGENT AUTHORIZATION EVIDENCE · BOT CHAIN BOHR TESTNET

Approve the action. Verify what *happened*.

A read-only evidence ledger that compares a human-approved intent with what a BOT Chain smart account actually did — and keeps the gaps visible.

Read-only	Specific	Honest	Anchored
No keys, signing, or custody	Target, method, value, policy version	Missing evidence never becomes a pass	Hashes recorded on chain, by choice

PRODUCT PITCH OCTOBER 2026 CHAIN ID 968 · ERC-4337 V0.7

“It happened on-chain” is not the same as “it was authorized.”

A transaction hash proves something was submitted. It does not show who approved the target, the method, or the value — and it says nothing about whether that action was the one a human actually agreed to.

Agents move fast

Smart accounts and ERC-4337 UserOperations let an agent act without a person in the loop for every transaction.

Approval context is lost

The decision lives in a chat, a ticket, or someone’s memory. The chain keeps only the execution.

Reviewers get a hash

Auditors are handed explorers and raw call data, then asked to reconstruct intent after the fact.

> The gap is not another monitoring dashboard. It is a durable link between the approved action and the observed one.

An evidence ledger, not a wallet.

Mandate records the action a human approved, the policy version that applied, and the public transaction or UserOperation that actually occurred. It then shows where the record matches, where it does not, and what evidence is missing.

- **Versioned mandates.** Policies publish as immutable versions with content hashes.
- **Narrow intents.** One target, one method, one native value, one approver.
- **Public evidence only.** RPC, explorer, and bundler reads — nothing signed.
- **Exportable reports.** JSON and Markdown with a report fingerprint.

DELIBERATE BOUNDARIES

- No wallet connection, keys, or signing
- No custody, gas sponsorship, or UserOperation submission
- No on-chain enforcement — policies are review rules
- No claim of success before a receipt exists
- Testnet only; chain ID is validated against 968

> Boundaries are a feature. A tool that cannot move funds is a tool a reviewer can trust with the record.

From an approved action to an audit record.

01

Register the smart account

Add the BOT Chain testnet account you want to review. This is the identity evidence is matched against.

ACCOUNT RECORD

02

Publish a review policy

Allowed targets, method selectors, value caps, expiry, chain ID. Each publication is a new version.

POLICY V1 · V2 · V3

03

Approve a specific intent

One exact action, one approver, pinned to a policy snapshot and a content fingerprint.

APPROVAL RECORD

04

Attach public evidence

A transaction or UserOperation is fetched, checked against the sender, then compared field by field.

RPC · BOT SCAN · BUNDLER

05

Review or export

Inspect every comparison and coverage note, or export the record with a content fingerprint.

JSON + MARKDOWN

> Five steps, no wallet connection. Discovery can also surface recent account activity through BOT Scan when no transaction hash is supplied.

A comparison, field by field.

The unit of the product is a versioned mandate plus an evidence comparison — not a chat, an approval feed, or a transaction builder.

- **Intent match** — did the observed call match what was approved?
- **Policy result** — does it satisfy the pinned policy snapshot?
- **Chain result** — did the receipt report success?
- **Attribution** — is the sender the registered account?

> Four separate signals. A successful transaction can still be out of policy; a failed one can still be attributed.

ILLUSTRATIVE REVIEW RECORD

SAMPLE

Vendor settlement · invoice 1042

One approved transfer, compared field by field.

INTENT	Settle sample invoice	✓
TARGET	0x75ed…0fe3	✓
METHOD	transfer(address,uint256)	✓
VALUE	0 BOT	✓
COVERAGE	Complete for observed fields	✓

Matches the approved intent

Not a guarantee of unobserved behavior.

MATCHED

Intent fingerprint 0x91c2…7af4 Stored locally

Six verdicts. The most conservative one wins.

VERDICT	WHAT IT MEANS
MATCHED	Observed fields match the linked intent and the recorded policy snapshot.
OUT_OF_POLICY	The action belongs to the agent, but a target, method, value, or policy check differs.
FAILED	The chain reports failure. The record is preserved without treating it as authorized.
UNATTRIBUTED	No approved intent is attached. The action stays visible for review.
NEEDS_REVIEW	Coverage is incomplete. Missing evidence is never converted into a pass.
PENDING	Not yet confirmed. No success claim is made before a receipt.

> Status language is the product. “Submitted” and “succeeded” are separate states, and every observed field names its source with a fetched-at timestamp.

What Mandate checks — and what it does not.

CHECKED

- Chain ID is 968 and the observed sender matches the registered account
- Target, method selector, native value, policy expiry, daily caps
- Supported Kernel and SimpleAccount call decoding
- Token movements, shown as context
- Optional hash anchors for policies, intents, and reports

NOT CLAIMED

- Unknown multicalls or opaque inner calls are marked partial coverage
- Explorer data can be incomplete; gaps are labelled in place
- Token amounts are informational, not evaluated by policy
- Not an on-chain control — Mandate cannot block an action
- Not custody, tracing, or a guarantee of authorship

> Trust comes from showing what is missing, not only what passed.

Agents got execution. Evidence did not keep up.

ACCOUNT ABSTRACTION IS DEFAULT

ERC-4337 on BOT Chain

Smart accounts and EntryPoint v0.7 mean an agent's actions arrive as UserOperations, with inner calls the explorer may only partially decode.

PILOTS NEED REVIEW, NOT DEMOS

Testnet pilots today

BOT Chain Bohr testnet is where agent pilots run. Teams need a readable authorization trail before they can hand a program real authority.

REGULATORS ASK FOR PROVENANCE

Proof of approval

The question an reviewer asks is narrow: what was approved, by whom, against which policy, and what did the chain actually record?

WHO IT IS FOR

- Teams running agent pilots on BOT Chain testnet
- Security and risk reviewers signing off on agent authority
- Integrators who must show an approval trail to a customer

WHERE IT FITS

- After approval, before and after execution
- Alongside explorers — it reads them, it does not replace them
- Upstream of audits and exports that must survive review

Calm, documentary, and exportable.

Public research across agent-governance and execution-evidence products points to the same winning pattern: make the decision boundary visible — proposed action → policy → approval → execution → receipt.

WHAT WE ADOPTED

- **Timeline first** — ordered, timestamped events linked to policy and evidence
- **Split verdicts** — intent, policy, chain, and attribution stay separate
- **Provenance on every field** — source and fetched-at, always
- **Progressive disclosure** — plain-language summary, hashes one panel away

WHAT WE REFUSED

- Wallet, key, and signing metaphors as the centre of the product
- Dark terminal chrome and generic violet-gradient SaaS styling
- Status language that conflates submitted with succeeded
- Turning missing coverage into an implied pass

Visual direction: warm paper and editorial type, like an audit workpaper. Indigo marks authority, evergreen marks confirmed evidence, ochre marks review. The core object is a versioned mandate plus a comparison — never a transaction builder.

Anchors you can verify yourself.

REGISTRY	0xe923e156570961283198faad9e59744b49d1e523
DEPLOY TX	0x1509a5fd4ca468a00151e8a5d6f0540daa740fcd72468b7b42eef3b24fef0756
BLOCK	27678056
CHAIN	BOT Chain Bohr testnet · 968
EXPLORER	scan.bohr.life/address/0xe923…e523
COMPILER	solc 0.8.37 · runtime 1830 bytes

The registry stores a content hash, a kind, a recorder address, and a block timestamp. Policy, intent, report, and evidence hashes are written by a local burner key and read back by the app.

- No owner, custody, enforcement, upgrade path, or deletion
- First recorder of a hash wins; the app only ever reads
- This deck's own SHA-256 is anchored as a report on chain

> An anchor proves a hash was recorded by an address at a time. It does not prove authorship, correctness, or that the record is current — and Mandate says so in the product.

Built, tested, and deployable today.

SHIPPED

The working ledger

- Agents, versioned policies, approved intents, evidence
- Six-verdict review model with coverage notes
- Activity discovery through BOT Scan
- JSON and Markdown report exports with fingerprints
- Anchor registry deployed and read by the app
- 19 passing unit tests plus an opt-in live testnet test
- Vercel-ready Next.js build; SQLite storage

NEXT

Multi-operator review

- Authentication and database access controls
- Reviewer roles, sign-off, and audit history
- Scheduled evidence sweeps instead of manual attachment
- Deeper inner-call decoding and coverage reporting
- Webhooks and CI checks on report fingerprints

LATER

Beyond one chain

- Chain adapters past BOT Chain testnet, each with explicit coverage
- Policy templates for common agent mandates
- Org-level anchor directories and retention policy
- Independent verification of report fingerprints

> Testnet only — chain ID 968 is enforced, limits are documented in the README, the UI, and every export, and one command runs typecheck, tests, lint, and contract compilation.

Give reviewers the record they can actually defend: what was approved, what happened, and what is still missing.

PILOT WITH US

Run Mandate against a BOT Chain testnet smart account and review your first week of agent activity.

INTEGRATE

Report exports and anchor reads are API-first, ready to sit inside an existing approval or audit workflow.

CHALLENGE THE BOUNDARIES

The coverage section is a first-class surface. Tell us what should be checked next — and what must never be claimed.

`github.com/zynorr/Mandate` `scan.bohr.life · chain 968` `docs/pitch/mandate-pitch-deck.pdf`