

ZYVORAI LABS · CUSTOMER DOCUMENTATION

Aether

Page-by-Page Product Manual

2026-08-29

Page-by-page guides

Each guide follows: Purpose → When to use it → How to get there → What you can do → Related pages.

Every route is also listed in the [complete page index](#).

Intelligence

Page	What it covers
Runtime Affinity	Workload class affinity and runtime fit
AI Engine	Intent scoring, runtime recommendations & migration planning
Confidential Computing	TEE capabilities, attestation trust scores, and Ragnarok integration
Cost Estimation	Resource cost projections across runtimes
Drift Detection	Configuration drift & desired-state reconciliation
Intelligence Layer	Failure predictions, threats, cost optimization, and global placement
Migrations	AI migration planner with risk analysis and strategy
Policy Check	Validate workloads against policy rules
Security Center	Threats, secrets, policies, and hardening
Zyra	AI infrastructure operating layer — multi-LLM, multi-agent intelligence

Operations

Page	What it covers
Activity Monitor	CPU, memory, restarts, and errors across the fleet
Alerts	Notification channels, alert rules, and webhook tests
Cluster Browser	Browse and manage Kubernetes resources
Compose Import	Import Docker Compose into Aether workloads
Dependencies	Workload dependency graph
Visual Editor	Form-based workload designer (no YAML required)
Environments	Environment tiers and configuration
Events	Platform and workload events
Fleet Overview	Multi-cluster inventory, Hubble, and PacketWolf links
Health Monitor	Workload health checks and status
Helm App Store	Install curated charts with a guided wizard
Observability	Health, metrics, events, and correlated diagnostics
Platform	HA mode, setup recommendations, OPA, and observability
Scheduler	Scheduling recommendations and placement
SLA Compliance	SLA tracking and compliance

Primary

Page	What it covers
Applications	Manage Kubernetes apps like an operating system — not like YAML
Runtime Fabric	Live Application → Runtime → Cluster → Node topology
Overview	Fleet briefing, savings, and capacity intelligence
Workloads	Deploy, monitor, and manage across Podman, Kubernetes, KubeVirt & Metal3

Resources

Page	What it covers
Audit Trail	Tamper-evident audit log
Backups	Backup snapshots and restore
GPU / Forge	Forge GPU capacity, nodes, and AI placement
GitOps	GitOps reconciliation status
Hosted SaaS	Tenants, API keys, metering, and Stripe billing
Labs	Experimental AI-generated infrastructure artifacts
Metrics	Platform and workload metrics
API Explorer	Browse OpenAPI routes and raw schema
Plugins	Runtime plugins and extensions
Access Control	API keys and role-based access
Secrets	Encrypted secrets management
AI Providers	Configure OpenAI, Claude, Gemini, Grok, Ollama, and custom LLM endpoints
Settings	Platform, environments, secrets, and extensions
Storage	Atlas-backed persistent volumes and capacity
Templates	Workload templates library

44 guides. Regenerate: `node scripts/customer-docs/generate-guide-index.mjs` .

Runtime Affinity

Purpose

Workload class affinity and runtime fit

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/affinity`
- Nav: **Intelligence** → **Runtime Affinity** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/affinity` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

AI Engine

Purpose

Intent scoring, runtime recommendations & migration planning

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/ai`
- Nav: **Intelligence** → **AI Engine** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/ai` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Confidential Computing

Purpose

TEE capabilities, attestation trust scores, and Ragnarok integration

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/confidential`
- Nav: **Intelligence** → **Confidential Computing** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/confidential` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Cost Estimation

Purpose

Resource cost projections across runtimes

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/cost`
- Nav: **Intelligence** → **Cost Estimation** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/cost` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Drift Detection

Purpose

Configuration drift & desired-state reconciliation

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/drift`
- Nav: **Intelligence** → **Drift Detection** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/drift` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Intelligence Layer

Purpose

Failure predictions, threats, cost optimization, and global placement

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/intelligence`
- Nav: **Intelligence** → **Intelligence Layer** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/intelligence` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Migrations

Purpose

AI migration planner with risk analysis and strategy

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/migrations`
- Nav: **Intelligence** → **Migrations** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/migrations` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Policy Check

Purpose

Validate workloads against policy rules

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/policy`
- Nav: **Intelligence** → **Policy Check** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/policy` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Security Center

Purpose

Threats, secrets, policies, and hardening

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/security`
- Nav: **Intelligence** → **Security Center** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/security` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Zyra

Purpose

AI infrastructure operating layer — multi-LLM, multi-agent intelligence

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/zyra`
- Nav: **Intelligence** → **Zyra** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/zyra` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Activity Monitor

Purpose

CPU, memory, restarts, and errors across the fleet

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/activity`
- Nav: **Operations** → **Activity Monitor** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/activity` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Alerts

Purpose

Notification channels, alert rules, and webhook tests

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/alerts`
- Nav: **Operations** → **Alerts** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/alerts` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Cluster Browser

Purpose

Browse and manage Kubernetes resources

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/clusters`
- Nav: **Operations** → **Cluster Browser** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/clusters` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Compose Import

Purpose

Import Docker Compose into Aether workloads

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/compose`
- Nav: **Operations** → **Compose Import** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/compose` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Dependencies

Purpose

Workload dependency graph

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/deps`
- Nav: **Operations** → **Dependencies** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/deps` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Visual Editor

Purpose

Form-based workload designer (no YAML required)

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/editor`
- Nav: **Operations** → **Visual Editor** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/editor` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Environments

Purpose

Environment tiers and configuration

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/envs`
- Nav: **Operations** → **Environments** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/envs` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Events

Purpose

Platform and workload events

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/events`
- Nav: **Operations** → **Events** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/events` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Fleet Overview

Purpose

Multi-cluster inventory, Hubble, and PacketWolf links

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/fleet`
- Nav: **Operations** → **Fleet Overview** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/fleet` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Health Monitor

Purpose

Workload health checks and status

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/health-monitor`
- Nav: **Operations** → **Health Monitor** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/health-monitor` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Helm App Store

Purpose

Install curated charts with a guided wizard

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/helm`
- Nav: **Operations** → **Helm App Store** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/helm` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Observability

Purpose

Health, metrics, events, and correlated diagnostics

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/observability`
- Nav: **Operations** → **Observability** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/observability` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Platform

Purpose

HA mode, setup recommendations, OPA, and observability

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/platform`
- Nav: **Operations** → **Platform** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/platform` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Scheduler

Purpose

Scheduling recommendations and placement

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/scheduler`
- Nav: **Operations** → **Scheduler** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/scheduler` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

SLA Compliance

Purpose

SLA tracking and compliance

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/sla`
- Nav: **Operations** → **SLA Compliance** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/sla` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Applications

Purpose

Manage Kubernetes apps like an operating system — not like YAML

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/applications`
- Nav: **Primary** → **Applications** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/applications` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Runtime Fabric

Purpose

Live Application → Runtime → Cluster → Node topology

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/fabric`
- Nav: **Primary** → **Runtime Fabric** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/fabric` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Overview

Purpose

Fleet briefing, savings, and capacity intelligence

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/`
- Nav: **Primary** → **Overview** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Workloads

Purpose

Deploy, monitor, and manage across Podman, Kubernetes, KubeVirt & Metal3

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/workloads`
- Nav: **Primary** → **Workloads** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/workloads` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Audit Trail

Purpose

Tamper-evident audit log

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/audit`
- Nav: **Resources** → **Audit Trail** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/audit` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Backups

Purpose

Backup snapshots and restore

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/backups`
- Nav: **Resources** → **Backups** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/backups` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

GPU / Forge

Purpose

Forge GPU capacity, nodes, and AI placement

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/forge`
- Nav: **Resources** → **GPU / Forge** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/forge` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

GitOps

Purpose

GitOps reconciliation status

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/gitops`
- Nav: **Resources** → **GitOps** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/gitops` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Hosted SaaS

Purpose

Tenants, API keys, metering, and Stripe billing

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/hosted`
- Nav: **Resources** → **Hosted SaaS** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/hosted` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Labs

Purpose

Experimental AI-generated infrastructure artifacts

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/labs`
- Nav: **Resources** → **Labs** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/labs` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Metrics

Purpose

Platform and workload metrics

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/metrics`
- Nav: **Resources** → **Metrics** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/metrics` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

API Explorer

Purpose

Browse OpenAPI routes and raw schema

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/openapi`
- Nav: **Resources** → **API Explorer** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/openapi` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Plugins

Purpose

Runtime plugins and extensions

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/plugins`
- Nav: **Resources** → **Plugins** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/plugins` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Access Control

Purpose

API keys and role-based access

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/rbac`
- Nav: **Resources** → **Access Control** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/rbac` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Secrets

Purpose

Encrypted secrets management

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/secrets`
- Nav: **Resources** → **Secrets** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/secrets` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

AI Providers

Purpose

Configure OpenAI, Claude, Gemini, Grok, Ollama, and custom LLM endpoints

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/settings/ai-providers`
- Nav: **Resources** → **AI Providers** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/settings/ai-providers` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Settings

Purpose

Platform, environments, secrets, and extensions

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/settings`
- Nav: **Resources** → **Settings** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/settings` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Storage

Purpose

Atlas-backed persistent volumes and capacity

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/storage`
- Nav: **Resources** → **Storage** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/storage` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Templates

Purpose

Workload templates library

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/templates`
- Nav: **Resources** → **Templates** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/templates` and wait for live data from Aether.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Aether — Complete page index

Every primary navigable dashboard route.

Generated: 2026-08-29 · 44 routes

Regenerate: `node scripts/customer-docs/generate-page-index.mjs`

Primary

Page	Route	Purpose	Guide
Overview	<code>/</code>	Fleet briefing, savings, and capacity intelligence	Open
Runtime Fabric	<code>/fabric</code>	Live Application → Runtime → Cluster → Node topology	Open
Applications	<code>/applications</code>	Manage Kubernetes apps like an operating system — not like YAML	Open
Workloads	<code>/workloads</code>	Deploy, monitor, and manage across Podman, Kubernetes, KubeVirt & Metal3	Open

Intelligence

Page	Route	Purpose	Guide
Migrations	<code>/migrations</code>	AI migration planner with risk analysis and strategy	Open
AI Engine	<code>/ai</code>	Intent scoring, runtime recommendations & migration planning	Open
Zyra	<code>/zyra</code>	AI infrastructure operating layer — multi-LLM, multi-agent intelligence	Open
Cost Estimation	<code>/cost</code>	Resource cost projections across runtimes	Open
Runtime Affinity	<code>/affinity</code>	Workload class affinity and runtime fit	Open
Drift Detection	<code>/drift</code>	Configuration drift & desired-state reconciliation	Open
Intelligence Layer	<code>/intelligence</code>	Failure predictions, threats, cost optimization, and global placement	Open
Policy Check	<code>/policy</code>	Validate workloads against policy rules	Open
Confidential Computing	<code>/confidential</code>	TEE capabilities, attestation trust scores, and Ragnarok integration	Open
Security Center	<code>/security</code>	Threats, secrets, policies, and hardening	Open

Operations

Page	Route	Purpose	Guide
Observability	<code>/observability</code>	Health, metrics, events, and correlated diagnostics	Open
Cluster Browser	<code>/clusters</code>	Browse and manage Kubernetes resources	Open
Fleet Overview	<code>/fleet</code>	Multi-cluster inventory, Hubble, and PacketWolf links	Open
Activity Monitor	<code>/activity</code>	CPU, memory, restarts, and errors across the fleet	Open

Page	Route	Purpose	Guide
Helm App Store	/helm	Install curated charts with a guided wizard	Open
Compose Import	/compose	Import Docker Compose into Aether workloads	Open
Visual Editor	/editor	Form-based workload designer (no YAML required)	Open
Scheduler	/scheduler	Scheduling recommendations and placement	Open
Health Monitor	/health-monitor	Workload health checks and status	Open
Events	/events	Platform and workload events	Open
Alerts	/alerts	Notification channels, alert rules, and webhook tests	Open
Platform	/platform	HA mode, setup recommendations, OPA, and observability	Open
SLA Compliance	/sla	SLA tracking and compliance	Open
Dependencies	/deps	Workload dependency graph	Open
Environments	/envs	Environment tiers and configuration	Open

Resources

Page	Route	Purpose	Guide
Labs	/labs	Experimental AI-generated infrastructure artifacts	Open
Settings	/settings	Platform, environments, secrets, and extensions	Open
AI Providers	/settings/ai-providers	Configure OpenAI, Claude, Gemini, Grok, Ollama, and custom LLM endpoints	Open
Hosted SaaS	/hosted	Tenants, API keys, metering, and Stripe billing	Open
Secrets	/secrets	Encrypted secrets management	Open
Backups	/backups	Backup snapshots and restore	Open
Storage	/storage	Atlas-backed persistent volumes and capacity	Open
GPU / Forge	/forge	Forge GPU capacity, nodes, and AI placement	Open
Templates	/templates	Workload templates library	Open
Plugins	/plugins	Runtime plugins and extensions	Open
Access Control	/rbac	API keys and role-based access	Open
Audit Trail	/audit	Tamper-evident audit log	Open
GitOps	/gitops	GitOps reconciliation status	Open
Metrics	/metrics	Platform and workload metrics	Open
API Explorer	/openapi	Browse OpenAPI routes and raw schema	Open

Related

- [Customer docs home](#)

- [Page-by-page guides](#)