

ZYVORAI LABS · CUSTOMER DOCUMENTATION

# Zyvor Argus

Getting Started

2026-09-05

**Wrong product?** If you need multi-target Watchfloor SSO / RBAC / billing, that is **Argus Enterprise**, not this Mission Control path — see [Which product](#). This page is for **Community** Zyvor Argus (CLI + Mission Control).

**Missing Docker / Node / Helm?** Install companion packages first: [Install prerequisites](#).

## What you need

| Requirement             | Notes                                                                                       |
|-------------------------|---------------------------------------------------------------------------------------------|
| Python 3.11+ + Node 20+ | <code>make install</code> wires CLI, npm, and Playwright Chromium                           |
| Target under test       | Set <code>ZYVOR_BASE_URL</code> (e.g. <code>https://zyvor.dev</code> )                      |
| Optional LLM            | <code>LLM_PROVIDER</code> + API key for NL create / richer generation                       |
| Optional GitHub         | <code>gh auth login</code> + <code>ZYVOR_PRODUCT_REPO</code> for GitHub specs / PR comments |

Full env table: [Admin basics](#) · repo `.env.example` .

## 1. Install

---

```
git clone https://github.com/zyvora/argus.git
cd argus
cp .env.example .env # set ZYVOR_BASE_URL at minimum
make install          # argus CLI + Playwright browsers
```

## 2. First smoke (no LLM required)

---

```
argus-test-exec --grpc @smoke
```

### 3. Open Mission Control

---

```
argus serve --port 8080  
→ http://localhost:8080/dashboard
```

When `DASHBOARD_PASSWORD` is set, sign in at `/login` (defaults often `admin` / `Admin@321` on lab hosts — override via env).

**Argus Enterprise (Watchfloor)** uses Keycloak / OIDC instead. After a default install, smoke-test with `demo` / `demo` or `ssouser` / `Sso@321` — full guide: [Enterprise SSO / OIDC](#).

## 4. Orient yourself

---

1. **Overview hero** — pods, replicas, last QA run, pass rate, knowledge (Ask Zyra).
2. **Grouped side rail** — Console (Overview, Ask Zyra) · Testing (Pipeline ... Requirements) · Security testing · Runs & schedules.
3. **Live job panel** — macOS Terminal log, ✓/✗ chips, Copy / Save / Stop.
4. **Runs & schedules** — Schedules, Findings, QA Runs, Videos, Test health.
5. **⌘K / Search** — jump to any action; **theme toggle** for light mode.

## 5. First workflows

---

### A. Smoke from the UI

Mission Control → ► Smoke (optional `@smoke` `grep`).

### B. Drive a short journey (record video)

Actions → 🎬 Flow test — paste steps or English, run with video recording.

Against the public demo site:

```
ZYVOR_BASE_URL=https://zyvor.dev  
argus_flow_run https://zyvor.dev --steps /tmp/zyvor-home.steps --video
```

Full recipe + **watch the journey video**: [Test zyvor.dev](https://zyvor.dev).

### C. Full pipeline from a spec

```
argus_test_run --source local --spec path/to/spec.mn
```

## Related

---

- [Which product](#) — Community vs Watchfloor vs Enterprise v2 overlay
- [Using the Dashboard](#)
- [Test zyvor.dev](#)
- [Common workflows](#)
- [Admin basics](#)
- [Enterprise SSO / OIDC](#)
- [Page-by-page guides](#)



## Operate from the console (UX)

---

1. Open this route from the nav or command palette and wait for live API data.
  2. Use filters/search when present; drill into a row for detail.
  3. For mutating actions: confirm role gates and impact before applying.
  4. **Empty / fail:** Check service health, auth, and that required CRDs/backends for this domain are installed.
  5. **Success:** Live data loads; created/updated objects appear without error toasts.
- 

Zyvor Argus's **Mission Control** is a single live console at `/dashboard` (login at `/login` when password auth is on).

# Layout

| Element           | Purpose                                                                                                                                                                                                                       |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Grouped side rail | <b>Console</b> (Overview, Ask Zyra) · <b>Testing</b> (Pipeline, Visual, Quality, Journeys, API, Probes, Requirements) · <b>Security</b> (Security testing) · <b>Operations</b> (Runs & schedules) — collapsible to icons-only |
| Global header     | Knowledge lamp, dark/light theme toggle, <b>Search</b> (opens ⌘K palette)                                                                                                                                                     |
| Overview hero     | Health banner + stat tiles (pods, replicas, last run, pass rate, cron, knowledge)                                                                                                                                             |
| Panel viewport    | One active category at a time; hash URLs ( <code>#pipeline</code> , <code>#ask</code> , <code>#requirements</code> , ...) are bookmarkable                                                                                    |
| Workloads / Pods  | K8s strip and pod cards with log drawer (needs kube SA or kubeconfig)                                                                                                                                                         |
| Action cards      | Job cards inside each category panel — smoke, flow, HAR, contract diff, SCA, chaos, ...                                                                                                                                       |
| Live job panel    | macOS Terminal chrome — syntax-colored streaming log, case chips, Copy / Save / Stop                                                                                                                                          |
| Runs & schedules  | Schedules, Findings, QA Runs, Videos, Test health                                                                                                                                                                             |
| Requirements      | Versioned scores + linked tests + impact (shared models/flows, co-occurrence edges, typed Order → Payment canvas)                                                                                                             |
| Command palette   | ⌘K / Ctrl-K or header <b>Search</b> — jump to any action or Ask Zyra                                                                                                                                                          |

## Theme

---

Dark charcoal theme is the default (Apple-style, minimal blue accent buttons). Use the **moon/sun** control in the header to switch to light mode; preference persists in the browser. Login uses the same design system.

## Browse vs act

---

Reading pods, history, and findings is safe. Starting jobs mutates the target under test and writes reports under `reports/` — confirm URL, credentials, and scope before Run.

## Practice on zyvor.dev

---

See [Test zyvor.dev \(with recording\)](#) for smoke + flow video + HAR against the public site.

## Ask Zyra

---

Optional citation-first knowledge Q&A — side rail **Ask Zyra** (Console group) or ÆK. Labs without OpenAI embeddings can set `EMBEDDING_BACKEND=fastembed` . See [Tutorial 14](#).

## Related

---

- [Getting Started](#)
- [Test zyvor.dev](#)
- [Page-by-page guides](#)
- [Common workflows](#)

## Operate from the console (UX)

---

1. Open `/dashboard` (sign in at `/login` when auth is enabled).
  2. Pick a category from the side rail or #K.
  3. Fill the action card fields, run the job, watch the live terminal panel.
  4. Review Findings / QA Runs / downloads when the job completes.
  5. **Empty / fail:** Check `GET /health`, auth, and that Playwright browsers are installed on the host.
- 


Canonical how-to for pointing Zyvor Argus at <https://zyvor.dev>. **Watch the journey video first**, then re-run the same flow locally.



## Watch the recording

---

 Mission Control demo



- [Download the .webm](#)
- Steps used: `zyvor-dev-demo.steps` in `docs/assets/`
- Full tutorial: [Test zyvor.dev with recording](#)

# Setup

---

```
zyvor.com
ZYVOR_BASE_URL=https://zyvor.dev
```

## Re-run the same recording

---

```
argus test exec --grep @smoke
```

```
argus flow run https://zyvor.dev --steps docs/assets/zyvor-dev-demo.steps --video
```

Journey video lands under `reports/artifacts/flows/cli/journey.webm` (or Mission Control → 🎬 Videos).

# Mission Control

```
argus serve --port 8080
→ http://localhost:8080/dashboard
```

- 1. Pipeline → ► Smoke
- 2. Journeys → 🎬 Flow test — URL `https://zyvor.dev` , paste `zyvor-dev-demo.steps` , record video on
- 3. Journeys → 📺 HAR — optional record / then replay

## UX cues

| Cue               | How                                                                               |
|-------------------|-----------------------------------------------------------------------------------|
| Grouped side rail | Console / Testing / Security / Operations (Pipeline, Journeys, Requirements, ...) |
| Dark theme        | Default; header moon/sun for light mode                                           |
| ⌘K / Search       | Command palette                                                                   |
| Live job panel    | Terminal-style log (Copy / Save / Stop) while jobs run                            |
| Ask Zyra          | Console → citation-first Q&A (optional)                                           |

## Related

---

- [Getting Started](#)
- [Using the Dashboard](#)
- [Flow test](#)
- [Common workflows](#)

## Operate from the console (UX)

---

1. Open this route from the nav or command palette and wait for live API data.
  2. Use filters/search when present; drill into a row for detail.
  3. For mutating actions: confirm role gates and impact before applying.
  4. **Empty / fail:** Check service health, auth, and that required CRDs/backends for this domain are installed.
  5. **Success:** Live data loads; created/updated objects appear without error toasts.
-

## Smoke after a deploy

---

1. [Run tests](#) → ► Smoke (or `argus test exec --grep @smoke` )
2. Check [Findings](#) and [QA Runs](#)

## Spec → tests → report

---

1. [Generate tests](#) or CLI `argus test run --source local --spec ...`
2. [Run tests](#) → Full pipeline
3. Optional: enable autofix via `ENABLE_AUTOFIX` (see Admin basics)



## Record and replay a journey

---

1. [Flow test](#) — English or step DSL, record video
2. Or [Import codegen](#) from Playwright codegen
3. [HAR record / replay](#) when you need offline network fixtures

**Public demo:** [Test zyvor.dev](#) — watch the committed journey `.webm`, then re-run smoke / flow / HAR against `https://zyvor.dev`.

## API, auth, and live data

---

1. [Auth & session](#) → save session file
2. [API contract](#) against OpenAPI
3. [Live data](#) for WebSocket / SSE
4. Reuse the session on [Flow test](#)

## Visual confidence

---

1. [Route sweep](#) or [Visual regression](#)
2. [Compare URLs](#) for staging vs prod
3. [Web Vitals](#) for LCP / CLS / INP

## Continuous monitoring

---

1. Configure the card once (e.g. audit URL or flow steps)
2. [Schedules](#) → pick kind + interval

## Related

---

- [Getting Started](#)
- [Using the Dashboard](#)
- [Page index](#)

## Operate from the console (UX)

---

1. Open this route from the nav or command palette and wait for live API data.
2. Use filters/search when present; drill into a row for detail.
3. For mutating actions: confirm role gates and impact before applying.
4. **Empty / fail:** Check service health, auth, and that required CRDs/backends for this domain are installed.
5. **Success:** Live data loads; created/updated objects appear without error toasts.