

ZYVORAI LABS · CUSTOMER DOCUMENTATION

# Zyvor Argus

Getting Started

2026-08-24

## What you need

| Requirement             | Notes                                                                                       |
|-------------------------|---------------------------------------------------------------------------------------------|
| Python 3.11+ + Node 20+ | <code>make install</code> wires CLI, npm, and Playwright Chromium                           |
| Target under test       | Set <code>ZYVOR_BASE_URL</code> (e.g. <code>https://zyvor.dev</code> )                      |
| Optional LLM            | <code>LLM_PROVIDER</code> + API key for NL create / richer generation                       |
| Optional GitHub         | <code>gh auth login</code> + <code>ZYVOR_PRODUCT_REPO</code> for GitHub specs / PR comments |

Full env table: [Admin basics](#) · repo `.env.example` .

## 1. Install

---

```
git clone https://github.com/hypersdk/zyvor-argus.git
cd Zyvor-Argus
python3 setup.py install
python3 main.py
```

## 2. First smoke (no LLM required)

---

```
argus test exec --grep @smoke
```

### 3. Open Mission Control

---

```
argus serve --port 8080  
# → http://localhost:8080/dashboard
```

When `DASHBOARD_PASSWORD` is set, sign in at `/login` (defaults often `admin` / `Admin@321` on lab hosts — override via env).

**Argus Enterprise (Watchfloor)** uses Keycloak / OIDC instead. After a default install, smoke-test with `demo` / `demo` or `ssouser` / `Sso@321` — full guide: [Enterprise SSO / OIDC](#).

## 4. Orient yourself

---

1. **Boot splash → hero** — pods, replicas, last QA run, pass rate, next smoke; signal field behind the hero.
2. **Actions** — smoke, generate, flow, HAR, API, auth, vitals, probes, ...
3. **Live job panel** — streaming log, ✓/✗ chips, Stop.
4. **Schedules / Findings / QA Runs** — monitors, collected issues, history.
5. **⌘K** — jump to any card; double-click brand for **NOC**;  for warp.

## 5. First workflows

---

### A. Smoke from the UI

Mission Control → ► Smoke (optional `@smoke` `grep`).

### B. Drive a short journey (record video)

Actions → 📺 Flow test — paste steps or English, run with video recording.

Against the public demo site:

```
ZYVOR_BASE_URL=https://zyvor.de  
argus flow run https://zyvor.dev --steps /tmp/zyvor-home.steps --video
```

Full recipe + watch the journey video: [Test zyvor.dev](https://zyvor.dev).

### C. Full pipeline from a spec

```
argus test run --source local --spec path/to/spec.md
```

## Related

---

- [Using the Dashboard](#)
  - [Test zyvor.dev](#)
  - [Common workflows](#)
  - [Admin basics](#)
  - [Enterprise SSO / OIDC](#)
  - [Page-by-page guides](#)
- 

Zyvor Argus's **Mission Control** is a single live console at `/dashboard` (login at `/login` when password auth is on).



## Surfaces

| Element               | Purpose                                                                                    |
|-----------------------|--------------------------------------------------------------------------------------------|
| Boot splash           | Short warm-up intro on first load                                                          |
| Hero                  | Health banner + stat tiles (pods, replicas, last run, pass rate, cron) + primary Smoke CTA |
| Signal field          | Live constellation canvas behind the hero                                                  |
| Glass topbar / footer | Sticky brand + status while you scroll                                                     |
| Workloads / Pods      | K8s strip and pod cards with log drawer (needs kube SA or kubeconfig)                      |
| Actions grid          | Every job card — smoke, flow, HAR, codegen, API, auth, vitals, probes, ...                 |
| Live job panel        | Streaming log, case chips, Stop, copy/download log                                         |
| Schedules             | Loop smoke / audit / ping / TLS / flow / sweep / API / realtime / vitals                   |
| Findings              | Aggregated issues from quality jobs                                                        |
| QA Runs / Videos      | History and recorded journeys                                                              |
| Command palette       | ⌘K / Ctrl-K to find any action by name                                                     |

UX extras

| Cue            | How                                                                 |
|----------------|---------------------------------------------------------------------|
| NOC wall       | Double-click the <b>Zyvor Mission Control</b> brand                 |
| Warp flash     | Press <code>`</code> or type <code>zyvor</code>                     |
| Achievements   | First visit / NOC / warp unlock toast badges                        |
| Reduced motion | Splash / flash / canvas respect <code>prefers-reduced-motion</code> |

## Browse vs act

---

Reading pods, history, and findings is safe. Starting jobs mutates the target under test and writes reports under `reports/` — confirm URL, credentials, and scope before Run.

## Practice on zyvor.dev

---

See [Test zyvor.dev \(with recording\)](#) for smoke + flow video + HAR against the public site.


## Related

---

- [Getting Started](#)
  - [Test zyvor.dev](#)
  - [Page-by-page guides](#)
  - [Common workflows](#)
- 

Canonical how-to for pointing Zyvor Argus at <https://zyvor.dev>. **Watch the journey video first**, then re-run the same flow locally.

## Watch the recording



- YouTube (with thumbnail): <https://youtu.be/ys7SvKKqf9w>
- Download the .webm
- Steps used: [zyvor-dev-demo.steps](#) in docs/assets/
- Full tutorial: [Test zyvor.dev with recording](#)

Setup

```
# .env
ZYVOR_BASE_URL=https://zyvor.dev
```

## Re-run the same recording

---

```
argus test exec --grep @smoke
```

```
argus flow run https://zyvor.dev --steps docs/assets/zyvor-dev-demo.steps --video
```

Journey video lands under `reports/artifacts/flows/cli/journey.webm` (or Mission Control → 📺 Videos).



# Mission Control

```
argus serve --port 8080
# -> http://localhost:8080/dashboard
```

- 1. ▶ Smoke
- 2. 📺 **Flow test** — URL `https://zyvor.dev` , paste `zyvor-dev-demo.steps` , **record video** on
- 3. 🎥 **HAR** — optional record `/` then replay

## UX cues

| Cue          | How                                       |
|--------------|-------------------------------------------|
| Boot splash  | Brief intro on first load                 |
| Signal field | Live constellation behind the hero        |
| ⌘K           | Command palette                           |
| NOC wall     | Double-click the brand                    |
| Warp         | <code>`</code> or type <code>zyvor</code> |

## Related

---

- [Getting Started](#)
  - [Using the Dashboard](#)
  - [Flow test](#)
  - [Common workflows](#)
-

## Smoke after a deploy

---

1. [Run tests](#) → ► Smoke (or `argus test exec --grep @smoke` )
2. Check [Findings](#) and [QA Runs](#)

## Spec → tests → report

---

1. [Generate tests](#) or CLI `argus test run --source local --spec ...`
2. [Run tests](#) → Full pipeline
3. Optional: enable autofix via `ENABLE_AUTOFIX` (see Admin basics)

## Record and replay a journey

---

1. [Flow test](#) — English or step DSL, record video
2. Or [Import codegen](#) from Playwright codegen
3. [HAR record / replay](#) when you need offline network fixtures

**Public demo:** [Test zyvor.dev](#) — watch the committed journey `.webm`, then re-run smoke / flow / HAR against `https://zyvor.dev`.

## API, auth, and live data

---

1. [Auth & session](#) → save session file
2. [API contract](#) against OpenAPI
3. [Live data](#) for WebSocket / SSE
4. Reuse the session on [Flow test](#)

## Visual confidence

---

1. [Route sweep](#) or [Visual regression](#)
2. [Compare URLs](#) for staging vs prod
3. [Web Vitals](#) for LCP / CLS / INP

## Continuous monitoring

---

1. Configure the card once (e.g. audit URL or flow steps)
2. [Schedules](#) → pick kind + interval



## Related

---

- [Getting Started](#)
- [Using the Dashboard](#)
- [Page index](#)