

ZYVORAI LABS · CUSTOMER DOCUMENTATION



Getting Started

2026-07-26

What you need

Requirement	Notes
Atlas gateway	Default bind <code>127.0.0.1:5110</code> (REST + Storage Center UI)
Optional gRPC	<code>:5111</code>
Backend	Ceph via Rook/driver, or lab fake driver
Auth	Local often open (<code>ATLAS_AUTH_REQUIRED=0</code>); cluster uses JWT

1. Open Storage Center

- Local: `http://127.0.0.1:5110/`
- Cluster NodePort (common): `http://<host>:30511/` (HTTPS may be **30543**)
- Health: `curl http://127.0.0.1:5110/health`

2. Sign in

Mode	What you do
Open (lab)	No token when <code>ATLAS_AUTH_REQUIRED=0</code>
JWT	Paste bearer token from <code>POST /api/atlas/v1/auth/tokens</code> or secret
CLI	<code>atlasctl --token ...</code> or <code>ATLAS_TOKEN</code>

3. Orient yourself

1. **Command Deck** (/) — capacity and job health.
2. **Volumes / RBD / Snapshots** — block inventory.
3. **Jobs** — every mutation is a durable job (202 + id).
4. **DataBridge** — database / object mobility.
5. Spotlight / dock for quick jumps.

4. First workflows

A. Discover inventory

```
atlasctl health
atlasctl discover
atlasctl pools
atlasctl volumes
```

B. Provision from intent

Volumes → create with a policy (`production` , `database` , ...) → watch **Jobs**.

C. Protect a volume

Snapshots / **Schedules** / **Backups** — confirm job completion.

D. Check backend health

Backends → **Ceph** for day-2 OSD/pool/RGW signals.

Next steps

- [Using the Dashboard](#)
 - [Admin basics](#)
 - [Page guides](#)
-

Atlas **Storage Center** is a React SPA served by the gateway, organized by six nav sections.

Surfaces

Element	Purpose
Command Deck	Home — capacity, jobs, shortcuts
STORAGE / DATA PROTECTION / DATABRIDGE / OBSERVABILITY / GOVERNANCE / INFRASTRUCTURE	Sidebar sections
Dock	Pinned modules (volumes, jobs, backups, DataBridge, ...)
Spotlight	Jump to any module by label
Login gate	Bearer token entry when auth is required

Browse vs act

Inventories and metrics are safe to explore. Provisions, deletes, migrations, and DR actions enqueue durable jobs — always confirm in **Jobs** before assuming success.

Related

- [Getting Started](#)
 - [Page-by-page guides](#)
-

Provision and snapshot a volume

1. [Command Deck](#)
2. [Volumes](#) — create from intent / policy
3. [Jobs](#) — wait for success
4. [Snapshots](#)

Run a DataBridge migration

1. [Cloud Databases](#)
2. [Migration Plans](#)
3. [Plan Detail](#) — stages + validation
4. [Validation](#)

Day-2 Ceph / DR

1. [Backends / Ceph](#)
2. [Maintenance](#)
3. [Disaster Recovery](#)

Related

- [Getting Started](#)