

ZYVORAI LABS · CUSTOMER DOCUMENTATION

Aurora

Page-by-Page Product Manual

2026-08-29

Page-by-page guides

Each guide follows: Purpose → When to use it → How to get there → What you can do → Related pages.

Every route is also listed in the [complete page index](#).

Admin

Page	What it covers
Danger Zone	Danger Zone — Aurora surface at <code>/dashboard/admin/danger</code> .
Portal Accounts	Portal Accounts — Aurora surface at <code>/dashboard/admin/portal-accounts</code> .
Sales Activity	Sales Activity — Aurora surface at <code>/dashboard/admin/sales-activity</code> .
Support Tickets	Support Tickets — Aurora surface at <code>/dashboard/admin/tickets</code> .
Workflow Stages	Workflow Stages — Aurora surface at <code>/dashboard/admin/workflow-stages</code> .

Auth

Page	What it covers
SSO callback	SSO callback — Aurora surface at <code>/login/callback</code> .
Sign in	Sign in / Create workspace — email/password or SSO; URL-first signup.

Portals

Page	What it covers
Customer portal login	Customer portal login — Aurora surface at <code>/portal/customer/login</code> .
Customer portal signup	Customer portal signup — Aurora surface at <code>/portal/customer/signup</code> .
Customer portal	Customer portal — Aurora surface at <code>/portal/customer</code> .
Reseller portal login	Reseller portal login — Aurora surface at <code>/portal/reseller/login</code> .
Reseller portal signup	Reseller portal signup — Aurora surface at <code>/portal/reseller/signup</code> .
Reseller portal	Reseller portal — Aurora surface at <code>/portal/reseller</code> .
Salesperson portal login	Salesperson portal login — Aurora surface at <code>/portal/salesperson/login</code> .
Salesperson portal signup	Salesperson portal signup — Aurora surface at <code>/portal/salesperson/signup</code> .
Salesperson portal	Salesperson portal — Aurora surface at <code>/portal/salesperson</code> .

Product

Page	What it covers
Executive Brief	Executive Brief — KPIs / GTM readiness without LLM on load.
Marketing Studio	Marketing Studio — Aurora surface at <code>/products/:id/marketing</code> .
Partner Enablement	Partner Enablement — Aurora surface at <code>/products/:id/partner</code> .

Page	What it covers
Pipeline	Pipeline — Aurora surface at <code>/products/:id/pipeline</code> .
Sales Action	Sales Action — discover/qualify leads and outreach.
Full Forge	Full Forge — ingest sources, run GTM chain stages, agent tabs, approve and publish.

Public

Page	What it covers
Features	Features — Aurora surface at <code>/features</code> .
Marketing home	Aurora marketing home — public landing for create workspace / sign in.

Workspace

Page	What it covers
Agent Registry	Agent Registry — Aurora surface at <code>/dashboard/agents</code> .
Audit Log	Audit Log — Aurora surface at <code>/dashboard/audit</code> .
Settings	Settings — Aurora surface at <code>/dashboard/settings</code> .
Your GTM workspace	Your GTM workspace — create/onboard products and open role-default personas.

28 guides. Regenerate: `node scripts/customer-docs/generate-guide-index.mjs` .

Danger Zone

Purpose

Danger Zone — Aurora surface at `/dashboard/admin/danger` .

When to use it

- Operate **Danger Zone** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/dashboard/admin/danger`
- Nav: **Admin** → **Danger Zone**

Operate from the console (UX)

1. Admin → Danger Zone.
2. Export tenant data.
3. Purge ingested data (typed confirm).
4. **Empty / fail:** Admin only.
5. **Success:** Export downloads / purge confirmed.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Your GTM workspace](#)
 - [Getting Started](#)
 - [Page index](#)
-

Portal Accounts

Purpose

Portal Accounts — Aurora surface at `/dashboard/admin/portal-accounts` .

When to use it

- Operate **Portal Accounts** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/dashboard/admin/portal-accounts`
- Nav: **Admin → Portal Accounts**

Operate from the console (UX)

1. Admin → Portal Accounts.
2. Approve/reject customer/reseller/salesperson signups.
3. **Empty / fail:** No pending requests.
4. **Success:** Request approved/rejected.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Your GTM workspace](#)
 - [Getting Started](#)
 - [Page index](#)
-

Sales Activity

Purpose

Sales Activity — Aurora surface at `/dashboard/admin/sales-activity` .

When to use it

- Operate **Sales Activity** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/dashboard/admin/sales-activity`
- Nav: **Admin** → **Sales Activity**

Operate from the console (UX)

1. Admin → Sales Activity.
2. Review rep↔client activity.
3. **Empty / fail:** No activity.
4. **Success:** Activity rows.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Your GTM workspace](#)
 - [Getting Started](#)
 - [Page index](#)
-

Support Tickets

Purpose

Support Tickets — Aurora surface at `/dashboard/admin/tickets` .

When to use it

- Operate **Support Tickets** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/dashboard/admin/tickets`
- Nav: **Admin** → **Support Tickets**

Operate from the console (UX)

1. Admin → Tickets.
2. Triage customer tickets.
3. **Empty / fail**: No tickets.
4. **Success**: Ticket updated.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Customer portal](#)
 - [Getting Started](#)
 - [Page index](#)
-

Workflow Stages

Purpose

Workflow Stages — Aurora surface at `/dashboard/admin/workflow-stages` .

When to use it

- Operate **Workflow Stages** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/dashboard/admin/workflow-stages`
- Nav: **Admin** → **Workflow Stages**

Operate from the console (UX)

1. Admin → Workflow Stages.
2. Add/edit custom Full Forge stages (Enterprise).
3. **Empty / fail:** —.
4. **Success:** Stage saved.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Full Forge](#)
 - [Getting Started](#)
 - [Page index](#)
-

SSO callback

Purpose

SSO callback — Aurora surface at `/login/callback` .

When to use it

- Operate **SSO callback** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/login/callback`
- Nav: **Auth** → **SSO callback**

Operate from the console (UX)

1. OIDC redirect lands here.
2. Complete OIDC redirect.
3. land on dashboard.
4. **Empty / fail:** SSO misconfigured → see Admin SSO docs.
5. **Success:** Session established.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Sign in](#)
 - [Your GTM workspace](#)
 - [Getting Started](#)
 - [Page index](#)
-

Sign in

Purpose

Sign in / Create workspace — email/password or SSO; URL-first signup.

When to use it

- Operate **Sign in** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/login`
- Nav: **Auth** → **Sign in**

Operate from the console (UX)

1. Open `/login`.
2. Sign in email/password.
3. SSO when enabled.
4. URL-first signup → create product + ingest.
5. **Empty / fail:** Auth failure → check credentials/SSO.
6. **Success:** Signed into /dashboard.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Your GTM workspace](#)
 - [SSO callback](#)
 - [Getting Started](#)
 - [Page index](#)
-

Customer portal login

Purpose

Customer portal login — Aurora surface at `/portal/customer/login`.

When to use it

- Operate **Customer portal login** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/portal/customer/login`
- Nav: **Portals** → **Customer portal login**

Operate from the console (UX)

1. `/portal/customer/login`.
2. Sign in.
3. Request access → signup.
4. **Empty / fail:** Pending approval.
5. **Success:** Portal home.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Customer portal](#)
 - [Customer portal signup](#)
 - [Getting Started](#)
 - [Page index](#)
-

Customer portal signup

Purpose

Customer portal signup — Aurora surface at `/portal/customer/signup` .

When to use it

- Operate **Customer portal signup** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/portal/customer/signup`
- Nav: **Portals** → **Customer portal signup**

Operate from the console (UX)

1. `/portal/customer/signup` .
2. Submit signup request.
3. **Empty / fail:** —.
4. **Success:** Request pending admin approval.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Customer portal login](#)
 - [Getting Started](#)
 - [Page index](#)
-

Customer portal

Purpose

Customer portal — Aurora surface at `/portal/customer` .

When to use it

- Operate **Customer portal** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/portal/customer`
- Nav: **Portals** → **Customer portal**

Operate from the console (UX)

1. `/portal/customer` .
2. Open support ticket.
3. Edit profile.
4. **Empty / fail**: Not approved → wait.
5. **Success**: Ticket created.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Support Tickets](#)
 - [Getting Started](#)
 - [Page index](#)
-

Reseller portal login

Purpose

Reseller portal login — Aurora surface at `/portal/reseller/login` .

When to use it

- Operate **Reseller portal login** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/portal/reseller/login`
- Nav: **Portals** → **Reseller portal login**

Operate from the console (UX)

1. `/portal/reseller/login` .
2. Sign in.
3. Become a reseller.
4. **Empty / fail:** Pending approval.
5. **Success:** Portal home.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Reseller portal](#)
 - [Getting Started](#)
 - [Page index](#)
-

Reseller portal signup

Purpose

Reseller portal signup — Aurora surface at `/portal/reseller/signup` .

When to use it

- Operate **Reseller portal signup** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/portal/reseller/signup`
- Nav: **Portals** → **Reseller portal signup**

Operate from the console (UX)

1. `/portal/reseller/signup` .
2. Submit signup request.
3. **Empty / fail:** —.
4. **Success:** Request pending.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Reseller portal login](#)
 - [Getting Started](#)
 - [Page index](#)
-

Reseller portal

Purpose

Reseller portal — Aurora surface at `/portal/reseller` .

When to use it

- Operate **Reseller portal** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/portal/reseller`
- Nav: **Portals** → **Reseller portal**

Operate from the console (UX)

1. `/portal/reseller` .
2. Register a deal.
3. Edit profile.
4. **Empty / fail:** —.
5. **Success:** Deal registered.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Portal Accounts](#)
 - [Getting Started](#)
 - [Page index](#)
-

Salesperson portal login

Purpose

Salesperson portal login — Aurora surface at `/portal/salesperson/login` .

When to use it

- Operate **Salesperson portal login** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/portal/salesperson/login`
- Nav: **Portals** → **Salesperson portal login**

Operate from the console (UX)

1. `/portal/salesperson/login` .
2. Sign in.
3. Become a sales rep.
4. **Empty / fail:** Pending approval.
5. **Success:** Portal home.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Salesperson portal](#)
 - [Getting Started](#)
 - [Page index](#)
-

Salesperson portal signup

Purpose

Salesperson portal signup — Aurora surface at `/portal/salesperson/signup` .

When to use it

- Operate **Salesperson portal signup** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/portal/salesperson/signup`
- Nav: **Portals** → **Salesperson portal signup**

Operate from the console (UX)

1. `/portal/salesperson/signup` .
2. Submit signup request.
3. **Empty / fail:** —.
4. **Success:** Request pending.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Salesperson portal login](#)
 - [Getting Started](#)
 - [Page index](#)
-

Salesperson portal

Purpose

Salesperson portal — Aurora surface at `/portal/salesperson` .

When to use it

- Operate **Salesperson portal** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/portal/salesperson`
- Nav: **Portals** → **Salesperson portal**

Operate from the console (UX)

1. `/portal/salesperson` .
2. View assigned leads/opportunities.
3. Edit profile.
4. **Empty / fail:** No assignments.
5. **Success:** Leads visible.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Sales Activity](#)
 - [Getting Started](#)
 - [Page index](#)
-

Executive Brief

Purpose

Executive Brief — KPIs / GTM readiness without LLM on load.

When to use it

- Operate **Executive Brief** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/products/:id/brief`
- Nav: **Product** → **Executive Brief**

Notes

- Replace `:id` with your product id from `/dashboard`.

Operate from the console (UX)

1. Product → Brief (approver/viewer default).
2. Read KPIs / GTM readiness.
3. Open Forge if unprovisioned.
4. **Empty / fail:** Unprovisioned → open Forge ingest first.
5. **Success:** Brief KPIs populated.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Full Forge](#)
 - [Getting Started](#)
 - [Page index](#)
-

Marketing Studio

Purpose

Marketing Studio — Aurora surface at `/products/:id/marketing` .

When to use it

- Operate **Marketing Studio** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/products/:id/marketing`
- Nav: **Product** → **Marketing Studio**

Notes

- Replace `:id` with your product id from `/dashboard` .

Operate from the console (UX)

1. Product → Marketing.
2. Run Outbound Sprint.
3. Campaigns.
4. Strategy/Content deep-links into Forge.
5. **Empty / fail:** Needs ingested product.
6. **Success:** Sprint/campaign created.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Full Forge](#)
 - [Getting Started](#)
 - [Page index](#)
-

Partner Enablement

Purpose

Partner Enablement — Aurora surface at `/products/:id/partner`.

When to use it

- Operate **Partner Enablement** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/products/:id/partner`
- Nav: **Product** → **Partner Enablement**

Notes

- Replace `:id` with your product id from `/dashboard`.

Operate from the console (UX)

1. Product → Partner.
2. Read product profile.
3. Co-branded outreach → Forge outreach.
4. **Empty / fail:** —.
5. **Success:** Profile readable; template opens.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Full Forge](#)
 - [Getting Started](#)
 - [Page index](#)
-

Pipeline

Purpose

Pipeline — Aurora surface at `/products/:id/pipeline` .

When to use it

- Operate **Pipeline** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/products/:id/pipeline`
- Nav: **Product** → **Pipeline**

Notes

- Replace `:id` with your product id from `/dashboard` .

Operate from the console (UX)

1. Product → Pipeline.
2. Create opportunity.
3. Drag stage.
4. Run technical eval.
5. **Empty / fail:** Empty pipeline → create opportunity.
6. **Success:** Stage moves persist.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Sales Action](#)
 - [Getting Started](#)
 - [Page index](#)
-

Sales Action

Purpose

Sales Action — discover/qualify leads and outreach.

When to use it

- Operate **Sales Action** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/products/:id/sales`
- Nav: **Product** → **Sales Action**

Notes

- Replace `:id` with your product id from `/dashboard`.

Operate from the console (UX)

1. Product → Sales (editor default).
2. Discover leads.
3. Qualify.
4. Outreach (?tab=outreach).
5. Open Pipeline.
6. **Empty / fail:** No leads → run discover after ingest.
7. **Success:** Leads listed; outreach drafted.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Pipeline](#)
 - [Full Forge](#)
 - [Getting Started](#)
 - [Page index](#)
-

Full Forge

Purpose

Full Forge — ingest sources, run GTM chain stages, agent tabs, approve and publish.

When to use it

- Operate **Full Forge** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/products/:id`
- Nav: **Product** → **Full Forge**

Notes

- Replace `:id` with your product id from `/dashboard`.

Operate from the console (UX)

1. Open product → Full Forge (`?tab=`).
2. Add source + Ingest.
3. Run chain stages.
4. Agent tabs (Q&A/Strategy/Content/Sales/Outreach/Architect/Proposal/Publish).
5. Approve → Publish.
6. **Empty / fail:** Source not completed → wait for workers.
7. **Success:** Source completed; brief grounded; publish succeeds.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Executive Brief](#)
 - [Sales Action](#)
 - [Your GTM workspace](#)
 - [Getting Started](#)
 - [Page index](#)
-

Features

Purpose

Features — Aurora surface at `/features` .

When to use it

- Operate **Features** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/features`
- Nav: **Public** → **Features**

Operate from the console (UX)

1. Open `/features` .
2. Get started / Sign in → `/login`.
3. **Empty / fail:** —.
4. **Success:** Feature content loads.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Marketing home](#)
 - [Sign in](#)
 - [Getting Started](#)
 - [Page index](#)
-

Marketing home

Purpose

Aurora marketing home — public landing for create workspace / sign in.

When to use it

- Operate **Marketing home** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/`
- Nav: **Public** → **Marketing home**

Operate from the console (UX)

1. Open `/`.
2. Create workspace → `/login`.
3. Sign in.
4. **Empty / fail:** Public page.
5. **Success:** Landing loads; CTAs work.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Sign in](#)
 - [Features](#)
 - [Getting Started](#)
 - [Page index](#)
-

Agent Registry

Purpose

Agent Registry — Aurora surface at `/dashboard/agents` .

When to use it

- Operate **Agent Registry** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/dashboard/agents`
- Nav: **Workspace** → **Agent Registry**

Operate from the console (UX)

1. Nav Agents.
2. Browse agent catalog / tiers.
3. **Empty / fail**: Empty catalog → check plan.
4. **Success**: Agents listed.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Your GTM workspace](#)
 - [Full Forge](#)
 - [Getting Started](#)
 - [Page index](#)
-

Audit Log

Purpose

Audit Log — Aurora surface at `/dashboard/audit`.

When to use it

- Operate **Audit Log** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/dashboard/audit`
- Nav: **Workspace** → **Audit Log**

Operate from the console (UX)

1. Nav Audit.
2. Filter write/approve/publish trail.
3. **Empty / fail**: No events yet.
4. **Success**: Rows after actions.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Your GTM workspace](#)
 - [Getting Started](#)
 - [Page index](#)
-

Settings

Purpose

Settings — Aurora surface at `/dashboard/settings` .

When to use it

- Operate **Settings** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/dashboard/settings`
- Nav: **Workspace** → **Settings**

Operate from the console (UX)

1. Nav Settings.
2. Profile.
3. Appearance.
4. Plan usage.
5. Suppression list.
6. Sign out.
7. deep-links to admin.
8. **Empty / fail:** —.
9. **Success:** Settings persist.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Your GTM workspace](#)
 - [Getting Started](#)
 - [Page index](#)
-

Your GTM workspace

Purpose

Your GTM workspace — create/onboard products and open role-default personas.

When to use it

- Operate **Your GTM workspace** when your job matches this page
- Admin lands on Full Forge by default; editors on Sales; approvers/viewers on Brief
- Confirm auth and that workers are up if ingest never completes

How to get there

- Route: `/dashboard`
- Nav: **Workspace** → **GTM workspace**

Operate from the console (UX)

1. Open `/dashboard` after sign-in.
2. Create / Onboard product.
3. Open role-default persona.
4. Secondary: Brief or Full Forge.
5. **Empty / fail:** No products → create one with a website/docs URL.
6. **Success:** Product card opens Forge/Brief.

Use `http://<host>:3000` for the web UI and `http://<host>:8000/health` for the API. Never publish lab IPs in customer docs.

Related pages

- [Full Forge](#)
 - [Settings](#)
 - [Getting Started](#)
 - [Page index](#)
-

Aurora — Complete page index

Every primary navigable dashboard route.

Generated: 2026-08-29 · 28 routes

Regenerate: `node scripts/customer-docs/generate-page-index.mjs`

Public

Page	Route	Purpose	Guide
Marketing home	<code>/</code>	Aurora marketing home — public landing for create workspace / sign in.	Open
Features	<code>/features</code>	Features — Aurora surface at <code>/features</code> .	Open

Auth

Page	Route	Purpose	Guide
Sign in	<code>/login</code>	Sign in / Create workspace — email/password or SSO; URL-first signup.	Open
SSO callback	<code>/login/callback</code>	SSO callback — Aurora surface at <code>/login/callback</code> .	Open

Workspace

Page	Route	Purpose	Guide
GTM workspace	<code>/dashboard</code>	Your GTM workspace — create/onboard products and open role-default personas.	Open
Settings	<code>/dashboard/settings</code>	Settings — Aurora surface at <code>/dashboard/settings</code> .	Open
Agent Registry	<code>/dashboard/agents</code>	Agent Registry — Aurora surface at <code>/dashboard/agents</code> .	Open
Audit Log	<code>/dashboard/audit</code>	Audit Log — Aurora surface at <code>/dashboard/audit</code> .	Open

Product

Page	Route	Purpose	Guide
Full Forge	<code>/products/:id</code>	Full Forge — ingest sources, run GTM chain stages, agent tabs, approve and publish.	—
Executive Brief	<code>/products/:id/brief</code>	Executive Brief — KPIs / GTM readiness without LLM on load.	—
Sales Action	<code>/products/:id/sales</code>	Sales Action — discover/qualify leads and outreach.	—
Pipeline	<code>/products/:id/pipeline</code>	Pipeline — Aurora surface at <code>/products/:id/pipeline</code> .	—
Marketing Studio	<code>/products/:id/marketing</code>	Marketing Studio — Aurora surface at <code>/products/:id/marketing</code> .	—
Partner Enablement	<code>/products/:id/partner</code>	Partner Enablement — Aurora surface at <code>/products/:id/partner</code> .	—

Admin

Page	Route	Purpose	Guide
Portal Accounts	<code>/dashboard/admin/portal-accounts</code>	Portal Accounts — Aurora surface at <code>/dashboard/admin/portal-accounts</code> .	Open
Sales Activity	<code>/dashboard/admin/sales-activity</code>	Sales Activity — Aurora surface at <code>/dashboard/admin/sales-activity</code> .	Open
Support Tickets	<code>/dashboard/admin/tickets</code>	Support Tickets — Aurora surface at <code>/dashboard/admin/tickets</code> .	Open
Workflow Stages	<code>/dashboard/admin/workflow-stages</code>	Workflow Stages — Aurora surface at <code>/dashboard/admin/workflow-stages</code> .	Open
Danger Zone	<code>/dashboard/admin/danger</code>	Danger Zone — Aurora surface at <code>/dashboard/admin/danger</code> .	Open

Portals

Page	Route	Purpose	Guide
Customer portal login	<code>/portal/customer/login</code>	Customer portal login — Aurora surface at <code>/portal/customer/login</code> .	Open
Customer portal signup	<code>/portal/customer/signup</code>	Customer portal signup — Aurora surface at <code>/portal/customer/signup</code> .	Open
Customer portal	<code>/portal/customer</code>	Customer portal — Aurora surface at <code>/portal/customer</code> .	Open
Reseller portal login	<code>/portal/reseller/login</code>	Reseller portal login — Aurora surface at <code>/portal/reseller/login</code> .	Open
Reseller portal signup	<code>/portal/reseller/signup</code>	Reseller portal signup — Aurora surface at <code>/portal/reseller/signup</code> .	Open
Reseller portal	<code>/portal/reseller</code>	Reseller portal — Aurora surface at <code>/portal/reseller</code> .	Open
Salesperson portal login	<code>/portal/salesperson/login</code>	Salesperson portal login — Aurora surface at <code>/portal/salesperson/login</code> .	Open
Salesperson portal signup	<code>/portal/salesperson/signup</code>	Salesperson portal signup — Aurora surface at <code>/portal/salesperson/signup</code> .	Open
Salesperson portal	<code>/portal/salesperson</code>	Salesperson portal — Aurora surface at <code>/portal/salesperson</code> .	Open

Related

- [Customer docs home](#)
- [Page-by-page guides](#)