ZYVORAI LABS · USER DOCUMENTATION

Zyvor Fabric

Getting Started

2026-09-11

zyvor.dev · Apache License 2.0

Your first hour on a fresh Fabric install: open the UI, sign in, read the dashboard, create a VM, and open its console.

What you need

- A host running `zyvor-fabricd` (see Admin basics for ports, auth, deploy, TLS, and the FluxVM dependency)
- Browser access to `https://<host>:9095` (or `http://127.0.0.1:9095` on the host itself)
- Admin credentials — retrieve with `./zyvor-fabricd-ctl password` or `sudo cat /var/lib/zyvor-fabricd/.admin_password`

Never hardcode lab IPs in docs or scripts; use `<host>` or `127.0.0.1`.

1. Open the product

Browse to `https://<host>:9095/` (or `http://127.0.0.1:9095/` locally).

You land on the public marketing home. Product pages: `/product`, `/platform`, `/security`. The authenticated console lives under `/app/*`.

2. Sign in

1. Open `/sign-in` (or click **Sign in** in the top nav). Legacy `/login` redirects here.
2. Enter username `admin` → **Continue** → paste the generated admin password.
3. On success you land on the console dashboard at `/app`.

Failed sign-in shows an inline error — confirm `zyvor-fabricd` is up (`./zyvor-fabricd-ctl status`) and that you have the current password.

Details: Sign in.

3. Orient on the dashboard

At `/app`:

1. Check subsystem status chips (VM driver / FluxVM, storage, network security, **VM dataplane**, auth, events) — each should read Live when healthy. **VM dataplane** reports Network Fabric `schema=4` when eBPF is attached.
2. Read the VM count cards (total / running / stopped) and live CPU/memory charts.
3. On a fresh install with no VMs, use the Getting Started links to create a VM or open the API playground.

Full nav map: Using the Dashboard. Page guide: Dashboard.

4. Create your first VM

1. Go to **Core → Create VM** (`/app/create`), or use the dashboard shortcut.
2. **Basics** — name the VM and pick a catalog image (or a host disk path).
3. **Resources** — set vCPUs, memory, disk. Under Advanced Options choose **NAT** (default; use **Expose ports** / **Expose SSH (22)** if you need inbound) or **Bridged** (own address on the LAN — required later for VM Dataplane eBPF).
4. **Review** → create. You are taken to the new VM's detail page (`/app/vms/:name`).

Guide: Create VM.

5. Open the console

1. From the VM detail page, open the **Console** tab (or `/app/vms/:name/console`).
2. Use **Terminal** for an interactive serial/PTY shell, or **VNC** for a graphical framebuffer.
3. Confirm the VM state badge is **running**. If the console stays black, wait a few seconds after start for QEMU/FluxVM to come up, then refresh.

Guides: VM Console · Virtual Machines.

Next workflows

Job	Start here
Fleet list / bulk start-stop	Virtual Machines (`/app/vms`)
Per-VM eBPF edge policy	VM Dataplane
Maglev VIP / Service Fabric v6	Edge Dataplane
Snapshots / backups	Snapshots · Backups
Common paths end-to-end	Common workflows

Related

- Admin basics
- Using the Dashboard
- Common workflows
- Page-by-page guides
- Complete page index
- Operator web UI notes: Web UI guide

Zyvor Fabric's authenticated console lives under `/app` after you sign in at `/sign-in`. Public marketing stays on `/`, `/product`, `/platform`, `/security`. Use the left nav groups, top-bar quick links (Settings, API Playground), or `Ctrl/Cmd+K` command palette.

Open the UI at `https://<host>:9095` (never hardcode lab IPs).

Browse vs act

Inventory and status views are safe to explore. Mutating actions (create, migrate, delete, remediate) follow role gates and confirmation dialogs — review impact first.

Nav map by category

Core

Page	Route	When to use
Dashboard	`/app`	Landing view: VM counts, live charts, subsystem health
Favorites	`/app/favorites`	Starred shortlist of VMs you touch often
Virtual Machines	`/app/vms`	Fleet list + per-VM detail / actions
Warm Pools	`/app/vm-pools`	Pre-booted paused VMs you can claim instantly
Profiles	`/app/profiles`	Instance-type sizing presets for create
Datacenters	`/app/datacenters`	Physical inventory: DCs → clusters → hosts
VM Browser	`/app/vm-browser`	Lightweight read-only VM grid
Create VM	`/app/create`	Three-step provision wizard
Settings	`/app/settings`	Console / product preferences (also top-bar)

`/app/machines` is **removed** — use `/app/vms`. `/app/vm-wizard` redirects to `/app/create`.

Infrastructure

Page	Route	When to use
Network	`/app/network`	Day-2 NAT/bridge mode and port forwards
Net Security	`/app/network-security`	Host SDN: policies, firewall, VPN, QoS, NAT…
Edge Dataplane	`/app/edge-dataplane`	Groups/CNP + Maglev Services (Service Fabric v6)
Storage	`/app/storage`	Pool capacity + volume ledger
Storage Pools	`/app/storage-pools`	Create/start/stop NFS/LVM/ZFS/Ceph pools
Distributed Storage	`/app/distributed-storage`	Multi-host replicated / policy storage
Resource Pools	`/app/resource-pools`	Hierarchical CPU/memory admission
System	`/app/system`	Host hardware topology + VM tips
System Health	`/app/system-health`	Live host utilization score
Containers	`/app/containers`	Read-only Docker/Podman workload view

Per-VM TC/eBPF edge (Network Fabric schema v4) is on the VM detail **Dataplane** tab — not a separate top-level nav item. See VM Dataplane.

Operations

Page	Route	When to use
DRS	`/app/drs`	Placement balance / affinity across hosts
Fault Tolerance	`/app/fault-tolerance`	Live secondary replica for a VM

Page	Route	When to use
Replication	`/app/replication`	Cross-site replication + RPO
Site Recovery	`/app/site-recovery`	DR plans and failover executions
Migrations	`/app/migrations`	Move a VM to another host
Migration Wizard	`/app/migration-wizard`	Disk-image → Fabric VM conversion
Templates	`/app/templates`	Stamp new VMs from saved configs
Content Library	`/app/content-library`	Templates / ISOs / guest specs
Schedules	`/app/schedules`	Recurring start/stop/restart/snapshot
Autoscale	`/app/autoscale`	Per-VM CPU/memory grow/shrink policies
Availability Zones	`/app/zones`	Placement zones + spot instances
Snapshots	`/app/snapshots`	Point-in-time disk (or disk+memory)
Backups	`/app/backups`	Full/incremental backup and restore
Quotas	`/app/quotas`	Cap CPU/memory/disk/VM count
Lifecycle	`/app/lifecycle`	Patch baselines and host remediation
Bulk Operations	`/app/bulk-operations`	Start/stop/restart/snapshot many VMs

Monitoring

Page	Route	When to use
Logs	`/app/logs`	Searchable Fabric audit/event log
Analytics	`/app/analytics`	Fleet utilization trends / reports
Audit	`/app/audit`	Who did what (security trail)
Notifications	`/app/notifications`	Delivery channels, rules, history
Alerts	`/app/alerts`	Currently firing alerts
Timeline	`/app/timeline`	Merged audit + alert feed
Processes	`/app/processes`	Live host process table
Kernel	`/app/kernel`	Kernel version, modules, sysctls
Debug Tools	`/app/debug`	top / iostat / vmstat / netstat panels
Explain	`/app/explain`	Plain-language metric explanations
Live Metrics	`/app/live-metrics`	1s CPU/mem/disk/net sparklines
Event Stream	`/app/event-stream`	Live SSE VM lifecycle events
Optimizer	`/app/resource-optimizer`	Right-size recommendations
Capacity	`/app/capacity-planning`	Usage vs capacity trends
Service Map	`/app/service-map`	Discovered services and deps

Security

Page	Route	When to use
Security Dashboard	`/app/security-dashboard`	Live risk / threats / failed logins
Encryption	`/app/encryption`	KMS providers + encryption policies
Certificates	`/app/certificates`	PKI, CSRs, attestation, baselines
Compliance	`/app/compliance`	Config compliance scorecard
Access Control	`/app/access-control`	Local users and roles
Plugins	`/app/plugins`	Enable/disable server extensions

Tools

Page	Route	When to use
Webhooks	`/app/webhooks`	Outbound event webhooks
Cost Estimator	`/app/cost-estimator`	What-if cloud storage cost
VM Compare	`/app/vm-compare`	Side-by-side VM config diff
VM Health Check	`/app/vm-healthcheck`	On-demand per-VM checks
Notification Center	`/app/notification-center`	Session-only live alert tray
API Playground	`/app/playground`	Ad-hoc authenticated API calls

More — images, migrations & managers

Page	Route	When to use
Readiness / History / Report	`/app/migration-*`	Preflight, history, shareable report
Migration Templates / Batch	`/app/migration-templates` , `/app/batch-migration`	Reusable / multi-VM migration specs
ISO / Disk Images	`/app/iso-images` , `/app/disk-images`	Inventory of ISOs and disks
Upload / Download Disk	`/app/upload-disk` , `/app/download-disk`	Move images to/from the host
Disk Converter / Pipeline / Jobs	`/app/disk-converter` , `/app/pipeline` , `/app/job-monitor`	Convert and watch jobs
Image Builder	`/app/image-builder`	mkosi-based custom images
Backup Scheduler	`/app/backup-scheduler`	Recurring backup jobs
Batch Import	`/app/batch-import`	Bulk-create VMs from YAML/JSON
Snapshot / Storage Mgr	`/app/snapshot-manager` , `/app/storage-manager`	Alternate snapshot/pool browsers
Manifest Builder	`/app/manifest-builder`	Client-side YAML scratchpad

Page	Route	When to use
Network Topology	`/app/network-topology`	VM ↔ bridge / NIC map

Every route is also listed in the complete page index.

Related

- Getting Started
- Common workflows
- Admin basics
- Page-by-page guides

Short operator paths for the jobs you run most often. Open the console at `https://<host>:9095/app` after signing in (see Getting Started). Never publish lab IPs — use `<host>` or `127.0.0.1`.

Workflow index

Workflow	Route	Guide
Create a VM	`/app/create`	Create VM
Manage the fleet	`/app/vms`	Virtual Machines
Per-VM Network Fabric (schema v4)	`/app/vms/:name` → **Dataplane**	VM Dataplane
Edge Maglev / Service Fabric v6	`/app/edge-dataplane` → **Services**	Edge Dataplane
Container Groups (Secure Containers)	`/app/container-groups`	Container Groups
Agents / Sessions	`/app/agents` , `/app/sessions`	Agents · Sessions
Snapshots	`/app/snapshots` or VM → **Snapshots**	Snapshots
Backups & restore	`/app/backups`	Backups

Create a VM

1. Open **Core → Create VM** (`/app/create`).
2. **Basics** — name + catalog image (or host path).
3. **Resources** — vCPUs, memory, disk. Networking:
   - **NAT** (default) — private outbound; add **Expose ports** / **Expose SSH (22)** for inbound from clients that can reach the host.
   - **Bridged** — own LAN address (DHCP or static via cloud-init). Use bridged when you will attach VM Dataplane eBPF.
4. **Review** → create → land on `/app/vms/:name` .
5. **Empty / fail:** Image missing or FluxVM unreachable — check Dashboard capability chips and Admin basics.
6. **Success:** VM appears on `/app/vms` with the expected state badge.

Attach VM Dataplane (Network Fabric schema v4)

1. Create or pick a **bridged** VM with a host TAP (`network_tap`).
2. Open `/app/vms/:name` → **Dataplane** (or Network → **Open Dataplane**).
3. On **Status**, confirm **Attached = yes**, **Mode = ebpf**, **Schema version = 4**.
4. On **Policy**, pick a preset or edit allow/deny CIDRs and `tcp/PORT` / `udp/PORT` ports → **Save policy**.
5. Use **Effective**, **Stats**, and **Flows** to verify merges and allow/drop counters.
6. **Empty / fail:** Schema missing or not attached — enable FluxVM `[sandbox.dataplane] mode = "ebpf"` and confirm the TAP exists (operator guide linked from the dataplane page).
7. **Success:** Status shows schema 4 attached; counters move when traffic matches policy.

Create an Edge Maglev service (Service Fabric v6)

1. Open **Infrastructure → Edge Dataplane** (`/app/edge-dataplane`).
2. Open the **Services** tab (Service Fabric **v6** / BPF schema **4**).
3. Upsert a Maglev VIP service (backends, affinity, optional drain/health, pacing / host-routing fields the form exposes).
4. Check **Health** for BPF/bpffs presence; use ads / conntrack / HA controls as needed.
5. **Empty / fail:** Health not ok — FluxVM service dataplane not enabled or bpffs missing; see Edge Dataplane and ebpf-service-fabric.md.
6. **Success:** Service row appears; schema badge shows Service Fabric v6; backend health reconciles.

Take and revert a snapshot

1. Prefer **Virtual Machines →** open the VM → **Snapshots**, or **Operations → Snapshots** (`/app/snapshots`) and enter the VM name.
2. **Create** — name, optional description, type **Disk** (default, fast) or **Full** (disk + memory, slower).
3. To roll back: **stop the VM**, then **Revert** on the snapshot row (confirmation required).
4. **Empty / fail:** Create **409** right after start — QMP not ready yet; wait and retry. Revert while running is rejected.
5. **Success:** Snapshot listed with type and timestamp; after revert, VM boots from that disk state.

Full notes: Snapshots.

Backup and restore

1. Open **Operations → Backups** (`/app/backups`).
2. **Create Backup** — pick VM, **Full** or **Incremental** (compressed, 30-day retention by default).
3. Watch **Active Jobs** until status is `completed` .
4. **Restore** — in place on the original VM, or **Restore to new VM** with a new name (config + disks; not live runtime state).
5. **Empty / fail:** Job stuck/failed — check Active Jobs error text, storage pool space, and FluxVM health.
6. **Success:** Backup row shows `completed` with size/expiry; restore produces a runnable VM on `/app/vms` .

Guide: Backups. Recurring jobs: Backup Scheduler.

Related

- Getting Started
- Using the Dashboard
- Admin basics
- Page-by-page guides
- Complete page index