

ZYVORAI LABS · CUSTOMER DOCUMENTATION

Zyvor Fabric

Page-by-Page Product Manual

2026-08-16

Page-by-page guides

Each guide follows: Purpose → When to use it → How to get there → What you can do → Related pages.

Every route is also listed in the [complete page index](#).

Auth

Page	What it covers
Login	Login — Auth surface.

Core

Page	What it covers
Create VM	Create VM — Core surface.
Datacenters	Datacenters — Core surface.
Favorites	Favorites — Core surface.
Dashboard	Dashboard — Core surface.
Machines	Machines — Core surface.
Profiles	Profiles — Core surface.
VM Browser	VM Browser — Core surface.
VM Console	VM Console — Core surface.
Virtual Machines	Virtual Machines — Core surface.

Infrastructure

Page	What it covers
Containers	Containers — Infrastructure surface.
Distributed Storage	Distributed Storage — Infrastructure surface.
Net Security	Net Security — Infrastructure surface.
Network	Network — Infrastructure surface.
Resource Pools	Resource Pools — Infrastructure surface.
Storage Pools	Storage Pools — Infrastructure surface.
Storage	Storage — Infrastructure surface.
System Health	System Health — Infrastructure surface.
System	System — Infrastructure surface.

Monitoring

Page	What it covers
Alerts	Alerts — Monitoring surface.
Analytics	Analytics — Monitoring surface.
Audit	Audit — Monitoring surface.
Capacity	Capacity — Monitoring surface.
Debug Tools	Debug Tools — Monitoring surface.
Event Stream	Event Stream — Monitoring surface.
Explain	Explain — Monitoring surface.
Kernel	Kernel — Monitoring surface.
Live Metrics	Live Metrics — Monitoring surface.
Logs	Logs — Monitoring surface.
Notifications	Notifications — Monitoring surface.
Processes	Processes — Monitoring surface.
Optimizer	Optimizer — Monitoring surface.
Service Map	Service Map — Monitoring surface.
Timeline	Timeline — Monitoring surface.

More Images Migrations Managers

Page	What it covers
Backup Scheduler	Backup Scheduler — More — images, migrations & managers surface.
Batch Import	Batch Import — More — images, migrations & managers surface.
Batch Migration	Batch Migration — More — images, migrations & managers surface.
Disk Converter	Disk Converter — More — images, migrations & managers surface.
Disk Images	Disk Images — More — images, migrations & managers surface.
Download Disk	Download Disk — More — images, migrations & managers surface.
Image Builder	Image Builder — More — images, migrations & managers surface.
ISO Images	ISO Images — More — images, migrations & managers surface.
Job Monitor	Job Monitor — More — images, migrations & managers surface.
Manifest Builder	Manifest Builder — More — images, migrations & managers surface.
History	History — More — images, migrations & managers surface.
Readiness	Readiness — More — images, migrations & managers surface.
Report	Report — More — images, migrations & managers surface.
Migration Templates	Migration Templates — More — images, migrations & managers surface.

Page	What it covers
Network Topology	Network Topology — More — images, migrations & managers surface.
Pipeline	Pipeline — More — images, migrations & managers surface.
Snapshot Mgr	Snapshot Mgr — More — images, migrations & managers surface.
Storage Mgr	Storage Mgr — More — images, migrations & managers surface.
Upload Disk	Upload Disk — More — images, migrations & managers surface.

Operations

Page	What it covers
Autoscale	Autoscale — Operations surface.
Backups	Backups — Operations surface.
Bulk Operations	Bulk Operations — Operations surface.
Content Library	Content Library — Operations surface.
DRS	DRS — Operations surface.
Fault Tolerance	Fault Tolerance — Operations surface.
Lifecycle	Lifecycle — Operations surface.
Migration Wizard	Migration Wizard — Operations surface.
Migrations	Migrations — Operations surface.
Quotas	Quotas — Operations surface.
Replication	Replication — Operations surface.
Schedules	Schedules — Operations surface.
Site Recovery	Site Recovery — Operations surface.
Snapshots	Snapshots — Operations surface.
Templates	Templates — Operations surface.

Security

Page	What it covers
Access Control	Access Control — Security surface.
Certificates	Certificates — Security surface.
Compliance	Compliance — Security surface.
Encryption	Encryption — Security surface.
Plugins	Plugins — Security surface.
Security Dashboard	Security Dashboard — Security surface.

Tools

Page	What it covers
Cost Estimator	Cost Estimator — Tools surface.
Notification Center	Notification Center — Tools surface.
VM Compare	VM Compare — Tools surface.
VM Health Check	VM Health Check — Tools surface.
Webhooks	Webhooks — Tools surface.

79 guides. Regenerate: `node scripts/customer-docs/generate-guide-index.mjs` .

Login

Purpose

Login — Auth surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/login`
- Nav: **Auth** → **Login** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/login` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Create VM

Purpose

Create VM — Core surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/create`
- Nav: **Core** → **Create VM** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/create` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Datacenters

Purpose

Datacenters — Core surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/datacenters`
- Nav: **Core** → **Datacenters** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/datacenters` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Favorites

Purpose

Favorites — Core surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/favorites`
- Nav: **Core** → **Favorites** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/favorites` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Dashboard

Purpose

Dashboard — Core surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/`
- Nav: **Core** → **Dashboard** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Machines

Purpose

Machines — Core surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/machines`
- Nav: **Core** → **Machines** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/machines` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Profiles

Purpose

Profiles — Core surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/profiles`
- Nav: **Core** → **Profiles** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/profiles` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

VM Browser

Purpose

VM Browser — Core surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/vm-browser`
- Nav: **Core** → **VM Browser** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/vm-browser` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

VM Console

Purpose

VM Console — Core surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/vms/:name/console`
- Nav: **Core** → **VM Console** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/vms/:name/console` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Virtual Machines

Purpose

Virtual Machines — Core surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/vms`
- Nav: **Core** → **Virtual Machines** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/vms` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Containers

Purpose

Containers — Infrastructure surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/containers`
- Nav: **Infrastructure** → **Containers** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/containers` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Distributed Storage

Purpose

Distributed Storage — Infrastructure surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/distributed-storage`
- Nav: **Infrastructure** → **Distributed Storage** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/distributed-storage` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Net Security

Purpose

Net Security — Infrastructure surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/network-security`
- Nav: **Infrastructure** → **Net Security** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/network-security` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Network

Purpose

Network — Infrastructure surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/network`
- Nav: **Infrastructure** → **Network** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/network` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Resource Pools

Purpose

Resource Pools — Infrastructure surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/resource-pools`
- Nav: **Infrastructure** → **Resource Pools** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/resource-pools` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Storage Pools

Purpose

Storage Pools — Infrastructure surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/storage-pools`
- Nav: **Infrastructure** → **Storage Pools** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/storage-pools` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Storage

Purpose

Storage — Infrastructure surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/storage`
- Nav: **Infrastructure** → **Storage** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/storage` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

System Health

Purpose

System Health — Infrastructure surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/system-health`
- Nav: **Infrastructure** → **System Health** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/system-health` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

System

Purpose

System — Infrastructure surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/system`
- Nav: **Infrastructure** → **System** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/system` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Alerts

Purpose

Alerts — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/alerts`
- Nav: **Monitoring** → **Alerts** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/alerts` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Analytics

Purpose

Analytics — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/analytics`
- Nav: **Monitoring** → **Analytics** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/analytics` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Audit

Purpose

Audit — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/audit`
- Nav: **Monitoring** → **Audit** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/audit` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Capacity

Purpose

Capacity — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/capacity-planning`
- Nav: **Monitoring** → **Capacity** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/capacity-planning` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Debug Tools

Purpose

Debug Tools — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/debug`
- Nav: **Monitoring** → **Debug Tools** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/debug` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Event Stream

Purpose

Event Stream — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/event-stream`
- Nav: **Monitoring** → **Event Stream** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/event-stream` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Explain

Purpose

Explain — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/explain`
- Nav: **Monitoring** → **Explain** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/explain` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Kernel

Purpose

Kernel — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/kernel`
- Nav: **Monitoring** → **Kernel** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/kernel` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Live Metrics

Purpose

Live Metrics — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/live-metrics`
- Nav: **Monitoring** → **Live Metrics** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/live-metrics` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Logs

Purpose

Logs — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/logs`
- Nav: **Monitoring** → **Logs** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/logs` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Notifications

Purpose

Notifications — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/notifications`
- Nav: **Monitoring** → **Notifications** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/notifications` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Processes

Purpose

Processes — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/processes`
- Nav: **Monitoring** → **Processes** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/processes` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Optimizer

Purpose

Optimizer — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/resource-optimizer`
- Nav: **Monitoring** → **Optimizer** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/resource-optimizer` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Service Map

Purpose

Service Map — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/service-map`
- Nav: **Monitoring** → **Service Map** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/service-map` and wait for live data from Zylvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Timeline

Purpose

Timeline — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/timeline`
- Nav: **Monitoring** → **Timeline** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/timeline` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Backup Scheduler

Purpose

Backup Scheduler — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/backup-scheduler`
- Nav: **More — images, migrations & managers** → **Backup Scheduler** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/backup-scheduler` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Batch Import

Purpose

Batch Import — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/batch-import`
- Nav: **More — images, migrations & managers** → **Batch Import** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/batch-import` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Batch Migration

Purpose

Batch Migration — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/batch-migration`
- Nav: **More — images, migrations & managers** → **Batch Migration** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/batch-migration` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Disk Converter

Purpose

Disk Converter — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/disk-converter`
- Nav: **More — images, migrations & managers** → **Disk Converter** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/disk-converter` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Disk Images

Purpose

Disk Images — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/disk-images`
- Nav: **More — images, migrations & managers** → **Disk Images** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/disk-images` and wait for live data from Zylvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Download Disk

Purpose

Download Disk — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/download-disk`
- Nav: **More — images, migrations & managers** → **Download Disk** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/download-disk` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Image Builder

Purpose

Image Builder — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/image-builder`
- Nav: **More — images, migrations & managers** → **Image Builder** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/image-builder` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

ISO Images

Purpose

ISO Images — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/iso-images`
- Nav: **More — images, migrations & managers** → **ISO Images** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/iso-images` and wait for live data from Zylvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Job Monitor

Purpose

Job Monitor — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/job-monitor`
- Nav: **More — images, migrations & managers** → **Job Monitor** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/job-monitor` and wait for live data from Zylvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Manifest Builder

Purpose

Manifest Builder — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/manifest-builder`
- Nav: **More — images, migrations & managers** → **Manifest Builder** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/manifest-builder` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

History

Purpose

History — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/migration-history`
- Nav: **More — images, migrations & managers** → **History** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/migration-history` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Readiness

Purpose

Readiness — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/migration-readiness`
- Nav: **More — images, migrations & managers** → **Readiness** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/migration-readiness` and wait for live data from Zylvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Report

Purpose

Report — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/migration-report`
- Nav: **More — images, migrations & managers** → **Report** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/migration-report` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Migration Templates

Purpose

Migration Templates — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/migration-templates`
- Nav: **More — images, migrations & managers** → **Migration Templates** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/migration-templates` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Network Topology

Purpose

Network Topology — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/network-topology`
- Nav: **More — images, migrations & managers** → **Network Topology** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/network-topology` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Pipeline

Purpose

Pipeline — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/pipeline`
- Nav: **More — images, migrations & managers** → **Pipeline** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/pipeline` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Snapshot Mgr

Purpose

Snapshot Mgr — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/snapshot-manager`
- Nav: **More — images, migrations & managers** → **Snapshot Mgr** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/snapshot-manager` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Storage Mgr

Purpose

Storage Mgr — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/storage-manager`
- Nav: **More — images, migrations & managers** → **Storage Mgr** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/storage-manager` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Upload Disk

Purpose

Upload Disk — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/upload-disk`
- Nav: **More — images, migrations & managers** → **Upload Disk** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/upload-disk` and wait for live data from Zylvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Autoscale

Purpose

Autoscale — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/autoscale`
- Nav: **Operations** → **Autoscale** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/autoscale` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Backups

Purpose

Backups — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/backups`
- Nav: **Operations** → **Backups** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/backups` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Bulk Operations

Purpose

Bulk Operations — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/bulk-operations`
- Nav: **Operations** → **Bulk Operations** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/bulk-operations` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Content Library

Purpose

Content Library — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/content-library`
- Nav: **Operations** → **Content Library** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/content-library` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

DRS

Purpose

DRS — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/drs`
- Nav: **Operations** → **DRS** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/drs` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Fault Tolerance

Purpose

Fault Tolerance — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/fault-tolerance`
- Nav: **Operations** → **Fault Tolerance** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/fault-tolerance` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Lifecycle

Purpose

Lifecycle — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/lifecycle`
- Nav: **Operations** → **Lifecycle** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/lifecycle` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Migration Wizard

Purpose

Migration Wizard — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/migration-wizard`
- Nav: **Operations** → **Migration Wizard** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/migration-wizard` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Migrations

Purpose

Migrations — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/migrations`
- Nav: **Operations** → **Migrations** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/migrations` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Quotas

Purpose

Quotas — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/quotas`
- Nav: **Operations** → **Quotas** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/quotas` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Replication

Purpose

Replication — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/replication`
- Nav: **Operations** → **Replication** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/replication` and wait for live data from Zyvora Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Schedules

Purpose

Schedules — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/schedules`
- Nav: **Operations** → **Schedules** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/schedules` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Site Recovery

Purpose

Site Recovery — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/site-recovery`
- Nav: **Operations** → **Site Recovery** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/site-recovery` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Snapshots

Purpose

Snapshots — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/snapshots`
- Nav: **Operations** → **Snapshots** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/snapshots` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Templates

Purpose

Templates — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/templates`
- Nav: **Operations** → **Templates** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/templates` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Access Control

Purpose

Access Control — Security surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/access-control`
- Nav: **Security** → **Access Control** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/access-control` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Certificates

Purpose

Certificates — Security surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/certificates`
- Nav: **Security** → **Certificates** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/certificates` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Compliance

Purpose

Compliance — Security surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/compliance`
- Nav: **Security** → **Compliance** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/compliance` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Encryption

Purpose

Encryption — Security surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/encryption`
- Nav: **Security** → **Encryption** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/encryption` and wait for live data from Zylvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Plugins

Purpose

Plugins — Security surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/plugins`
- Nav: **Security** → **Plugins** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/plugins` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Security Dashboard

Purpose

Security Dashboard — Security surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/security-dashboard`
- Nav: **Security** → **Security Dashboard** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/security-dashboard` and wait for live data from Zyvora Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Cost Estimator

Purpose

Cost Estimator — Tools surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/cost-estimator`
- Nav: **Tools** → **Cost Estimator** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/cost-estimator` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Notification Center

Purpose

Notification Center — Tools surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/notification-center`
- Nav: **Tools** → **Notification Center** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/notification-center` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

VM Compare

Purpose

VM Compare — Tools surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/vm-compare`
- Nav: **Tools** → **VM Compare** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/vm-compare` and wait for live data from Zylvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

VM Health Check

Purpose

VM Health Check — Tools surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/vm-healthcheck`
- Nav: **Tools** → **VM Health Check** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/vm-healthcheck` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Webhooks

Purpose

Webhooks — Tools surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/webhooks`
- Nav: **Tools** → **Webhooks** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/webhooks` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Zyvor Fabric — Complete page index

Every primary navigable dashboard route.

Generated: 2026-08-16 · 79 routes

Regenerate: `node scripts/customer-docs/generate-page-index.mjs`

Core

Page	Route	Purpose	Guide
Dashboard	<code>/</code>	Dashboard — Core surface.	Open
Favorites	<code>/favorites</code>	Favorites — Core surface.	Open
Virtual Machines	<code>/vms</code>	Virtual Machines — Core surface.	Open
Machines	<code>/machines</code>	Machines — Core surface.	Open
Profiles	<code>/profiles</code>	Profiles — Core surface.	Open
Datacenters	<code>/datacenters</code>	Datacenters — Core surface.	Open
VM Browser	<code>/vm-browser</code>	VM Browser — Core surface.	Open
Create VM	<code>/create</code>	Create VM — Core surface.	Open
VM Console	<code>/vms/:name/console</code>	VM Console — Core surface.	—

Infrastructure

Page	Route	Purpose	Guide
Network	<code>/network</code>	Network — Infrastructure surface.	Open
Net Security	<code>/network-security</code>	Net Security — Infrastructure surface.	Open
Storage	<code>/storage</code>	Storage — Infrastructure surface.	Open
Storage Pools	<code>/storage-pools</code>	Storage Pools — Infrastructure surface.	Open
Distributed Storage	<code>/distributed-storage</code>	Distributed Storage — Infrastructure surface.	Open
Resource Pools	<code>/resource-pools</code>	Resource Pools — Infrastructure surface.	Open
System	<code>/system</code>	System — Infrastructure surface.	Open
System Health	<code>/system-health</code>	System Health — Infrastructure surface.	Open
Containers	<code>/containers</code>	Containers — Infrastructure surface.	Open

Operations

Page	Route	Purpose	Guide
DRS	<code>/drs</code>	DRS — Operations surface.	Open
Fault Tolerance	<code>/fault-tolerance</code>	Fault Tolerance — Operations surface.	Open
Replication	<code>/replication</code>	Replication — Operations surface.	Open

Page	Route	Purpose	Guide
Site Recovery	/site-recovery	Site Recovery — Operations surface.	Open
Migrations	/migrations	Migrations — Operations surface.	Open
Migration Wizard	/migration-wizard	Migration Wizard — Operations surface.	Open
Templates	/templates	Templates — Operations surface.	Open
Content Library	/content-library	Content Library — Operations surface.	Open
Schedules	/schedules	Schedules — Operations surface.	Open
Autoscale	/autoscale	Autoscale — Operations surface.	Open
Snapshots	/snapshots	Snapshots — Operations surface.	Open
Backups	/backups	Backups — Operations surface.	Open
Quotas	/quotas	Quotas — Operations surface.	Open
Lifecycle	/lifecycle	Lifecycle — Operations surface.	Open
Bulk Operations	/bulk-operations	Bulk Operations — Operations surface.	Open

Monitoring

Page	Route	Purpose	Guide
Logs	/logs	Logs — Monitoring surface.	Open
Analytics	/analytics	Analytics — Monitoring surface.	Open
Audit	/audit	Audit — Monitoring surface.	Open
Notifications	/notifications	Notifications — Monitoring surface.	Open
Alerts	/alerts	Alerts — Monitoring surface.	Open
Timeline	/timeline	Timeline — Monitoring surface.	Open
Processes	/processes	Processes — Monitoring surface.	Open
Kernel	/kernel	Kernel — Monitoring surface.	Open
Debug Tools	/debug	Debug Tools — Monitoring surface.	Open
Explain	/explain	Explain — Monitoring surface.	Open
Live Metrics	/live-metrics	Live Metrics — Monitoring surface.	Open
Event Stream	/event-stream	Event Stream — Monitoring surface.	Open
Optimizer	/resource-optimizer	Optimizer — Monitoring surface.	Open
Capacity	/capacity-planning	Capacity — Monitoring surface.	Open
Service Map	/service-map	Service Map — Monitoring surface.	Open

Security

Page	Route	Purpose	Guide
Security Dashboard	/security-dashboard	Security Dashboard — Security surface.	Open
Encryption	/encryption	Encryption — Security surface.	Open
Certificates	/certificates	Certificates — Security surface.	Open
Compliance	/compliance	Compliance — Security surface.	Open
Access Control	/access-control	Access Control — Security surface.	Open
Plugins	/plugins	Plugins — Security surface.	Open

Tools

Page	Route	Purpose	Guide
Webhooks	/webhooks	Webhooks — Tools surface.	Open
Cost Estimator	/cost-estimator	Cost Estimator — Tools surface.	Open
VM Compare	/vm-compare	VM Compare — Tools surface.	Open
VM Health Check	/vm-healthcheck	VM Health Check — Tools surface.	Open
Notification Center	/notification-center	Notification Center — Tools surface.	Open

More — images, migrations & managers

Page	Route	Purpose	Guide
Readiness	/migration-readiness	Readiness — More — images, migrations & managers surface.	Open
History	/migration-history	History — More — images, migrations & managers surface.	Open
Report	/migration-report	Report — More — images, migrations & managers surface.	Open
Migration Templates	/migration-templates	Migration Templates — More — images, migrations & managers surface.	Open
Batch Migration	/batch-migration	Batch Migration — More — images, migrations & managers surface.	Open
ISO Images	/iso-images	ISO Images — More — images, migrations & managers surface.	Open
Upload Disk	/upload-disk	Upload Disk — More — images, migrations & managers surface.	Open
Download Disk	/download-disk	Download Disk — More — images, migrations & managers surface.	Open
Image Builder	/image-builder	Image Builder — More — images, migrations & managers surface.	Open
Pipeline	/pipeline	Pipeline — More — images, migrations & managers surface.	Open
Disk Images	/disk-images	Disk Images — More — images, migrations & managers surface.	Open
Disk Converter	/disk-converter	Disk Converter — More — images, migrations & managers surface.	Open

Page	Route	Purpose	Guide
Backup Scheduler	/backup-scheduler	Backup Scheduler — More — images, migrations & managers surface.	Open
Batch Import	/batch-import	Batch Import — More — images, migrations & managers surface.	Open
Snapshot Mgr	/snapshot-manager	Snapshot Mgr — More — images, migrations & managers surface.	Open
Storage Mgr	/storage-manager	Storage Mgr — More — images, migrations & managers surface.	Open
Manifest Builder	/manifest-builder	Manifest Builder — More — images, migrations & managers surface.	Open
Job Monitor	/job-monitor	Job Monitor — More — images, migrations & managers surface.	Open
Network Topology	/network-topology	Network Topology — More — images, migrations & managers surface.	Open

Auth

Page	Route	Purpose	Guide
Login	/login	Login — Auth surface.	Open

Related

- [Customer docs home](#)
- [Page-by-page guides](#)